
Prosopis cineraria

Prosopis cineraria



(unranked): Rosids Order: Fabales Family: Fabaceae Genus: Prosopis Species: P. cineraria Binomial name

Prosopis cineraria (L.) Druce

Synonyms

Adenanthera aculeata Roxb. Mimosa cineraria L. Prosopis spicigera L. Prosopis spicata Burm.

Prosopis cineraria is a species of flowering tree in the pea family, Fabaceae. It is native to arid portions of Western and the Indian Subcontinent, including Afghanistan, Iran, India, Oman, Pakistan, Saudi Arabia, the United Arab Emirates, and Yemen. It is an established introduced species in parts of Southeast Asia, including Indonesia. Common names include Ghaf (Arabic); Khejri or "Loong Tree" [1](Rajasthan); Janty(আঠ) (Bishnois); Jand (Punjabi); Kandi (Sindh); Banni (Kannada); Gandasein(Burmese); Vanni (Tamil); Jammi (Telugu); Chaunkra, Jant/Janti, Khar, Khejri/Khejra, Sami, Shami (Marathi)and (Hindi); Sumri (Gujarat); Vanni-andara, Katu andara, Kalapu andara, Lunu andara (Sinhala).

It is the state tree of Rajasthan (India. A large and well known example of the species is the Tree of Life in Bahrain – approximately 400 years old and growing in a desert devoid of any obvious sources of water.

Prosopis cineraria 2

It is also the national tree of the United Arab Emirates. Through the Give a Ghaf campaign its citizens are urged to plant it in their gardens to combat desertification and to preserve their country's heritage. In Sri Lanka the mesquite *Prosopis juliflora* native to Central and South America is also known as *katu andara*. It was introduced in 1880 and has become a serious problem as an invasive species.

Description



Prosopis cineraria Branch

 $P.\ cineraria$ is a small tree, ranging in height from 3-5 m. Leaves are bipinnate, with 7-14 leaflets on each of 1-3 pinnae. Branches are thorned along the internodes. Flowers are small and creamy-yellow, and followed by seeds in pods. The tree is found in extremely arid conditions, with rainfall as low as 150mm annually; but is indicative of the presence of a deep water table. As with some other Prosopis spp., $P.\ cineraria$ has demonstrated a tolerance of highly alkaline and saline environments.

Uses


The wood of *P. cineraria* is a good fuel source, and provides excellent charcoal. The leaves, called "Loong" in India and pods are consumed by livestock and are a beneficial forage. In Rajasthan, India, *P. cineraria* is grown in an agroforestry setting in conjunction with millet. The tree is well-suited for an agroforestry setting, because it has a single-layered canopy, it is a nitrogen fixer (thus enriching the soil), and its deep roots avoid competition for water with crops.

Khejari fruits or pods are locally called sangar or sangri. The dried pods locally called Kho-Kha are eaten. Dried pods also form rich animal feed, which is liked by all livestock. Green pods also form rich animal feed, which is liked by drying the young boiled pods. The dried green sangri is used as a delicious dried vegetable which is very costly (Nearly Rs.400 per kg in market). Many Rajasthani families use the green and unripe pods (sangri) in preparation of curries and pickles.

References

[1] Rejuvenation of Khejri Trees through Bio-control Agents (http://www.cazri.res.in/publications/ss-khejri.pdf)

External links



- http://www.css.cornell.edu/ecf3/Web/new/AF/treePcineraria.html
- · http://www.savetheghaftree.org
- http://www.tribuneindia.com/2002/20020928/windows/main2.htm
- A Sangari Pickle (http://karansguesthouse.wordpress.com/2008/08/24/ a-rajasthani-delicacy-ker-sangri-pickle/)
- http://www.goumbook.com/give-a-ghaf/
- http://www.downtoearth.org.in/taxonomy/term/6533

Article Sources and Contributors

Prosopis cineraria Source: http://en.wikipedia.org/w/index.php?oldid=619112549 Contributors: Agodara, Akbarkq, Calliopejen1, Charan Gill, Crown Prince, Daarznieks, Editinf, Eumolpo, Kanags, Kcgrant, Khazar2, Kurt Shaped Box, Lambiam, Magioladitis, Mranilkish, PJeganathan, Qemist, Resprinter123, Rkitko, Ruigeroeland, Scientizzle, Senator2029, StarryGrandma, Vinod rakte, 23 anonymous edits

Image Sources, Licenses and Contributors

File:Khejri.jpg Source: http://en.wikipedia.org/w/index.php?title=File:Khejri.jpg License: GNU Free Documentation License Contributors: LRBurdak

File: Vanni maram branch.jpg Source: http://en.wikipedia.org/w/index.php?title=File: Vanni_maram_branch.jpg License: Creative Commons Attribution-Sharealike 3.0 Contributors: User: PJeganathan

 $\textbf{Image:} \textbf{Commons-logo.svg} \ \textit{Source:} \ \textbf{http://en.wikipedia.org/w/index.php?} \ \textit{title=} \textbf{File:} \textbf{Commons-logo.svg} \ \textit{License:} \ \textbf{logo} \ \textit{Contributors:} \ \textbf{Anomice} \ \textbf$

License

Creative Commons Attribution-Share Alike 3.0 //creativecommons.org/licenses/by-sa/3.0/