

Ethnobotanical study on the Genus *Pandanus* L. f. in certain areas in Java, Indonesia

WARDAH[▼], FRANCISCA MURTI SETYOWATI

"Herbarium Bogoriense", Botany Division, Research Center for Biology, Indonesian Institute of Sciences (LIPI), Cibinong-Bogor 16911

Received: 23rd February 2009. Accepted: 4th May 2009.

ABSTRACT

There were two species of *Pandanus* recorded in Java, *Pandanus amaryllifolius* Roxb. and *Pandanus tectorius* Sol. The leaf of *P. tectorius* is commonly harvested as source of handicraft materials, while *P. amaryllifolius* is for culinary aromatic purposes only. The pandan kunyit (*P. tectorius* Sol.) in Bangkalan and pandan jeksi (*P. tectorius* Sol. var. *samak* Werb.) in Kebumen (Central Java) are the best resource for plaiting industry. Prospect of *Pandanus* plaiting can rise the income of farmers in the village and rise foreign exchange depend on how to fulfill the best pandan and its processing. It is hoped the good relation between farmers and government to sustain and develop the pandan production.

© 2009 Biodiversitas, Journal of Biological Diversity

Key words: ethnobotany, *Pandanus*, uses, Java.

INTRODUCTION

Pandanaceae is plants family which geographically distributed from seaside to high mountains. Pandanaceae consists of 3 genera, namely *Sararanga* Hemsl. (2 spp.), *Freycinetia* Gaidich. (175 spp.), and *Pandanus* Parkinson (600 spp.) (Stone 1976). Distribution area of genus *Freycinetia* spp. are Java, Sumatra, Maluku; *Pandanus* spp. in Java, Sumatra, Bali, Sulawesi, Kalimantan, Little Sunda Islands, Maluku, and Papua, whereas *Sararanga* spp. currently was found in eastern Indonesia (Sulawesi). The diversity of Pandanaceae gave inspiration to inventory use and its potential for Indonesian people.

Backer and Bakhuizen van den Brink Jr. (1968) stated that there are 15 types of *Pandanus* in Java, namely *P. andamanensium* (southern coast of W. and on Nusakambangan), *P. labyrinthicus* (W. coas of Sumatra; migh also occur in Java), *P. faviger* (Lamongan and Bali), *P. pygmaeus*, *P. amaryllifolius*, *P. vandermeeschii*, *P. utilis*, *P. boninensis*, *P. kurzii* Merr., *P. tectorius* Soland ex Park, *P. polycephalus* Lamk, *P. furcatus* Roxb., *P. bidur* Jungh ex Miq, *P. nitidus* Kurz, and *P. Hasskarlii*. Based on herbarium specimen belongs to Herbarium Bogoriense (BO), LIPI there are 11 types of *Pandanus*.

Pandanus is valuable in either its benefit or

ecology *Pandanus* is useful for ritual, ornamental plants, fragrance, and as industrial material, such as bag, rope, hat, plaited, mat, house and building roofs. From ecology aspect, *Pandanus* can be used as restraining material for wind, sand erosion and tsunami wave, especially in coastal areas with mangrove. Besides wild and cultivated *Pandanus* species correlated with development of community culture currently, the shifting is occurred because of using other products, such as plastic, coconut husks, "mendong" and iron. Some references stated that Pandanaceae has various uses such as foodstuffs, traditional medicine, building material or roof, fiber material, local technology and other uses (Powell, 1976a, 1976b; Stone, 1982, 1983, 1984; Rose, 1982; Silltoe, 1983, Hyndman, 1984; French, 1986; Haberle, 1991a, 1991b; Miliken, 1994; Leigh, 2002; Walter and Sam, 2002).

In Java, handicrafts made from *Pandanus* are found in East Java (Madura, Lamongan) and Central Java (Karanganyar district, Kebumen). Pandan handicrafts came from Banten (Bojong Manik district, Rangkasbitung) are sold as local product markets at West Java and surrounding areas. *Pandanus* in East Java (Madura, Lamongan) and Central Java (Karanganyar district, Kebumen) has good prospect, but the quality should be improved, so the pandan handicrafts communities can fulfill demand at foreign market. Pandan handicrafts were exported to several countries, such as plaited mat from East Java (Lamongan) were exported to China, whereas from Central Java (Karanganyar district, Kebumen) were exported to Canada, China, German, France, and Japan. Pandan handicrafts from Banten (Bojong

▼ **Corresponding address:**

Jl. Raya Jakarta-Bogor Km 46, Cibinong-Bogor 16911
Tel. & Fax.: +62-21-8765066, +62-21-8765062
e-mail: wardah_etnobia@yahoo.com

Manik district, Rangkasbitung) were sold for local products at West Java and its surroundings. The pandan handicrafts has good prospects in increasing devisa (foreign exchange), so collaboration of communities and government are needed to preserve and develop pandan products.

The objective of this research was to discover and describe the potential of Pandanaceae as foodstuff, local technology material, traditional medicines, ornamental plants, building materials (roofs), socio-cultural roles (tradition ritual and other social values), etc. Socioeconomic roles of Pandanaceae for communities life was also analyzed, i.e. domestication aspects (evolution of extractivisme activities to cultivation to development), post harvest technology, art and crafts techniques (indigenous technology) of Pandanaceae, its management and preservation.

MATERIALS AND METHODS

Area study. Data collecting were conducted at several villages in East Java, Central Java and Banten as follows: (i) Galis Dajah village, Konang district, Bangkalan, East Java, (ii) Durjan village, Kokop district, Bangkalan, East Java, (iii) Aeng Tabar village, Tanjung Bumi district, Bangkalan, East Java, (iv) Saplasan village, Sepulu district, Bangkalan, East Java, (v) Sumber Dadi village, Mantup district, Lamongan, East java, (vi) Grenggeng village, Karanganyar district, Kebumen, Central Java, (vii) Kalirejo village, Kebumen district, Kebumen, Central Java, (viii) Kebon Cau village, Bojong Manik district, Rangkasbitung, Banten.

Procedures. The research used method which commonly used in anthropology, ecology, physiology, phytochemistry, socio-economy and ethnobiology research. Direct participation in communities life was essential method to obtain information. Information was obtained by open-ended interviewing, free, direct observation at communities and arranging questionnaire. Interview was carried out with customary head, traditional healers, craftsmen, labor, and communities having knowledge on Pandanaceae. Information were also obtained from direct observation at communities location, sample collection (plants and artefak), literature and its analyses.

RESULTS AND DISCUSSION

Use of pandan

Although pandan has long been used by communities in Java for various uses from plaiting mat to medication, and there are previous report on pandan ethnobotany in Java, completed scientific record which specifically assess pandan use at industry scale at Java was reported by Hofstede

(1925), where Tangerang (Banten Province now) is considered as one of pandan industry center at Java. The pandan type which most used as raw material for handicrafts industry is *Pandanus tectorius* (Keim et al., 2006). The products of pandan industry in Java Islands itself were marketed to throughout Indonesia (at that time Netherlands East Indies), even to foreign countries; such as several countries in Europe (Netherlands, France, Italy), Egypt, USA, Canada, Australia, Singapore and with export volume reached 4,8 million pandan hat of 1.049.000 guilder in production year of 1920 which considered as huge export value at that time. However, since Indonesia Independence, export volume of pandan industry was continuously decreasing and at that time pandan industry was dominated by Philippines, which has long been major competitor in Indonesia pandan industry (Hofstede, 1925). After Hofstede until present, study on pandan industry in Java, such as at Banten, Central Java particularly Kebumen, and East Java has not much been done, and also information of current pandan ethnobotany.

Observation of Pandanaceae in East Java, especially Bangkalan regency, was carried out at 4 villages of 4 districts. The communities used pandan as plaiting material. Survey result showed that the best quality of plaiting product was handicrafts made by communities of Galis Dajah village, Konang district. Pandan handicrafts produced by communities from Sumber Dadi village, Mantup district, Lamongan regency have various types, such as plaited mat, slipper, trash box, tissue box, hat, shopping bag, party bag, laundry box, jewelry box, wallet, etc. Thus pandan plaiting crafts from Kalirejo village and Grenggeng village, Kebumen regency has good quality for export, because the communities has good knowledge in pandan processing and making pandan plaiting crafts, from cultivation, maintaining, and use of each pandan species. The processing of raw material into pandan plaiting products was complicated, so the making of pandan plaiting crafts should be managed professionally with involving private sector (local entrepreneurs).

Pandan traditionally is used by communities in Malesia and Pacific for various daily uses. Use of pandan at western part of Malesia (including western part of Indonesia) was not as broader as eastern part of Malesia or eastern part of Indonesia and Pacific (Powel, 1976a, 1976b; Stone, 1982, 1983, 1984; Jebb, 1992; Leigh, 2002). At western part of Indonesia, pandan leaves generally was used as food flavorings (*P. amaryllifolius* Roxb.) and other uses was only for households appliances purposes, such as plaited mat, hat and traditionally ceremony (pandan samak *P. odoratissimus*; pandan bidur *P. dubius* Speng. and cangkung *P. furcatus* Roxb.). At Lombok (West Nusa Tenggara) pandan leaves were used for war traditional ceremony which related to soil fertility procession (Keim, 2007).

There are two species of *Pandanus* recorded from areas under study: *Pandanus amaryllifolius* Roxb. and *P. tectorius* Sol. This finding is in accordance with Hofstede (1925) that the two species are among the most cultivated species of *Pandanus* in Java, in which the leaves of *P. tectorius* is most commonly harvested for source of handicraft materials, while *P. amaryllifolius* for culinary aromatic purposes only

Species diversity

At Galis Dajah village (Konang district), Durjan village (Kokop district), and Aeng Tabar village (Tanjung Bumi district), the communities only know one pandan species, that are pandan kunyit (*Pandanus tectorius* Sol.), whereas at Saplasmah village (Sepulu district) it is known 4 pandan species, those are:

- (i) "Pandan langka" (the rare pandan, *Pandanus tectorius* Sol.). The plants are small and short; leaves are also small and short with length 60-90 cm, width 3-4 cm, spiny. The plants are used to make plaited mat but not preferable because of poor quality.
- (ii) "Pandan panjang" (the long pandan, *Pandanus tectorius* Sol.). The plants are big and tall, leaves with length 150-250 cm, width 5-8 cm, spiny. This plants are preferred by villagers for making plaited mat.
- (iii) Spineless pandan (*Pandanus tectorius* Sol.). This taxon was previously identified as *Pandanus tectorius* Sol. var. *laevis* by Backer and Bakhuizen van den Brink Jr. (1968). However, according to Keim (2009, *pers. comm.*) the infraspecific classification in *P. tectorius* is best avoided as *P. tectorius* is known for its morphological variability, thus the variety infraspecific category is tentative. The plants are big and tall until 10 m, spineless leaves edge. This pandan species are not used for making plaited mat, but as feedstuffs.
- (iv) "Pandan wangi" (the odorous pandan, *Pandanus amaryllifolius* Roxb.). The plants grow in clumps and have thin and sharp leaves at edge like sword, fragrant odor. Pandan wangi is used for traditional food preparation, especially at Melayu communities, it is used as dye, perfume, and appetite. Its extract has been used in food industries, such as bread and biscuit factories as dye materials, and also soya beverage and coconut milk. Pandan wangi has used for traditional medicines for morbilli fever, gonorrhoea, syphilis, and anemia.

The communities of Kebumen, Central Java have known 5 pandan species, those are:

- (i) "Pandan jeksi" (*Pandanus tectorius* Sol.). Its leaves are green, thin and limp, glossy, length of 75-125 cm, flexible, short and soft spiny, fast growing. This species is used more for making plaiting materials because the product is glossy white and has good export quality.

- (ii) "Pandan sari" (*Pandanus tectorius* Sol.). The leaves are not too long only 100-160 cm, soft spiny, slow growing. This species was more used for sewing plaiting border of various crafts.
- (iii) "Pandan jaran" (the horse pandan, *Pandanus tectorius* Sol.). The leaves are longer than pandan jeksi (150-190 cm), rigid and easy to break. This species is seldom used for plaiting because of yellow spotted leaves.
- (iv) "Pandan pantai" (the beach pandan, *Pandanus tectorius* Sol.). Grow at coastal areas, the tree was tall, its leaves are rigid, less used for plaiting.
- (v) "Pandan wangi" (*Pandanus amaryllifolius* Roxb.). The plants grow in clumps and have thin wide 4.5 cm and length of 40-80 cm and also sharply at the edge like sword. In Java, the plants can be found at home yard because of fragrant odor and generally used for fragrant and food colorants (Heyne 1927).

Based on data collected on pandan types used at Java with same local names compare to data recorded by Heyne (1927), it showed that until present the pandan types are still used by communities. This proved that pandan was considered as commodity which can support daily living of rural communities.

Processing of pandan

Generally processing of pandan at each village was similar, but there are several difference at boiling, soaking, and shaving stages. The processing of pandan was done without boiling, through soaking process, and without soaking process. Besides, duration of soaking process and shavings process also differ based on quality of processed pandan products. The processing stages will affect the quality of plaiting materials. The processing stages of pandan plaiting crafts are as follows: (i) Taking pandan leaves at planting fields (garden, backyard, rice field) using knife. (ii) Removing thorn using string. (iii) Dividing one leaf into 4-8 based on leaves width and its uses, using glass-thread/string. (iv) Boiling pandan leaves for 1 hour and then air-dried. (v) Soaking in cold water for 2 days and the water was changed every day to get pandan color into white and glossy. (vi) Sun-drying of pandan leaves. (vii) Leaves shavings using bamboo. (viii) Sun-drying of pandan leaves. (ix) Leaves shavings using bamboo. (x) Plaiting pandan leaves.

At plaiting stages, it is requires skill and patient. It takes 2 days to make plaited mat with size 1x2 m², if it is done continuously, but if it is done in leisure time it will take longer. For size of plaited mat, it is used "cengkol" term. One cengkol is measured from elbow to middle finger. Plaited mat with size 5x3 cengkol is sold at price Rp 20,000.

At Durjan village, Kokop district. There are traditional market every Wednesday where villagers buy and sell their daily basic needs, such as foods, medicine, materials for ritual, crafts materials and

handicrafts (plaited mat). Raw pandan plaited mat or without boiling process with size 1.2x2 m² and colored brown was sold at Rp 15,000 per sheet., while plaited mat with same size but with boiling process was sold at Rp 30,000 and colored glossy white. Plaiting materials in ribbon form, boiled, and unshaved was sold at Rp 7,000/bound. One bound was enough to make small size plaited mat. The estimation of length of pandan leaves and plaiting product are as follows:

Table 1. Length of pandan leaves and plaiting product

Length of pandan leaves	Plaiting product
70 cm	40 cm
85-90 cm	50 cm
100 cm	60 cm

At Kalirejo village (Kebumen) and Sumber Dadi (Lamongan), pandan plaiting products was dyed using synthetic dyes.

Diversity of pandan species

At Galis Dajah village (Konang district), Durjan village (Kokop district), and Aeng Tabar village (Tanjung Bumi district), the communities only know one pandan species, that are pandan kunyit (*Pandanus tectorius* Sol.), whereas at Saplasmah village (Sepulu district) it is known 4 pandan species, those are: (i) Pandan langka (*Pandanus tectorius* Sol.). The plants are small and short, leaves are also small and short with length 60-90 cm, width 3-4 cm, spiny. The plants are used to make plaited mat but not preferable because of poor quality. (ii) Pandan panjang (*Pandanus tectorius* Sol.). The plants are big and tall, leaves with length 150-250 cm, width 5-8 cm, spiny. This plants are preferred by villagers for making plaited mat. (iii) Pandan tidak berduri (*Pandanus tectorius* Sol. var. *laevis*). The plants are big and tall until 10 m, spineless leaves edge. This pandan species are not used for making plaited mat, but as feedstuffs. (iv) Pandan wangi (*Pandanus amaryllifolius* Roxb.). The plants grow in clumps and have thin and sharp leaves at edge like sword, fragrant odor. Pandan wangi is used for traditional food preparation, especially at Melayu communities, it is used as dye, perfume, and appetite. Its extract has been used in food industries, such as bread and biscuit factories as dye materials, and also soya beverage and coconut milk. Pandan wangi has used for traditional medicines for morbili fever, gonorrhea, syphilis, and anemia.

The communities of Kebumen, Central Java have known 5 pandan species, those are: (i) Pandan jeksi (*Pandanus tectorius* Sol.). Its leaves are green, thin and limp, glossy, length of 75-125 cm, flexible, short and soft spiny, fast growing. This species is used more for making plaiting materials because the product is glossy white and has good export quality. (ii) Pandan sari (*Pandanus tectorius* Sol.). The leaves

are not too long only 100-160 cm, soft spiny, slow growing. This species was more used for sewing plaiting border of various crafts. (iii) Pandan jaran (*Pandanus tectorius* Sol.). The leaves are longer than pandan jeksi (150-190 cm), rigid and easy to break. This species is seldom used for plaiting because of yellow spotted leaves. (iv) Pandan pantai (*Pandanus tectorius* Sol.). Grow at coastal areas, the tree was tall, its leaves are rigid, less used for plaiting. (v) Pandan wangi (*Pandanus amaryllifolius* Roxb.). The plants grow in clumps and have thin wide 4.5 cm and length of 40-80 cm and also sharply at the edge like sword. In Java, the plants can be found at home yard because of fragrant odor and generally used for fragrant and food colorants (Heyne, 1927).

CONCLUSION

The communities of Konang, Kokop and Tanjung Bumi districts, East Java province only know one pandan species, that are pandan kunyit (*Pandanus tectorius* Sol.), whereas at Saplasmah village, Sepuluh district the communities know 4 *Pandanus* species, those are pandan langka (*Pandanus tectorius* Sol.), pandan panjang (*Pandanus tectorius* Sol.), spineless pandan (*Pandanus tectorius* Sol. var. *laevis*) and pandan wangi (*Pandanus amaryllifolius* Roxb.). In Central Java, pandan Jeksi (*Pandanus tectorius* Sol. var. *samak* Werb.) has good quality and good prospect as plaiting materials, because the plants are big, tall, green-colored and long leaves; pandan sari (*Pandanus tectorius* Sol.), pandan jaran (*Pandanus tectorius* Sol.), pandan pantai (*Pandanus tectorius* Sol.), and pandan wangi (*Pandanus amaryllifolius* Roxb.). In West Java, there is one pandan species, that are *Pandanus tectorius* Sol.

REFERENCES

- Backer, C.A. and R.C. Bakhuizen van den Brink Jr. 1968. *Flora of Java (Spermatophytes only)* vol. 3 Groningen: Nv.P. Noordhoff.
- French, B.R. 1986. *Food Plants of Papua New Guinea: A Compendium*. Tasmania: Sheffield.
- Haberle, S.G. 1991a. *Ethnobotanical research in the Tari Basin. Papua New Guinea Program & Abstract of New Perspectives on the Papua New Guinea Highlands, An interdisciplinary Conference on the Duna, Huli and Ipiili Peoples*. Canberra: Australian National University.
- Haberle, S.G. 1991b. *Ethnobotanical Research in the Tari Basin. Southern Highlands Provinsi, Papua New Guinea. Monograph, Biogeography and Geomorphology*. Canberra: Australia National University.
- Heyne, K. 1927. *De Nuttige Planten van Nederlandsch Indië*. 2nd ed. Vol. 1. Batavia: Department van Landbouw, Nijverheid en Handel in Nederlandsch Indië.
- Hofstede, H.W. 1925. *Het Pandanblad: Als grondstof voor de Pandan hoedenindustrie op Java*. Eibergen: H. Heinen.
- Hyndman, D.C. 1984. Ethnobotany of Wopkaimin **Pandanus**: significant PNG Plant Resources. *Economic Botany* 38 (3): 287-303.
- Jebb, M. 1992. *A Field Guide to Pandanus in New Guinea, the Bismarck Archipelago & the Solomon Islands*. Madang: Christensen Research Institute.

- Keim, A.P., Rugayah, S. Prawiroatmodjo, M. Rahayu, F.I. Windadri, S. Sunarti, K. Kramadibrata, Y. Santika, Dewi, Sunardi, dan Hamzah. 2006. Keanekaragaman suku pandan (Pandanaceae) di beberapa wilayah terpilih dalam lingkup Taman Nasional Ujung Kulon, Banten. *Laporan Perjalanan Eksplorasi dan Pengungkapan Pemanfaatan Flora untuk Revisi Suku-suku Terpilih, Taman Nasional Ujung Kulon-Banten. Herbarium Bogoriense, Bogor*. Bogor: Puslit Biologi LIPI.
- Keim, A.P. 2007. 300 tahun Linnaeus: Pandanaceae, Linnaeus dan Koneksi Swedia. *Memperingati 300 tahun Carolus Linnaeus*. Pusat Penelitian Biologi-LIPI. Bogor, 24 Mei 2007.
- Leigh, C. 2002. *Baining Dances and Bark Cloth Masks. East Britain Province-Papua New Guinea*. Tucson, A: Art-Pacific.
- Milliken W. 1994. *Ethnobotany of the Yali of West Papua*. Edinburgh: Royal Botanic Garden.
- Powell, J.M. 1976a. Ethnobotany. In: Pajmians, K. (ed.). *New Guinea Vegetation*. Amsterdam: Elsevier.
- Powell, J.M. 1976b. Some useful wild and domesticated plants of the Huli of Papua. *Science in New Guinea* 4: 173-201.
- Rose, C.J. 1982. Preliminary observation on the **Pandanus** nut (*Pandanus julianetti* Marteli). *Proceedings of the Second Papua New Guinea Food Crops Conference*. Port Moresby: Departement of Primary Industry, PNG.
- Stone, B.C. 1976. On the biogeography of **Pandanus** (Pandanaceae). *Société de Biogéographie* 458: 69-90.
- Stone, B.C. 1982. New Guinea Pandanaceae. First approach to ecology and biogeography. In: Gressitt, J.L (ed). *Biogeography and Ecology of New Guinea*. Vol.1 Monographiae Biologicae 42. The Hague: Dr. W. Junk Publ.
- Stone, B.C. 1983. A guide to collecting Pandanaceae (**Pandanus**, **Freycinetia** and **Sararanga**). *Annals of the Missouri Botanical Garden*. 70: 137-145.
- Stone, B.C. 1984. **Pandanus** from Ok Tedi Region, PNG collected by Debra Donoghue. *Economic Botany* 38 (3): 304-313.
- Walter, A. and C. Sam. 2002. *Fruits of Oceania*. ACIAR Monograph No 85 Canberra: ACIAR.