

## SELECTED AGRICULTURAL PLANTS IMPORTANT TO WILDLIFE

The following list contains some of the plants that can be found in Southeastern agricultural systems. This is by no means a complete list. You should be able to identify the species on this list. Many of these species provide important wildlife food or cover. Others are included because they are important competitors of food plants, site indicators, etc. Mounted specimens are available for most species (those indicated by an \*) and are located in 1-107.

FOR:

FORS 5330-7330

Instructor: John P. Carroll

POACEAE

*	19.1	Switchcane	<u>Arundinaria gigantea</u>
*	19.4	Purple-top	<u>Tridens flavus</u>
*	19.5a	Wild oats	<u>Uniola</u> spp.
*	19.6	Orchard grass	<u>Dactylis glomerata</u>
*	19.7	Fescue grass	<u>Festuca arundinacea</u>
*	19.8	Ryegrass	<u>Lolium multiflorum</u>
*	19.9	Wheat	<u>Triticum aestivum</u>
	19.10	Rye	<u>Secale cereale</u>
*	19.11	Oats	<u>Avena sativa</u>
*	19.12	Pineland threeawn (wire-grass)	<u>Aristida stricta</u>
*	19.14	Goose grass	<u>Eleusine indica</u>
*	19.15	Bermuda grass	<u>Cynodon dactylon</u>
*	19.21	Rice cut-grass	<u>Leersia oryzoides</u>
*	19.26	Foxtail grass	<u>Setaria</u> spp.
*	19.27	Pearl millet	<u>Pennisetum glaucum</u>
*	19.28	Barnyard grass	<u>Echinochloa crusgalli</u>
*	19.29	Bahia grass	<u>Paspalum notatum</u>
*	19.30	Dallis grass	<u>Paspalum dilatatum</u>
*	19.31	Vasey grass	<u>Paspalum urvillei</u>
*	19.33	Florida pasplum	<u>Paspalum floridanum</u>
		Sandburs	<u>Cenchrus</u> spp.
*	19.34	Crab grass	<u>Digitaria</u> spp.
*	19.37	Fall panic grass	<u>Panicum dichotomiflorum</u>
*	19.38	Browntop millet	<u>Panicum ramosum</u>
*	19.40	Proso millet	<u>Panicum miliaceum</u>
*	19.41	Panic grass	<u>Panicum</u> spp.
*	19.42	Mary's grass	<u>Microstegium vimineum</u>

	*	19.43	Plume grass	<u>Erianthus</u> spp.
	*	19.46	Broomsedge	<u>Andropogon virginicus</u>
	*	19.47	Johnson grass	<u>Sorghum halepense</u>
	*	19.48	Grain sorghum	<u>Sorghum vulgare</u>
		19.50	Corn	<u>Zea mays</u>
AMARANTHACEAE	*	44.3	Pigweed	<u>Amaranthus</u> spp.
CARYOPHYLLACEAE	*	47.1	Chickweed	<u>Stellaria media</u>
FABACEAE	*	62.1	Sensitive-briar	<u>Schrankia microphylla</u>
	*	62.3	Coffeeweed	<u>Cassia obtusifolia</u>
	*	62.4	Showy partridge pea	<u>Cassia fasciculata</u>
	*	62.5	Small partridge pea	<u>Cassia nictitans</u>
		62.7	Showy crotalaria	<u>Crotalaria spectabilis</u>
		62.8	Crimson clover	<u>Trifolium incarnatum</u>
	*	62.9	White clover	<u>Trifolium repens</u>
		62.10	Subterranean clover	<u>Trifolium subterraneum</u>
	*	62.11	Red clover	<u>Trifolium pratense</u>
	*	62.12	Alfalfa	<u>Medicago sativa</u>
	*	62.13	Jointvetch	<u>Aeschynomene</u> spp.
	*	62.15	Florida beggarweed	<u>Desmodium tortuosum</u>
	*	62.16	Perennial beggarweed	<u>Desmodium</u> spp.
		62.17	Korean lespedeza	<u>Lespedeza stipulacea</u>
	*	62.18	Common lespedeza	<u>Lespedeza striata</u>
	*	62.19	Bicolor lespedeza	<u>Lespedeza bicolor</u>
	*	62.19a	Thunberg lespedeza	<u>Lespedeza thunbergii</u>
	*	62.20	Sericea lespedeza	<u>Lespedeza cuneata</u>
	*	62.21	Native lespedeza	<u>Lespedeza</u> spp.
			Hemp sesbania	<u>Sesbania exatata</u>
	*	62.26	Vetch	<u>Vicia</u> spp.

		62.27	Hairy vetch	<u>Vicia villosa</u>
		62.33	Cowpea	<u>Vigna unguiculata</u>
	*	62.34	Wild bean	<u>Strophostyles</u> spp.
		62.35	Soybean	<u>Glycine max</u>
	*	62.36	Kudzu	<u>Pueraria lobata</u>
	*	62.37	Hog-peanut	<u>Amphicarpa bracteata</u>
	*	62.38	Milk pea	<u>Galactia</u> spp.
	*	62.39	Rabbit foot clover	<u>Trifolium arvense</u>
			Peanut	<u>Arachis hypogaea</u>
EUPHORBIACEAE		65.2	Doveweed	<u>Croton capitatus</u>
			Spurges	<u>Euphorbia</u> spp.
APIACEAE	*	84.2	Wild carrot/Queen Anne's lace	<u>Daucus cavota</u>
LOGANIACEAE	*	94.1	Yellow jessamine	<u>Gelsemium sempervirens</u>
BRASSICACEAE			Shephard's purse	<u>Capsella bursa-pastoris</u>
CONVOLVULACEAE	*	95.1	Morning glory	<u>Ipomea</u> spp.
SOLANACEAE	*	97.1	Carolina nightshade	<u>Solanum carolinense</u>
			Groundcherries	<u>Physalis</u> spp.
BIGNONIACEAE	*	98.1	Crossvine	<u>Anisostichus capreolata</u>
	*	98.2	Trumpet vine	<u>Campsis radicans</u>
ROSACEAE			Brambles	<u>Rubus</u> spp.
RUBIACEAE	*	103.1	Button bush	<u>Cephalanthus occidentalis</u>
	*	103.2	Poor-joe	<u>Diodia teres</u>
	*	103.3		<u>Diodia virginiana</u>
	*	103.5	Partridgeberry	<u>Mitchella repens</u>
CAPRIFOLIACEAE	*	104.1	Japanese honeysuckle	<u>Lonicera japonica</u>
	*	104.2	Bush honeysuckle	<u>Lonicera tatarica</u> et al.
ASTERACEAE	*	105.3	Ragweed	<u>Ambrosia artimisiifolia</u>
	*	105.4	Wild lettuce	<u>Lactuca</u> spp.

*	105.5	Fireweed	<u>Erectites heiracifolia</u>
*	105.7	Dog fennel	<u>Eupatorium capillifolium</u>
*	105.8	Pussytoes	<u>Antennaria</u> spp.
*	105.9	Cudweed	<u>Gnaphalium</u> spp.
*	105.13	Horseweed	<u>Erigeron canadensis</u>
*	105.14	Camphorweed	<u>Heterotheca subaxillaris</u>
*	105.15	Sunflower	<u>Helianthus</u> spp.
*	105.16	Stick-tight	<u>Bidens</u> spp.
*	105.18	Bitterweed	<u>Helenium amarum</u>
*	105.19	Thistles	<u>Carduus</u> spp.
*	105.20	Wingstem	<u>Verbesina occidentalis</u>
*	105.21	Goldenrod	<u>Solidago</u> spp.
		Common cocklebur	<u>Xanthium strumarium</u>
		Red sorrel	<u>Rumex acetocella</u>
		Curly dock	<u>Rumex crispus</u>

POLYGONACEAE