



GCARD field tour, Restinclières farm, 30 March 2010

Agroforestry fact-sheet

Agroforestry is the mixture of trees and crops in cultivated parcels. It was a traditional system in both tropical and temperate countries before agriculture intensification during the last century. Very recent results show that it may be a key option for the future of modern agriculture, including in temperate countries.









10 years ago, agroforestry was still ignored by farmers, foresters, policy makers of developed countries. But times have changed. Agroforestry is an utmost example of ecological intensification: it increases land productivity and offers at the same time many environmental services. A French national scheme for planting half a million hectares of agroforestry during the next 25 years was recently launched, based on results obtained by INRA, Montpellier. However, we still have much to learn about the functioning and environmental advantages of agroforestry systems.



A walnut – wheat agroforestry plot at the Restinclières farm, tree pruning time (left)

Monitoring water sap flow through tap roots and superficial roots to document the hydraulic lift on walnut agroforestry trees (right)



Increase of productivity with agroforestry

The mix of trees and crops is the fundamental principle of agroforestry. INRA researchers showed that the production from one hectare of a walnut/wheat mix is the same as for 1.4 hectares with trees and crops separated. This is a 40% increase in productivity, far better than any other innovation introduced by agronomists in the recent past. This is achieved with an optimal 50 to 100 trees/hectare density, and an appropriate management of the system (tree line orientation, tree pruning regime, winter crops). This tree density is less than what was expected at the start of the research. Agroforestry trees grow very fast, faster than trees in forest plantations.

What can be the reason for such a result? The answer is that with the right association and appropriate management, trees and annual crops establish a synergy in the sharing of the vital resources of light, water and soil nutrients. And this is made possible by several mechanisms, including the plasticity of trees and crops to new environmental conditions. For example, by having to compete with winter crops, the tree naturally lays down deeper roots, that extend beneath the upper layers of the soil from





which the crops draw their nutrients. This enables the trees to draw on water and nutrients that escape the roots of the crops. Each tree also grows more quickly than it would in an exclusively forestry plot as the trees are no longer competing with an immediate neighbour. Finally, the trees actively help the crops by sheltering them from wind, violent rain or scorching sun, and this could be an advantage in the context of climatic change.

Environmental services of agroforestry systems



Excavation of a walnut tree to document its coarse root architecture in agroforestry (left).



Mechanical soil coring to 4 m depth to document fine root dynamics (right)

• Control of nitrate leaching

The deep rooting pattern of agroforestry trees allow them to capture nitrates that leach below the rooting zone of the crops. This help to protect water tables against nitrate pollution.

- Additional carbon sequestration
 Temperate agroforestry systems store more than 2 T/ha/year of C as compared to conventional agriculture. A significant part of this C is injected in deep horizons of the soil through root turnover.
- Protection of biodiversity through habitat protection

 Bats, carabs, birds, syrphus flies, endangered flowers, earthworms, the list of wild species that delight in agroforestry plots is updated continuously. Trees bring more than expected in agriculture land, especially in treeless plains. They offer corridors for wild species migrations and move.
- Landscape amenity
 Agroforestry landscapes are open and very appreciated by walkers, riders, hunters. They offer throughout views which is quite different from forest plantations.
- Reduction in the use of timber produced in non sustainable systems

 High quality timbers produced in agroforestry may release the pressure on tropical forests.
- Micro-climate in the context of global warming
 Global warming has local effects on agriculture, including water and heat stresses on crops and
 animals. Partial shade provided by trees may help mitigate such stressful events.

The benefits of agroforestry for farmers

Demonstrations carried out by INRA have shown that this tree-crop mix is compatible with the mechanical means currently used, provided the rows of trees stand between 15 and 40 metres apart, and that the trees are pruned properly and rationally. Economic analyses have established that a farm that plant 25% of its land area with high quality timber agroforestry (service, pear, cherry, maple, walnut, etc.) will finally double its annual income with the selling of the trees. The recommendation is to plant species with a high added value which yield wood that is in great demand on the market. In European terms – as regards the common agricultural policy (CAP) – agroforestry was introduced in the European regulation and is now supported. Farmers may get a grant that covers 50 to 80% of the cost of planting the trees.

Contact : Christian DUPRAZ, Inra, UMR SYSTEM, Dupraz@supagro.inra.fr; 06 30 39 30 86 Agroforestry pictures free of copyrights are available from C. Dupraz

Reference: Dupraz C. and Liagre F. 2008. Agroforesterie, des arbres et des cultures. Editions France-Agricole, Paris, 413 pp.





Agroforestry Systems examples in images

