



TAKII'S WORLD

The high quality of Takii's seed products, developed over a long history and experience of over 180 years, are widely recognized not only in Japan but also in many countries around the world. We continue to make every endeavor to improve seed quality in order to meet the highest level of demand.



Takii is a member of both All-America Selections(AAS) and Fleuroselect organizations. It is our great pleasure to present a number of prestigious varieties awarded by AAS and Fleuroselect in this catalogue. Varieties with logos of AAS and/or Fleuroselect are indicators for our recommendation of items for your variety selection.



All America Selections National Winner

Awarded only to new varieties that perform best in garden performance trials over all of North America



All America Selections Regional Winner

Awarded only to new varieties that performed particularly well in certain regions in North America



Fleuroselect Gold Medal

Rewards true breeding innovations evaluated through trials of new ornamental varieties at 18 private trial grounds across Europe



Fleuroselect Quality

Only granted to new varieties showing clear improvements from existing varieties



Fleuroselect Approved Novelty

New varieties that have been recognized to be sufficiently new and different versus existing cultivars and have passed the rigorous requirement for uniformity

M Dianthus, F1 Carpet Snow Fire



Zinnia, F1 Sun Red

1979

Zinnia, F1 Sun Gold

Dianthus, F1 Telstar Mix

Dianthus, F1 Telstar Crimson

1989



Dianthus, F1 Telstar Picotee

NETWORK





UNITED STATES OF AMERICA Salinas



Head Office



SOUTH AMERICA

BRAZIL Sao Paulo



Achillea, F2 Summer Pastels

Celosia, Castle Pink

1992

Canna, Tropical Rose

🗥 😌 Salvia, Hummingbird Lady in Red

1997

Zinnia, Crystal White

Delphinium, F1 Centurion Sky Blue

M Osteospermum, Passion Mix

Petunia, F1 Opera Supreme

<mark>୧ 🎅 V</mark>iola, F1 Floral Power Orange Red Wing

Brassica, F1 Glamour Red

2011-2012

选 😔 Salvia, Summer Jewel Red 2011 2012

🚵 Salvia, Summer Jewel Pink

ee Alcea, Spring Celebrities Crimson

M Canna, F1 South Pacific Scarlet

A Petunia, F1 African Sunset

American Takii, Inc.

Petunia, F1 Trilogy Red

Salvia, Summer Jewel White

Salvia, Summer Jewel Lavender

**PPROVED GOOD Verbena, Serenity Pink

※ Please also see page 13 highlighting newly awarded varieties over 2015-2016

Bedding and Pot

Α	Achillea millefolium	B		P	\$€	19
	Agastache hybrida	8				20
-	Alcea rosea annua	3		P		21
	Alyssum (see Lobularia)	8			\$€	47
	Antrrhinum majus (Snapdragon)	8			\$€	22
В	Begonia semperflorens	8				23
	Brassica oleracea (Flowering Kale)	8			\$€	24-27
C	Calendula officinalis	8			\$€	27
	Campanula persicifolia	0		P	\$€	28
	Canna generalis	3				29-31
	Capsicum annuum (Ornamental Pepper)	8				32-35
	Carex	8		P	\$	74
	Celosia cristata	0				36
	Celosia plumosa	8				36
	Coleus blumei	8				37
	Chrysanthemum paludosum	0				37
	Cheiranthus Cheiri (see Erysimum)	0			\$€	40
	Cineraria cruntus (see Senecio)	8			\$€	64
D	Dianthus chinensis x barbatus	0				38-39
	Dianthus chinensis	8				39
	Dimorphotheca sinuata	8				40
Ε	Erysimum cheiri (Cheilanthus / Wall flower)	8			\$€	40
	Eustoma grandiflorum (Lisianthus)					46
F	Festuca	8			\$€	74
	Flowering Kale (see Brassica)	8			\$€	24-27
G	Geranium (see Pelargonium)	8				53
	Gerbera Jamesonii					41-43
Н	Helianthus annuus (Sunflower)					44
	Ipomoea purpurea (see Pharbitis)	8				61
	Isolepis	O			€	74-75
J	Juncus	Ø			€	75
L	Lavandula angustifolia	3				44
	Linaria maroccana	8	_		\$€	45
_	Lisianthus (see Eustoma)	_				46
	Lobelia erinus	0			_	47
	Lobularia maritima (Sweet Alyssum)	8			\$€	47

M Matricaria (Tanacetum)	Ø	64-65
Matthiola incana (Stock)	3	\$ 48-50
Melampodium paludosum	Ø	50-51
Ornamental Pepper (see Capsicum)	Ø	32-35
Osteospermum ecklonis	Ø	\$€ 52
P Pansy (Viola wittrockiana)	Ø	\$ 54-55
Pelargonium x hortorum (Geranium)	Ø	53
Petunia hybrida	Ø	56-60
Pharbitis purpurea (Ipomoea)	\mathcal{O}	61
R Rudbeckia spp.	Ø	61
S Salvia coccinea	Ø	62-63
Salvia splendens	Ø	63
Senecio cruentus (Cineraria)	Ø	%€ 64
Snapdragon (see Antirrhinum)	Ø	% 22
Solanum pseudocapsicum	Ø	64
Stipa arundinacea	\mathscr{O}	% € 75
Stipa tenuissima	\mathscr{O}	% € 75
Stock (see Matthiola)	Ø	8 48-50
Sunflower (see Helianthus)	Ø 🖶	44
Sweet Alyssum (see Lobularia)	\mathcal{O}	\$€ 47
Tanacetum parthenium	\mathscr{O}	64-65
Verbena x hybrida	\mathcal{O}	65
Viola cornuta	\mathcal{O}	66-70
Viola wittrockiana (see Pansy)	Ø	€ 54-55
W Wall flower (see Erysimum)	Ø	\$€ 40
Z Zinnia angustifolia	Ø	71
Zinnia elegans	Ø	72-73
Zinnia elegans	<u>Ø</u>	72-73









LHIS SEASON'S HIGHLIGHT

Helianthus



Beginning in the early 1990s, Takii has been in the forefront of Helianthus breeding. F1 Sunrich Orange is one of our masterpieces and has become a global standard in the Helianthus cut-flower market because of its classic orange color, refined flower shape and sturdy stems. We continue to add new varieties to the Sunrich series to widen its assortment by color and flower earliness. Takii's Helianthus are grown all over the world and are the standard for high quality cut Helianthus.

In 2015 we introduced F1 Sunrich Orange DMR. It is a significant milestone in ornamental Helianthus breeding as the world's first downy mildew highly–resistant variety. Downy Mildew is the biggest problem in Helianthus growing, especially under warm and humid conditions of early spring.

After years of extensive testing in many places, F1 Sunrich Orange DMR proved to be resistant to multiple strains of Downy Mildew while meeting the high quality standard of F1 Sunrich Orange.

This DMR breakthrough's added-value provides substantial benefits with high yield results and the reduction of chemical use.

The 2016 new introduction of F1 Sunrich Lime, yellow petals with green center, makes this series even more attractive and valuable.



F1 Sunrich Orange DMR

F1 Sunrich Lime



The Partnership with

We became the exclusive Sunflower partner of the Van Gogh Museum for three years beginning August 2015. The museum is located in Amsterdam and receives more than 1.6 million visitors annually.

The museum marks the 125th anniversary of Vincent van Gogh's death in 2015. In honor of this milestone the museum has many inspired events.

One of these events was to open a new entrance hall. The grand opening was held on September 4th, and featured a gigantic labyrinth outside the new entrance hall



the Van Gogh Museum

made up entirely of Takii's Sunflowers. We donated enough Sunflower "F1 Sunrich Orange" seeds to produce 125,000 blooming plants which were used to create the almost 2-meter high labyrinth.

Vincent Van Gogh's "Sunflowers" series are his most celebrated paintings and iconic of the maestro. Takii provides F1 Sunrich series worldwide to meet the market demand for high quality cut flower Sunflowers. We are very proud that the Van Gogh Museum recognized us as the

world leading Sunflower breeding company as they approached us for the Sunflower Labyrinth

project.

We continue our innovations to remain in the forefront in Sunflower breeding and to increase the interest in floriculture and related industries.







THIS SEASON'S HIGHLIGHT

Petunia

We are pleased to introduce the newly released F1 Trilogy Series. Trilogy is a mounding type with a good branching habit while keeping their tidy, compact habit. Trilogy has strong flower petals which stand up to humid conditions. With its strong habit and nonfading blooms throughout the season, Trilogy Red has received a 2015 AAS National Award. We introduced 6 colors of Trilogy in 2015 and add 2 new colors in 2016.

Additionally, we are introducing F1 Opera Supreme Raspberry Ice Imp. which has more stable flower color and spreading plant habit.











F1 Trilogy Lavender Pink

F1 Opera Supreme Raspberry Ice Imp



THIS SEASON'S HIGLIGHT

Lisianthus

We introduced the new F1 Corelli series in 2015. Corelli has excellent large, double flowers with elegant fringed, curly petals. The advantage of Corelli is its top branching plant habit and excellent vase life. Corelli is available now in 6 colors. We also introduced 5 new varieties in the F1 Arena, F1 Croma and

We continuously add new colors to these series, focusing our breeding efforts on these new series.

In addition to the above cut varieties, we are introducing a new dwarf variety F1 Marina for the pot Lisianthus market. F1 Marina produces very attractive single and long lasting flowers with blue picotee.

In recent years we developed many new Lisianthus varieties positioning us to provide the basic assortment for covering market demand. We will continue to focus on this breeding work to fine tune our assortment for traits such as improved stable flower quality, better plant habit, higher yield, and unique colors.



F1 Vulcan series.







F1 Corelli II Apricot










F1 Corelli III Rose

F1 Corelli III Yellow





F1 Croma Ⅲ Blue Picotee



F1 Croma Ⅲ Yellow



F1 Croma IV Lavender Imp



F1 Arena I Light Pink



F1 Vulcan II Blue Picotee



HIGHLIGHT THIS SEASON'S

Brassica

This season we are proud to present two unique varieties of cut flower Brassica — F1 Crane Feather King and F1 Crane Feather Queen.

The shape of F1 Crane Feather King & Queen are an outstanding accent for bouquet use.

The F1 Crane Feather King & Queen are very uniform, and have the same upright plant habit as the F1 Crane series.

Page 80-81



F1 Crane Feather King



F1 Crane Feather Queen





ALL-AMERICA SELECTIONS/ FLEUROSELECT AWARDED VARIETIES IN THIS SEASON

We proudly introduce our recent All-America Selections(AAS) and Fleuroselect(FS) Awarded varieties.





Salvia, Summer Jewel White

Salvia, Summer Jewel Lavender

Summer Jewel White earned a 2015 AAS National Award. The Summer Jewel series is comprised entirely of AAS award winners as Red and Pink have also received AAS National Awards. The Summer Jewel series shows better performance than other dwarf Salvia. It has excellent compactness, branching habit, and is significantly earlier in both growth and flowering. They withstand the heat in summer and bloom continuously from late spring to the first frost. For 2016, the new color Lavender, an AAS Regional Award winner, is added to the series.





Antirrhinum









F1 Legend White Page 77

Gerbera



Page 42-43 F1 Royal Peach Imp

Osteospermum



Passion Pink Shades

Page 52







Viola



F1 Gem Rose Antique



2016 **NEW**

F1 Four Seasons White Yellow Eye





Revival Varieties

Lisianthus

F1 Carmen Blue Rim

Page 46

Rudbeckia



Becky
Cinnamon Bicolor



Becky Yellow





Becky Formula Mixture



BEDDING&POT

F2 Flowerburst[™] Red Shades **② ② SE**







Achillea millefolium

- 17-20°C/ 63-68°F 3-4 days 4,500-5,000 sd/g
- An energizing blend of mainly red, rose and violet shades
- •An attractive garden plant. Since it is a hardy perennial, it survives a cold winter and blooms every year unless exposed to extreme hot and humid conditions in summer



F2 Summer[™] series Ø **№ № № № № №**







Achillea millefolium

- 17-20°C/ 63-68°F
 3-4 days
 4,200-5,300 sd/g
- Very hardy perennial for the garden, mass plantings in landscapes, pot use and as a cut
- ●The Summer series loves sunny conditions and will bloom in Summer - Autumn in the first year, earlier in the second year
- Remove old flowers to encourage new blooms



FACA03









Agastache hybrida

- 20-22°C/ 68-72°F 5-7 days 1,800-3,000 sd/g
- ●2016 newly released series
- Very compact and floriferous, and performs well in containers and landscape
- •Foliage has pleasant lemon / mint scent
- Fast crop from spring sowing. Easy maintenance
- •Will bloom continuously throughout the season without deadheading
- ●Maintain pH level at 6.4-7.5 and EC at 1.5-2.0. Agastache will exhibit chlorosis if media pH is below 6.2
- Suitable for dry and sunny location. Agastache will not tolerate wet conditions



Sandstone FATA22



Sun FATA23



Sunset FATA21



Mint scent attracts butterflies.







- 15-20°C/ 59-68°F
 8-10 days
 210-300 sd/q
- Double- to semi-double dwarf Hollyhock which has excellent basal branching
- •It flowers in the first year and keeps flowering for three months if conditions are favorable
- •Carmine Rose and White may have around 15% single flowers. Other varieties may have a small percentage of single flowers





F1 Palette[™] series **© SE P** 15-20 cm 6-8 inches





Antirrhinum majus

Light required 15-20°C/59-68°F 10-12 days 4,500-9,200 sd/g

Vigorous and uniform, Palette blooms early and continues to bloom throughout the season

on well-branched plants

Dwarf plant for pack, pot, mixed container and garden use



Palette will paint your garden with vibrant colors





FKG509



Yellow FKG516



Formula Mix FKG519

F1 Monza[™] series **©**

Begonia semperflorens

Light required 22-24°C/72-75°F 8-10 days 1,000-1,500 pel/g

- Very early, large flowers on strong, compact plants
- Monza maintains its excellent plant shape even after being transplanted into the garden
- Appleblossom flowers vary in color from appleblossom to almost white, and approx. 10% of plants show white flowers



Appleblossom



Blush FBGG18



Coral FBGG12



Pink FBGG13



Rose FBGG14



Scarlet FBGG16





FBGG17



F1 Havana[™] series **②** ♣ 20-25 cm

Begonia semperflorens

Light required 22-24°C/72-75°F 8-10 days 1,000-1,500 pel/g

- Same plant habit as Monza series but with extremely dark-bronze foliage
- Havana provides a wonderful alternative to green-leaved varieties



FBGG01



Rose FBGG03



Scarlet







Fringed leaved type

- The edges of all the leaves are finely ruffled
- Fringed-leaved types have better color development under warm conditions compared to other types

F1 Kamome[™] series **© SE P** 15-25 cm 6-10 inches

Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 350-640 sd/g
- Kamome can withstand frosts and freezes
- One of the few items that can be enjoyed in the winter garden











White FHB572



Compact, dwarf plants with uniform, round-shaped, solid heads and slightly waved leaves

F1 Song Bird[™] series **② S**





Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 200-330 sd/g
- Song Bird series has excellent doubleness with a compact habit
- Available in Pink, Red, and White, 3 colors that bring out the beauty in winter gardens and mixed containers



Pink




Red FHB531



White FHB532

FHB533



F1 Pigeon[™] series **② № ₽** 15-25 cm

Brassica oleracea

20-25°C/ 68-77°F 4-5 days 190-560 sd/g

• Pigeon series has a robust habit and is suitable for landscape use



Purple FHB514



Red FHB511



Victoria FHB501



White FHB512

Feathered leaved type

These varieties are all deeply serrated and have a larger head than other types

Coral[™] series **⊘ §**

Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 230-370 sd/g
- Vigorous plants with thick, sturdy stems with moderate length
- Recommended for culture to aim for large size head





Queen

Prince


F1 Peacock[™] series **© № ₽** 20-30 cm 8-12 inches






Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 200-300 sd/g
- The plants can withstand moderate frosts and freezes and work well in wet conditions as their open feathery leaves are less likely to trap and hold water than fringed- and round-leaved types



Red FHB621



FHB622



- Unique in the garden landscape and combination planters
- Heads begin to show color on the central leaves when the air temperature regularly drops below 13-15°C /55-60°F

Variety Comparison among Bedding types

Diameter of Flower Head
D
D
D
С
С
С
С
С
С
С
В
В
А
A







Calendula officinalis

Dark required 21-24°C/70-75°F 8-10 days 100-200 sd/g

- •Uniquely compact, bushy plants with double flowers
- Suitable for both pot and bedding use
- Flower size: 7-8 cm/ 3 inches

















- Makes excellent garden perennial as well as a beautiful pot crop





Blue FTU521

White FTU522





Vernalization Tips for Takion

After plants attain mature vegetative growth, they require vernalization.

The plants require about one month of temperatures below 8°C/46°F.

They endure light frost.

- * After vernalization, heating at 10-15°C/50-60°F accelerates the flowering by approximately one month.
- * The advantage of Takion is that it grows faster and comes into flower in a shorter period of time. Sow the seed in the autumn, it will flower in the spring.

Canna generalis

- 20-30°C/ 68-86°F 10-15 days 3-7 sd/g
- The first F1 Canna from seed and a 2013 AAS award winner
- Better uniformity at its early stage of germination compared with our existing variety, Tropical series
- Good basal branching
- Being from seed, South Pacific Scarlet is not prone to diseases often transmitted in rhizome propagation
- The vibrant scarlet of the large flowers creates a dramatic and tropical feel
- •Use this striking beauty in planters, mixed containers, gardens, landscapes and in shallow areas of water features











Canna generalis

Temp. fluctuation is preferable 20-30°C/68-86°F 10-15 days 3-7 sd/g

- Canna Tropical series is a seed product and is extra dwarf
- Production period is fast and plants are characterized by readily producing offsets, making full finished pots with tremendous consumer appeal
- •Tropical White produces flowers with or without pink spots, with the flowers on individual plants exhibiting the same degree of spotting
- Prefers warm and humid conditions over 25°C/77°F







Red FCA121



Rose FCA122 AS



Salmon FCA124



FCA127





It is possible to have a water







Tropical Bronze Scarlet, released in 2010, is the first bronze leaved Canna from seed





Conga









Capsicum annuum

- 20-22°C/ 68-72°F 10-12 days 280-300 sd/g
- Dark Purple foliage with fruits that start to color from purple to deep orange
- A stand-alone variety with a plant habit between Mambo and Salsa series
- The plant can be ready for sales two weeks earlier because the fruits are already attractive purple color at the start



FTGH11



Cubana[™] series **⊘ ⊕ №** ^{15-20 cm} ^{6-8 inches}







Capsicum annuum

- 20-22°C/ 68-72°F 10-12 days 150-210 sd/g
- Excellent large fruit on top of vigorous plant
- Oval type of fruit with five colors can be used in various combinations in mixed containers and pots



Deep Orange



Multicolor Orange



Multicolor Red



Red FTGG92



Yellow FTGG93



Mixture FTGG90



Mambo[™] series **② □ *** 10-15 cm





Capsicum annuum

■ 20-22°C/ 68-72°F ■ 10-12 days ■ 220-250 sd/g

Longer, round fruit on compact plants with many branches





Purple Orange FTGG76



Purple Red



Red FTGG73



Yellow FTGG74



Yellow Red FTGG77



Mixture FTGG70









Capsicum annuum

■ 20-22°C/ 68-72°F ■ 10-12 days ■ 170-200 sd/g

Tango is a series with fruits centered in the middle of the plant



Deep Orange FTGG51



Light Orange FTGG52



Red FTGG53



Yellow FTGG54



Mixture FTGG50







Capsicum annuum

20-22°C/ 68-72°F 10-12 days 180-260 sd/g

Pointed, small fruit on compact plants



Mixture FTGG40

Takii's Capsicum **Variety Comparison among Series**

Series / Variety	Shape	fruit size (cm)	fruit size (inch)	Beginning color of fruits	plant size
Maya Conga		3 x 1	1.2 x 0.4	Purple	С
Maya Cubana	1	4.5 x 2	1.8 x 0.8	Green, Cream	В
Maya Tango	•	4.5 x 2	1.8 x 0.8	Green	С
Maya Mambo	•	3.5 x 1.5	1.4 x 0.6	Green	С
Maya Salsa		2.5 x 1	1 x 0.4	Green	D
Maya Favorit	•	3.5 x 1	1.4 × 0.4	Green with slightly black	С
Maya Uchu		4-5 x 0.5	1.6-2 x 0.2	Cream	В
Shien	-	2.5 x 1	1 x 0.4	Purple	А
Sunshine	-	2 x 1	0.8 x 0.4	Cream	В





Favorit[™] series









Capsicum annuum

- 20-22°C/ 68-72°F 10-12 days 200-250 sd/g
- Pointed fruit on compact plants with dark green foliage
- Fruit is green with slightly black coloring at the start



Deep Orange (Formerly Red)



Orange FTGG11



FTGG13



Mixture

Uchu[™] Cream Red









Capsicum annuum

- 20-22°C/ 68-72°F 10-12 days 270-370 sd/g
- Slim fruit on medium sized plants with unique, variegated foliage
- Fruit is cream colored at the beginning









Capsicum annuum

- 20-25°C/ 68-77°F 10-15 days 250-300 sd/g
- Produces many fruits on medium sized plants with many branches
- Fruit is green at the beginning, changing to purple and red as it matures



Sunshine[™] **⊘**







Capsicum annuum

- 20-25°C/ 68-77°F 10-15 days 250-330 sd/g
- The mature plant produces a large quantity of fruit
- Fruit is cream colored with a slightly dark blush at the beginning, changing to red at the finish



CastleTM series © © ^{40-50 cm} ^{16-20 inches} Celosia plumosa Dark required 20-25°C/ 68-77°F 8-10 days 1,500-2,300 sd/g













FKT267

Scarlet

Yellow

- Castle is semi-dwarf in height, vigorous and has a self-branching habit
- The long-lasting flowers easily withstand summer heat and drought
- Excellent for landscaping, containers and gardens



Castle can be enjoyed in pot by multiple sowing

Armor[™] series **ଡ**





Celosia cristata

- Dark required 20-25°C/ 68-77°F 8-10 days 1,200-1,500 sd/g
- Attractive large flower heads in bright colors on robust plants with lush foliage
- •Ideal item for hot summer gardens as well as pot use
- Yellow is relatively compact in the series











Orange FKT242

Purple FKT245

Red FKT241

Yellow

FKT243

FKT249





Coleus blumei

Light required 20-22°C/68-72°F 4-6 days 3,100-3,800 sd/g

Extra large leaves attract attention in the garden, also makes a great house plant

Approximately 13 weeks from sowing to matured plant


Remove any flower spikes to enhance the beauty of the foliage



Limelight



Magma



Marble



Palisandra



Rustic Red



Formula Mixture

Actual color ratios may vary from image

Snowland[™]





Chrysanthemum paludosum

- 15-20°C/ 59-68°F 5-10 days 1,200-1,900 sd/g
- Snowland has profuse clear white daisy-like flowers with yellow disks
- This variety has a uniform plant habit with large flowers that are bigger than other paludosum type Chrysanthemums
- •Under warm temperatures and long-day conditions they produce many flowers, under cool temperatures and shortday conditions, they produce many branches







F1TelstarTM series © Dianthus chinensis x barbatus 21-24°C/70-75°F 5-6 days 700-1,900 sd/g Telstar is floriferous with excellent pack and garden performant recommended for bedding and landscaping use The series produces vibrant flowers on well-branched plants

- Telstar is floriferous with excellent pack and garden performance, and also
- The series produces vibrant flowers on well-branched plants
- Telstar was developed to have a high degree of resistance to Phytophthora and other damp-off pathogens, and is also resistant to both heat and frost
- Telstar White may have some pinkish flowered plants depending on climate conditions





Burgundy FND578



Carmine Rose



Coral FND563



Crimson

Germination Temperature Days to Emergence Seed Count (Seed / Gr.)

F1 Carpet[™] series




Dianthus chinensis

- 21-24°C/70-75°F 5-6 days 1,100-1,600 sd/g
- Carpet earns its name by forming a carpet of large flowers on heavily branched plants
- It is a compact series excellent for bedding and pot production



Mix FSK529













Purple Picotee





Salmon FND565

FND538

Scarlet FND532





White FND533



Spring Flash[™] series **② *** 10-12 inches

Dimorphotheca sinuata

■ 15-20°C/ 59-68°F ■ 8-10 days ■ 900-1,300 sd/g



- Spring Flash provides bright color for the early spring garden
- Excellent for containers, it can also be used for landscaping





FZZ621

- 18-22°C/ 64-72°F 8-10 days 480-650 sd/g
- Charity is a very unique wallflower that blooms in both autumn and spring
- ●Flowers can handle frosts as low as -4°C/ 26°F with no damage, and plants can overwinter in mild climates
- Day-length neutral and no vernalization required for blooming
- The compact plants are excellent for pots and garden use and its sweet fragrance greatly adds to consumer appeal





Cream Yellow FZZ727



Rose Red PVP FZZ728



Scarlet FZZ725



Yellow FZZ726



Mix FZZ729

F1 Royal Semi-double[™] series **∅ ⊜**







Gerbera jamesonii

Light required 21-23°C/70-73°F 4-6 days 250-350 sd/g

- •Unique semi-double flowers
- The plant habit is identical to F1 Royal series







FGBG13





F1 Royal Mini™ series 🛭 🖨

Gerbera jamesonii

Light required 21-23°C/70-73°F 4-6 days 250-520 sd/g



FGBG27



Golden Orange FGBG21



Lime Yellow



Orange FGBG23



FGBG24



Rose with White Tips





Yellow FGBG26



Mixture

F1 Royal Mini is a new, extremely early flowering series

The plants are compact and have a prostrate growing habit, which is important for the development of many buds



Gerbera jamesonii

Light required 21-23°C/70-73°F 4-6 days 250-450 sd/g

- •F1 Royal is an early flowering and very floriferous series
- It produces many eye-catching, large flowers in bright colors
- The plants provide continuous flowering through the sales period as well as in the consumer's garden



Apricot FGBG41



Deep Orange FGBG44



Prince Red FGBG65

Slightly more compact growth than Royal series. Suitable for 4 inch bench run programs.



Deep Pink



Deep Rose FGBG64



Golden Yellow FGBG46



Lemon



Orange Scarlet FGBG49



Peach Imp FGBG83



FGBG52



Red Bicolor FGBG67




G erbera

Red Bicolor exhibits some color variation with flower petal color ranging from red to rose, and there is also some variation in the ratio of white to red/rose. Individual plants do not produce a mix of flower types.







Helianthus annuus

- 20-25°C/68-77°F 3-4 days 18-30 sd/g
- Sunny Smile is a F1 hybrid pollenless dwarf Helianthus bred for its branching habit
- With larger pots and sufficient nutrition, more branching is promoted
- Stress on the root system also promotes branching
- Dark central disk stays flat with age
- Regardless of day length, it flowers all year round in about 50 to 55 days when grown at temperatures above 15°C / 60°F
- In small pots under short-day conditions the plant would be a miniature size of about 15 cm / 6 inches









Helianthus annuus

- 20-25°C/ 68-77°F 3-4 days 20-45 sd/g
- Big Smile is a dwarf OP variety
- •Ideal for spring to summer production, but can also be used for production any time of year with sufficient temperature
- Big Smile is suitable for pots and containers, good for impulse sales at retail
- It blooms in 50-55 days



Blue River[™]





Lavandula angustifolia

- 18-20°C/ 64-68°F 20-25 days 1,000 sd/g
- Winter hardy, seed-propagated Lavender which has floriferous deep blue spikes
- Its uniformity and vigor make it ideal for landscapes and mixed containers



FZZG01

Fantasy[™] series **② § §** • 6-8 inches

Linaria maroccana

- 20-21°C/ 68-70°F 15-20 days 9,500-17,000 sd/g
- All varieties of Fantasy are bred to be dwarf
- The crop grows year-round in cool, mild areas
- Will withstand frosts and short duration freezes to -4°C/26°F without injury
- It is especially suitable for mass plantings and is often used in hanging baskets and mixed containers to provide bright color accents

Variety	Com	parison	within	Series
Tui icty	00111	puilouii	** :	OCITO

Variety	Earliness of Flower		Plant Height	
variety	Extra early	Early	cm	inch
Apricot		•	15-20	6-8
Blue		•	15-20	6-8
Magenta Rose		•	15-20	6-8
Pink with Yellow Eye	•		15-20	6-8
Scarlet with Yellow Eye		•	15-20	6-8
Speckled Pink		•	15-20	6-8
Violet with Yellow Eye		•	15-20	6-8
White	•		15-20	6-8
White with Yellow Eye		•	15-20	6-8
Yellow	•		15-18	6-7

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics



Apricot FLN112





Blue FLN105





Magenta Rose FLN101



Pink with Yellow Eye



Scarlet with Yellow Eye



Speckled Pink



Violet with Yellow Eye



White



White with Yellow Eye





Autumn Mix FLN120



Spring Mix FLN119



Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 700-1,300 pel/g

- Excellent pot Lisianthus bred especially for its high quality root system
- It has more disease resistance against damping off from soil bacteria such as fusarium
- Carmen produces many medium sized, long lasting flowers











Blue FRSG01

Blue Rim FRSG05

Ivory FRSG07

Lilac FRSG04

FRSG06





Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 650-850 pel/g

- Marina produces very attractive single and long lasting flowers with blue picotee.
- Dwarf shape and good branching plant suitable for pot Lisianthus.
- Compared to Carmen series, relatively smaller flower size and lighter color leaves.



Eustoma grandiflorum

Light required 15-20°C/ 59-68°F 20-25 days 900-1,200 pel/g

- Rosie produces very attractive fully double, long lasting flowers
- Genetically dwarf pot Lisianthus with improved root quality



Lavender Blue




Pink FRSG25



Rose Picotee FRSG22



White FRSG23



Lilac FRSG24

L obularia (Sweet Alyssum

Aqua[™] series **⊘**

Lobelia erinus

- 550-700 multi pel/g
- It has a compact growth habit
- Excellent for garden borders
- Aqua is also outstanding in pots





Blue FLO406

Blue with Eye







Sky Blue FLO405



White







Lobularia maritima

- 18-20°C/ 64-68°F 3-5 days 3,500-4,200 sd/g
- Compact habit with unique color range makes the garden displays more attractive
- All of the colors are sweetly scented and the plants are winter hardy



Formula Mixture





Matthiola incana

Dark required 18-20°C/ 64-68°F 3-5 days 500-900 sd/g

- Dwarf selectable Matthiola with hairy leaves
- The double flower plant ratio of Red and White is less than the remaining colors in the series
- Seedlings are easily selectable for doubleness after they are exposed to cold temperatures below 8°C/ 46°F with light.Double flower seedlings will show pale green cotyledons and single flower seedlings will show dark green cotyledons (See page 49)

White

FSTA12

Silvery Blue FSTA11



Vivid Formula Mixture

FSTA00



PVP

Yellow

FSTA13

Matthiola incana

Dark required 18-21°C/64-70°F 4-5 days 450-900 sd/g



Cherry Blossom




FST727



Cream Yellow





- More compact, better branched and earlier when compared to the Midget series
- Harmony has approximately 50% doubles and is selectable for doubleness by the cotyledon (See the below)
- Good for cool season production in pots or containers



Deep Rose



Light Rose



Purple



Violet



FST723



Mix FST720



Selection tip for double flowered seedlings

Series	Page	Timing of Selection	Selection Method		
Midget	50	3 true leaves	Select by shape of true leaves.	Double: Serrated leave Single: Smooth leave	
Harmony	49			Double: Single: Darker green	
Xmas	106	A pair of cotyledons	Select by color, size and shape of cotyledon, also by growing speed.	Lighter green Larger leave	
Glory	106			Grow faster (Taller) Grow slower (Shorter)	
Cinderella	48	Cotyledons and true leaves	Select by color of leaves. Can be put in cold strage of 8°C/46°F for 2-3 days in cotyledon stage, then color difference will be more clearly.	Double: Lighter green Larger leave Single: Darker green Smaller leave	
Canneto Noble	104 105			A (2007) 11 11 11 11 11 11 11	
Regal	104	Not needed		Average of 90% double-flowering type	
Wonder	105				

The above data is based on trials completed in Japan.

Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.

Midget[™] series Ø **© ♥**







Matthiola incana

Dark required 18-21°C/64-70°F 4-5 days 450-750 sd/g

- Midget is selectable for double flowers by leaf shape
- It is easy to distinguish plants at 3 to 4 true leaf stage doubles have serrated true leaves and the singles have smooth-margined true leaves (See page 49)



Mix FST710

Casino Light Yellow™





Melampodium paludosum

Temp. fluctuation is preferable 20-30°C/68-86°F 8-10 days 150-250 sd/g



- The plants are taller and more vigorous than Lemon Delight
- Ideal for knee-high level displays in the garden
- It does particularly well in hot and humid climates



_emon Delight[™]





Melampodium paludosum

Temp. fluctuation is preferable 20-30°C/68-86°F 8-10 days 150-250 sd/g

- Bright yellow flowers make a good combination with Million Gold in the garden
- Blooms continuously until first frost
- Blooms in 80 to 95 days from sowing
- These dwarf varieties are excellent for packs, 10 cm/4 inches pots, and for landscapes





Million Gold™ **②**



Melampodium paludosum

Temp. fluctuation is preferable 20-30°C/68-86°F 8-10 days 150-250 sd/g

- Self-cleaning habit, new flowers cover the old flowers so plant continues to have fresh flowers showing all season long
- Blooms continuously until first frost
- Blooms in 80 to 95 days from sowing
- These dwarf varieties are excellent for packs, 10 cm/ 4 inches pots, and for landscapes









Osteospermum ecklonis

- 18-22°C/ 64-72°F 8-10 days 70-100 sd/g
- AAS winner, Passion Mix is a heavily-branched, compact and bushy variety which does not need pinching
- Now 3 separate colors are available
- •Unlike the vegetative varieties, seed-raised Passion series retains its compact habit very well
- They grow and flower almost year-round in mild areas, with the heaviest blooming period in early spring through early summer
- Plants are well adapted to container culture such as color bowls and combination planters















F1 Black Velvet[™] series **②** ♣ 25-35 cm 10-14 inches

Pelargonium x hortorum

- 15-20°C/ 59-68°F 4-6 days 180-250 sd/g
- Eye-catching due to the very dark, rich chocolate foliage with narrow contrasting green edge
- The leaf coloration develops as the plant grows and is not visible in the first few leaves





Eye-catching dark chocolate of Black Velvet displayed at garden



FGEA02



Pink FGEA03




Rose FGEA04



Salmon FGEA05



Scarlet FGEA06



Formula Mixture FGEA00

Nature[™] series **② © © © 1**5-25 cm 6-10 inches





Viola wittrockiana

■ 18-20°C/ 64-68°F ■ 7-13 days ■ 550-1,400 sd/g

Nature series with multi-bloom habit and wide color range gives brilliance to gardens.



- A breakthrough in breeding, a true multiflora pansy and viola cross with flowers that completely cover the plants
- Compact, very strong plants, very vigorous and extra floriferous
- Wide color range including many unique colors, excellent for both spring and fall sales
- Strong landscape performer fast rebound from rain and freezes, outstanding winter survivability
- "A Landscaper's Dream" perfect for mass plantings and mixed containers as well as for pots and packs





Red and Yellow



Red with Blotch



Rose Picotee



Rose Pink FPA738



Rose with Blotch





Formula Mixture



JARDINIER





Yellow FPA721



Yellow with Blotch



F1 Clean Scarlet™







Viola wittrockiana

■ 18-20°C/64-68°F ■ 7-13 days ■ 700-1,000 sd/g

- Clean Scarlet is among the brightest of the scarlet colored Pansies
- It is excellent for bedding and container use





FPA619

F1 Imperial™ Antique Shades **② № 1**5-25 cm 6-10 inches

Viola wittrockiana

■ 18-20°C/ 64-68°F ■ 7-13 days ■ 650-800 sd/g

- Suitable for pots and packs as well as mixed container production
- Imperial Antique Shades shows various color ranges



FPA550


F1TrilogyTM series © 16-10 inches

Petunia hybrida

Light required 22-25°C/72-77°F 5-10 days 650-850 pel/g

Mounding type

- 2015 newly released series
- •With its strong habit and non-fading blooms throughout the season, Trilogy Red has received a 2015 AAS National Award
- The plant is a mounding type with a good branching habit, and keeps their tidy, compact habit
- Strong flower petals stand up to humid conditions
- Reaching a height of about 15-25 cm / 6-10 inches, and a width of 50-60 cm / 20-24 inches when fully mature, Trilogy is a fabulous landscape and container performer
- Series requires less PGR use, adapts to any protocol



Growers:

No special technique, adapts to your protocol

Retailers:

Long shelf life, no more tangling

Consumers:

Minimal care, maximum performance all season



Blue FPT648




Deep Purple



Lavender Pink



Purple FPT646






Red FPT656



Rose FPT643






Scarlet FPT645



White FPT641







Petunia hybrida

Light required 22-25°C/72-77°F 5-10 days 650-850 pel/g

Trailing type

- Opera Supreme has a very floriferous habit, less day length sensitivity, and a low, spreading habit that are key characteristics preferred for trailing petunias
- Its flowers have a very attractive iridescent quality, or sheen, and are borne in great profusion from the centers to the tips on the spreading plants
- Outstanding in garden beds, window boxes, combination pots and hanging baskets
- Red has a more vigorous plant habit than other trailing petunias in the red color segment
- Opera Supreme White may have some pinkish flowered plants depending on climate condition



F1 Opera Supreme provides season-long color to city landscapes





Blue



Lilac Ice




Raspberry Ice Imp



Its excellent spreading habit is suitable for hanging baskets.

F1 African Sunset™



Petunia hybrida

Light required 22-25°C/72-77°F 5-10 days 650-850 pel/g

Mounding type

- Takii introduced this first orange-colored petunia from seed
- With its unique color and strong habit, African Sunset received a 2014 AAS award
- The plant is a high-mounding type with a good branching habit
- Strong flower petals stand up to humid conditions
- Reaching a height of about 25 cm/ 10 inches, and a width of 50-64 cm/20-25 inches when fully mature, African Sunset is a fabulous landscape performer
- It also excels in hanging baskets and mixed containers





FPT627



Pink Morn FPT633




Purple FPT631



Red FPT637



White FPT626





F1 Symphony[™] series **②** ^{20-30 cm}_{8-12 inche}

Petunia hybrida

Light required 22-25°C/72-77°F 5-10 days 7,000-14,000 sd/g

Multiflora type

- Excellent after-rain recovery and compact growth habit
- Early, prolific, free-flowering plants very resistant to central plant split
- Excellent for pots and containers, as well as landscape beds



Blue Star



Burgundy Star



Chiffon FPT689





Deep Rose



Deep Salmon



Lavender Pink



Light Blue



Purple



Red FPT691



Red Picotee FPT703



Rose FPT712



Rose Morn



Rose Star



Salmon Morn FPT696



White

Takii's Petunia characteristics by series

Takii s Petunia characteristics by series						
Series	F1 Symphony	F1 Trilogy	F1 African Sunset	F1 Opera Supreme		
Туре	Multiflora					
Туре	Standard	Mounding		Trailing		
	5.5-7.5 cm / 2.2-3.0 inches	6.5-7.5 cm / 2.6-3.0 inches	8.5 cm / 3.3 inches	6.5-7.5 cm / 2.6-3.0 inches		
Flower size						
Plant habit in pot (10 cm/ 4 inches) No PGR treatment						
Height at maturity 51 Width at maturity 44 Plant habit 21 in garden	0 20-30 cm / 8-12 inches	15-25 cm / 6-10 inches 50-60 cm / 20-24 inches	25 cm / 10 inches 55 cm / 22 inches	10-20 cm / 4-8 inches 80-100 cm / 30-40 inches		
cn	0 10 00 00	0 10 20 30 40 50 60	0 10 20 30 40 50 60	0 10 20 30 40 50 60 70 80 90		

udbeckia

Cameo Elegance



Pharbitis purpurea (Ipomoea purpurea)

- 20-30°C/68-86°F 4-5 days 40-60 sd/g
- Variegated foliage with flowers of rose-red with white throats make Cameo Elegance a novelty item
- It blooms most prolifically under short-day conditions
- Excellent packet seed item due to ease of culture
- The plant can be used in many different styles, such as trailing pot, landscape ground cover, hanging basket and climbing vine



FAA451 Trailing vines add dimension to containers

Becky[™] series **② ② ③ 1**0-12 inches





Rudbeckia spp.

- 20-25°C/ 68-77°F 10-13 days 2,200-2,500 sd/g
- Flowering is more uniform and earlier than other Rudbeckia varieties
- The dwarf plants are covered with an abundance of large flowers
- Heat and drought tolerant, flowers all summer and fall, until a hard freeze
- The eye-catching flowers perform very well in summer gardens, and have great consumer appeal for retailers



Formula Mixture







■ 20-25°C/ 68-77°F ■ 10-15 days ■ 600-700 sd/g



- Amazing performance, blooms heavily all summer
- Excellent branching habit produces a multitude of flower spikes
- Vivid flowers attract hummingbirds
- Significantly earlier than other existing varieties under long day conditions
- All colors of Summer Jewel series are awarded by All America Selections







Pink FSR302

















Hummingbird[™] series **② □ ♣** 35-60 cm

Salvia coccinea

- 20-25°C/ 68-77°F 10-15 days 650-700 sd/g
- Extremely long blooming time attracts consumers
- Well branched plants with brilliant flowers appear about 11 weeks from sowing
- Can be used for bedding, planters, baskets, pots and borders







Forest Fire



Lady in Red



Snow Nymph FSRA14



izz™ series 🛭 🗲





Salvia splendens

- 20-25°C/ 68-77°F 10-15 days 250-370 sd/g
- Fizz series is early to flower with densely packed flower columns which gives each plant a strong show of color
- Flowers are long lasting at consumer level as well as a long shelf-life at retail
- The branching habit gives a fullness to the plant and the flower color contrast to the dark foliage gives a better color show in the landscape







Grape



Peach



Raspberry



Strawberry







Salvia splendens

- Sangria is a unique bicolored salvia with red petals and lime green calyxes
- It also has an outstanding branching habit and exhibits excellent garden performance
- Sangria blooms about 15 days later than Fizz series









Senecio cruentus

Light required 20-24°C/68-75°F 10-14 days 2,700-5,000 sd/g

- Produces a beautiful display of colorful daisy-like flowers
- Dwarf, compact plants that are suitable for pot use











FSN313 FSN312

Red FSN311

Rose FSN317

Thurino Light[™]







Solanum pseudocapsicum

- 22-24°C/72-75°F 10-12 days 240-290 sd/g
- Bright fruits grow on the dark green foliage plant, uniquely interesting for autumn sales
- Ideal day length is 16-18 hours



Light green fruits turning orange red

Golden Moss[™]





Tanacetum parthenium

Light required 15-20°C/59-68°F 3-5 days 9,000-12,000 sd/g

- Compact Matricaria
- Used as a garden edge, in mixed containers or for landscaping
- Attractive scent



FMTA11

Carlos[™] and Santana Yellow[™] **©**





Tanacetum parthenium

Light required 15-20°C/59-68°F 3-5 days 7,500-10,000 sd/g

- Carlos and Santana Yellow are day-length neutral
- Nice combination of white and soft yellow flowers in one container







Santana Yellow FMTA15

Serenity[™] series **©**





Verbena x hybrida

- 15-20°C/ 59-68°F 15-20 days 900-1,100 sd/g
- Serenity Mix is an excellent mix of pastel lavenders, white, carmine red to pink
- Now a separate color, Pink, is available
- Its deeply-cut fern-like foliage is dark forest green
- In cool climates it will stay dwarf, producing a carpet
- In warmer areas the Serenity series will be a perennial







Mix FBB210







- 18-20°C/ 64-68°F 7-15 days 900-1,900 sd/g
- Mound type viola which produces an abundance of round-shaped, thick petaled flowers on compact yet vigorous plant
- Excellent for early spring sales



Apricot Lip FBRA01



Cream FBRA33



Cream Yellow Lip



Deep Blue Blotch



Deep Purple Beacon



Gold Purple Wing APPR PPROVED PROVELTY FBRA16







Lavender Blue



Lavender Pink FBRE03



Lilac Rose White Centre



Orange FBRA04



Orange Red Wing FBRA05



Pink with Lemon Lip FBRA19

















FBR572





Electric Blue FBR575

Frosty Blue

Heavenly Blue FBR568





F1 Gem Scarlet in the American Takii garden









Lavender Shades FBR553

Lilac Antique FBR562

OIG NER SON JARDIN JARDIN BIO ETHIQUE

Gem Rose Antique

F1 GemTM series © 🔁 🗗 15-25 cm





Viola cornuta

- 18-20°C/ 64-68°F 7-15 days 900-1,800 sd/g
- The wide and unique color assortment of this series provides a complete range both for consumers as well as professional landscapers
- The Gem series has strong over-wintering ability as well as exceptional heat tolerance
- Gem is excellent for color bowls, containers, pots, hanging baskets, and landscapes



Orange

Plum Antique

FBR555



Pink Antique



FLEUROSELECT 太



Red with Blotch FBR531



LA MODE

Rose Antique FBR578



Rose with Blotch FBR532



Sapphire



FBR569



FBR549



Yellow FBR571











Viola cornuta

- 18-20°C/ 64-68°F 7-15 days 950-1,600 sd/g
- Trailing, without excessive creeping, floriferous even on the top of plants
- Later flowering than normal type viola, excellent performance in the spring after plants produce some growth
- Suitable for hanging, large pot, landscaping







Four Seasons Yellow may not make its whisker clearly under high light conditions

Crystal[™] series **②** ♣ 15-30 cm

Zinnia angustifolia

- 20-22°C/ 68-72°F 5-6 days 2,000-3,200 sd/g
- Crystal series have single, daisy-like blooms that are very attractive on compact plants
- Crystal Zinnias show high tolerance to powdery mildew and have superior garden performance



F1 Dreamland[™] series **© *** P-16 inches

Zinnia elegans

- 20-22°C/ 68-72°F 5-6 days 100-200 sd/g
- Takii's Dreamland is an early, large dahlia-flowered type providing a great color show both in containers and in the garden
- Much less instance of Xanthomonas and Alternaria disease problems with Dreamland than other varieties under warm weather conditions
- Excellent choice for pot and pack sales, with great consumer appeal





Coral



Pink



FZN627



FZN624





Grasses, Sedges and Rushes














Carex pendula (Pendulous Sedge)

FGRA05


Frosted Curls Carex (New Zealand Hair Sedge)

FGRA02

FGRA18



Elijah Blue Festuca glauca (Blue Fescue)




FGRA01


Genus	Species	Variety name	Germ Info	Germination	nination Temperature Days to		Seed			Height	Remark
Gerius	Opecies	variety flame	Geriii iiiio	°C	°F	Emergence	Count (Seed/Gram)		cm	inch	Herriark
Carex	comans	Bronze Curls	Light required	18-22	64-72	12-20	1,600- 1,800	⊘ \$€	30	12	Fashionable component in planters and pots
Carex	flagellifera	Auburn	Light required	18-22	64-72	25-35	2,000- 2,400	⊘ \$€	35	14	Bronze-red leaves
Carex	pendula	Fresh Look	Light required	22-24	72-75	25-35	1,400- 1,900	₽ ♥€	150	60	It has cylindrical spikes of pendulous flowers Attractive shiny green leaves
Carex	-	Frosted Curls	Light required	18-22	64-72	12-20	1,700- 2,000	⊘ \$€	25	10	Very hardy ornamental grass which can be used for mixed containers and landscapes 5-6 months from sowing to sell, but can be shortened with multiple sowing
Festuca	glauca	Elijah Blue	Light required	18-20	59-68	7-14	900- 1,000	⊘ \$€	25	10	Extremely hardy perennial, it is one of the most important landscaping grasses Prefers full sun and well drained conditions Multiple sowing will shorten the growing time to finishing.

- Use as landscape, garden or pot plant
- Easy to produce, high ornamental value
- Energy saving program

- Heat tolerant, low maintenance
- Develop your own grass assortment or combine with color items
- Long shelf life = Long sales window








Afro Juncus inflexus (European Meadow Rush)


FGRA08



Pheasant Tails

FGRA06

FGRA24



FGRA12



Genus	Species	Variety name	Germ Info	Germination °C	Temperature °F	Days to Emergence	Seed Count (Seed/Gram)	Туре	Plant	Height inch	Remark
Isolepis	cernua	Fibre Optics	Light required	18-20	64-72	7-10	300- 330 pel	⊘ \$€	20	8	Long-lived and easily maintained ornamental grass Withstands low light conditions and wide range of temperatures Can be used for pots, planters and terrariums
Juncus	effusus	Spiralis	Light required	22-24	72-75	35-45	1,000- 1,200 pel	⊘ \$€	35	14	Strong twisted leaves on compact upright clumps
Juncus	inflexus	Afro	Light required	20-22	64-72	30-40	32,000	⊘ \$€	35	14	Attractive blue-grey strong spiral stems
Juncus	_	Hedgehog Grass	Light required	20-22	64-72	35-45	7,000- 10,000	⊘ \$€	60	24	Nice architectural evergreen plants
Stipa	arundinacea	Pheasant Tails	Light required	18-20	59-68	7-10	3800	⊘ \$€	70	28	Ornamental grass item with bronze leaves
Stipa	tenuissima	Angel Hair	Light required	18-20	59-68	7-10	3,000- 4,000	⊘ \$€	70	28	Thread-like, shiny light green leaves give a silky and elegant appearance It can be used in various ways such as for mixed containers and rock gardens as well as dried cut flowers



CUTFLOWERS











Light required 15-20°C/59-68°F 10-12 days 5,300-7,300 sd/g

- Sturdy stems and strong flower petals for good cut flower transportation and vase life
- Dense flower spikes and intense colors make an impressive accent in flower arrangements



The showy yellow flowers have outstanding consumer appeal



Pink FKG603



White FKG602



Yellow FKG601











Antirrhinum majus

Light required 15-20°C/59-68°F 10-12 days 5,000-9,000 sd/g

- Takii's open-faced Antirrhinum Chantilly has large flowers with an overall gorgeous impression
- Unique Snapdragon for short day and low temperature conditions





Bronze FKG574



Cream Yellow FKG572



Deep Orange



Light Pink



Light Salmon



Pink FKG585



Purple



Velvet



White FKG591



FKG588









Light required 15-20°C/59-68°F 10-12 days 6,000-7,500 sd/g

- Sturdy stems support dense columns of bright flowers
- Long spikes are suitable for any floral arrangement as well as the home garden
- •Ideal for short day and low temperature conditions







Lemon Eye FKG553



Light Purple Eye FKG555











Antirrhinum majus

Light required 15-20°C/59-68°FF ■ 10-12 days ■ 5,500-6,500 sd/g

- Growth is very vigorous with large flowers densely spaced on strong stems
- Ideal for short day and low temperature conditions



Pink FKG542



White FKG541





Yellow FKG543

Takii's Antirrhinum Variety Comparison among Series

Taking Antarriman Variety Comparison among Conce							
Series	Variety	Plant	Flower Size				
Series	variety	Height	cm	inch			
	Bronze	А	5.0	2.0			
	Cream Yellow	В	5.0	2.0			
	Deep Orange	С	5.0	2.0			
	Light Pink	В	5.0	2.0			
Chantilly	Light Salmon	А	5.0	2.0			
Chantilly	Pink	В	5.0	2.0			
	Purple	В	5.0	2.0			
	Velvet	В	5.0	2.0			
	White	С	5.0	2.0			
	Yellow	В	5.0	2.0			
	Pink (NEW)	В	4.0	1.5			
Legend	White (NEW)	В	4.0	1.5			
	Yellow	В	4.0	1.5			

Series	Variety	Plant	Flower Size		
Series	Variety	Height	cm	inch	
	Pink	В	4.0	1.5	
Super	White	A	4.0	1.5	
	Yellow	В	4.0	1.5	
	Deep Purple Eye	С	3.5	1.4	
Sunshine	Lemon Eye	С	3.5	1.4	
	Light Purple Eye	С	3.5	1.4	
in Nagano pre	sed on trial results fecture, Japan. set at 8°C/46°F during night	Taller A B Shorter C			

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.

W

Crane Series & 60-90 cm 24-35 inches







Brassica oleracea

■ 20-25°C/ 68-77°F ■ 4-5 days ■ 200-480 sd/g

Feathered leaved type

- 2016 newly released cut flower Brassica with feathery leaves
- Feather Queen and Feather King have a very uniform, upright habit and complement each other very well

Round leaved type

- Winter bouquets are much more charming with the round shape, varied colors and long-lasting vase life of the Crane series
- Genetically, the flower head was bred to be compact; however, plant spacing will determine the size of the flower as well
- Crane Pink, Red and White have a very uniform, upright habit and complement each other very well




Feather King FHB703



Feather Queen FHB702







Bicolor FHB701



Crane Bicolor with Japanese taste





Rose

Germination Temperature



White













Count (Seed / Gr.)

Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 300-500 sd/g
- The colors of Sunrise (creamy white with pink center) and Sunset (red) complement each other, working well in any floral arrangement
- The size of the head is determined by plant spacing



Sunrise FHB314



Sunset FHB312

Lucir[™] series




Brassica oleracea

- 20-25°C/ 68-77°F 4-5 days 200-400 sd/g
- A very unique Brassica which has glossy green leaves
- In comparison to existing Brassica, the waxless glossy leaves of this Brassica show better color contrast of the center coloring



Left: F1 Lucir Right: F1 Crane

Lucir has glossy green leaves



The stunning Lucir Rose blended with the ever-popular rose brings beautiful color, texture and lasting abilities in floral designs







Can be a pot plant with PGR



White FHB712



Can be a pot plant with PGR

Callistephus chinensis

- 20-25°C/ 68-77°F
- 6-8 days
- 420-700 sd/g
- Good branching habit
- Semi-double flowers of medium size



Purple FAS561



Red FAS543



FAS553



FAS555

naTM series & *Irosom 27-30 Inches

Callistephus chinensis

- 15-20°C/ 59-68°F 6-8 days 350-550 sd/g
- Nina has large numbers of small semi-double flowers on vigorous plants
- Nina series has more disease resistance when compared to other varieties, resulting in reduced losses in production
- This spray-type Callistephus is excellent for mixed bouquets









Pink FAS381

Rose FAS384

FAS385

FAS382

Daylight[™] series **? ?** 70-80 cm 28-32 inches

Callistephus chinensis

- 15-20°C/ 59-68°F 6-8 days 400-600 sd/g
- Vigorous plants produce large numbers of small single flowers
- Blue Frost and Rose Frost change petal colors from white to blue or white to rose as each flower matures which makes an attractive color gradation on each stem
- Blue Frost and Rose Frost have more resistance to disease compared to others in the series



Blue Frost **FAS368**



Purple



Red FAS362



FAS363



Rose Frost FAS367



Violet FAS366



White FAS369





StarTM series @ @ F T 50-60 cm 19-24 inches

Calendula officinalis

Dark required 21-24°C/70-75°F 8-10 days 100-200 sd/g

- Highly valued for cut flower use with tall, sturdy stems and large double flowers
- The Star series is bred with special attention to higher disease resistance and good productivity





FKN201

FKN202





Carthamus tinctorius

Dark required 15-20°C/59-68°F 4-6 days 19-35 sd/g

- High quality cut flower item, can be harvested about 90 days after sowing
- Carthamus is sensitive for Manganese deficit. Leave fertilizing is effective to prevent this problem





Kinko

FSZB95

Kurume[™] series **?** ^{*} ^{70-120 cm} ^{28-47 inches}





Celosia cristata

Dark required 20-25°C/ 68-77°F 8-10 days 1,300-1,600 sd/g

- •Kurume varieties are crowned with grand combs of vivid color
- They have very high tolerance to heat, drought and disease, and are prized for summertime cut flower use
- Dense planting, spaced 10-15 cm/ 4-6 inches apart will produce smaller combs and thinner stems





Gold FKT113



New Scarlet FKT122



Orange Red




Rose FKT116

Consolida spp.

Dark required 13-18°C/ 55-64°F 10-20 days 200-400 sd/g

- Cannes series is disease resistant when compared to the other varieties, with much reduced losses in production
- Warm temperatures and longday conditions induce flowering
- For harvest in winter season under short-days and cold conditions, maintaining temperatures above 10-13°C/ 50-55°F at night and providing day-length extension of 4 to 6 hours encourages better stem elongation and flower development







Lilac









Deep Blue





White FTD255







- - •Stems are very sturdy and leaves are relatively small, which make it ideal for cut flower use



Aurora can be used as garden plants or large container plants





Variety Comparison among Series

Variety	Flowe	r Size	Plant Height				
variety	cm inch		Plant neight				
Blue	5.5	2.2	С	Taller A			
Deep Purple	5.5	2.2	A	1			
Lavender	6.0	2.5	С				
Light Blue	5.5	2.2	В	В			
Light Purple	5.5	2.2	С				
White	6.0	2.5	С	Shorter C			

Seed Storage

Store seeds under dry and low temperature (approx. 5° C/ 40° F) condition. Storing seeds at room temperature (above 18° C/ 46° F) may result in very low germination.

Tips for cultivation

- Warm temperatures and long day conditions induce flowering.
 Plug finish time is 5-6 weeks. During this time, optimal growing temperatures are 15-25°C/60-78°F.
 2-3 weeks after transplanting the flowering stems will start to elongate.
 Short day conditions will induce rosetting. When plants have fewer than 5 true leaves, temperatures below approximately 15°C/60°F will also induce rosetting.

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.

Dianthus





- F1 Centurion Series © © 🌣 150 cm Series © © Planting Series © © Planting Series © © Planting Series © © Planting Series © Delphinium x cultorum

 15-18°C/59-64°F 10-14 days 300-420 sd/g

 Gorgeous flower spikes and elegant colors make an impressive accent in large flower arrangements

 Suitability both for garden and professional cut flower cultivation make it a welcome addition to the assortment







Rose FDLA15



Sky Blue



White FDLA17









Dianthus barbatus

- The plants have uniform masses of red flowers on sturdy stems and a freeflowering habit
- For best quality cut flower production, pinching is necessary at the 12th leaf stage (=pinch at 6th node). Leave only 5 - 6 stems of the side branches, removing all other extra branches
- Plants need temperatures lower than 15°C/59°F for soft vernalization



FBN532









Dianthus hybrida

- 21-24°C/70-75°F 5-6 days 900-1,400 sd/g
- •First Love produces serrate-edged flowers changing from white to pink as the individual flowers age
- Excellent continuous flowering habit until a hard freeze
- Thin but very sturdy spray-type stems are good performers as a cut flower as well as garden plant













Echinacea purpurea

- 18-20°C/ 64-68°F 7-10 days 280-300 sd/g
- It is a first year flowering, hardy perennial plant
- It normally blooms from summer to early autumn
- A particularly attractive garden plant, which attracts a lot of butterflies. It can be also used for cut flowers



It can be marketed as ornamental discs when petals are removed



Purple Sheen



- 20-25°C/ 68-77°F 12-20 days 600-1,000 sd/g
- Vibrant purple-crimson flowers on sturdy stems with soft bracts can be great as a vase filler
- •6-7 months from sowing to flower
- The plants prefer sunny and dry conditions









Audray[™] series �� ♥ 100 cm 32-39 inches

Gomphrena globosa

- 22-25°C/72-77°F 10-12 days 300-500 sd/g
- Audray can be used both for fresh and dried arrangements
- It is also an excellent tall garden plant that withstands hot and humid conditions




Bicolor Rose FSE165




Pink FSE168



Purple Red



FSE173



Creative opportunities abound with Audray

Hairy Balls M P 120 cm 147 inches

Gomphocarpus physocarpus

- 20-30°C/ 68-86°F 7-10 days 200 sd/g
- The unusual fruit is light green, round with soft spines and are selected for cut flower decorations and conservatory plants
- It also can be an attractive unique item for mixed bouquets
- 12 hours day length is required for flower



NEW

Helianthus annuus

20-25°C/ 68-77°F 3-4 days 15-26 sd/g

55-70 day type

- The world's first downy mildew highly-resistant variety for ornamental Helianthus
- With the introduction of F1 Sunrich Orange DMR, Helianthus production will be drastically changed.
- Growers have less to worry about when it comes to problems with downy mildew. This DMR breakthrough's added-value provides substantial benefits with high yield results and the reduction of chemical use
- Resistant to multiple strains of downy mildew (plasmopara halstedii)
- Plant height, growing speed as well as flower shape and color are similar to F1 Sunrich Orange. F1 Sunrich Orange DMR flowers in 55-70 days after sowing, depending on conditions

<Disclaimer>

- *1. F1 Sunrich Orange DMR highly restricts the growth and development of the above stated pathogen and the damage they cause under normal pathogen pressure when compared to susceptible varieties. It may, however, exhibit some disease symptoms or damage under heavy pathogen pressure.
- *2. New and / or atypical strains of the specified pathogen may overcome the resistance, sometimes completely.





elianthus (Sunflower)

What is Downy Mildew (Plasmopara halstedii)?









Plasmopara halstedii is one of the major plant pathogens that infect Helianthus. The symptom shows as light yellowish-green spots on the upper side of leaves alongside main veins.

It eventually grows and spreads to become a lesion, and on its underside light gray mold grows.

Severely infected plants will not have ornamental value.

The stems will not reach enough height and will not be good quality cut flowers.



- after sowing depending on growing conditions

50-65 day type

- Limoncello Summer presents a stable bicolor of vibrant yellow transitioning to a light, creamy yellow at the tips. This uniqueness brings a great accent to the Helianthus market
- F1 Sunrich Orange Summer and Lemon Summer flower 5 to 10 days earlier than F1 Sunrich Orange and Lemon, but the flower shapes and colors are identical to Sunrich Orange and Lemon, respectively
- Suitable for spring to summer cultivation with sowing and growing under long-day conditions





Limoncello has petals with deeper yellow to the center by gradation giving a three-dimensional effect.





55-70 day type







Lemon FHM511



Lime FHM521



Orange FHM512

50-65 day type



Lemon Summer FHM501



Limoncello Summer FHM456



Orange Summer FHM520

Takii's Helianthus **Characteristics of the cut varieties**

Variety	Petal	Disk	Days to bloom	Remark	
F1 Sunrich Orange DMR (NEW)	Orange	Black		Downy mildew highly-resistant	
F1 Sunrich Orange	Orange	Black			
F1 Sunrich Lemon	Yellow	Black	55-70 days	The quality standard in the market	
F1 Sunrich Gold	Orange	Green		The quality standard in the market	
F1 Sunrich Lime (NEW)	Yellow	ellow Green			
F1 Sunrich Orange Summer	Orange	Black			
F1 Sunrich Lemon Summer	Yellow	Black	50-65 days	5-10 days earlier than Sunrich Orange	
F1 Sunrich Limoncello Summer	Lemon with yellow base	se Black			
F1 Premier Orange	Orange	Black			
F1 Premier Lemon	Yellow	Black	45-55 days	Extra-early varieties	
F1 Premier Light Yellow	Light Yellow	Black			
F1 Tiffany	Orange	Black	60-80 days	Round orange flowers with dark disks	
F1 Full Sun Improved	Dark Yellow	Black	55-100 days	Sufficient stem length even under short day conditions	





- harvest to secure enough stem length







FHM517



Orange FHM455

F1 Full Sun Improved[™] **②**

Helianthus annuus

20-25°C/68-77°F 4-6 days 16-20 sd/g

55-100 day type

- •It can have sufficient stem length even under short-day conditions in the temperate climate area
- It is preferable to have 18°C/65°F at the lowest temperature for growth
- Depending on conditions such as low temperatures, the culture time can be even longer than the stated 55-100 days in the table in page 93





F1 Tiffany[™]



Helianthus annuus

■ 20-25°C/ 68-77°F ■ 4-6 days ■ 18-20 sd/g

60-80 day type

- Professional quality
- Round orange flowers with dark discs









Limonium sinuatum

- 15-20°C/ 59-68°F 10-15 days 350-450 sd/g
- Pastel Shades is an early-flowering variety of Limonium (Statice)
- Long-lasting as a fresh cut flower, Pastel Shades is also excellent when used dried in arrangements



FSU260

F1 Arena[™] series **② ★** 80-100 cm 31-39 inches





Flower Earliness	Flower Size
I∼IV*	Large

*See the below grouping

Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 650-850 pel/g

- •Introducing new colors every year, the Arena series now totals 16 varieties, giving more choices for growers, florists and consumers
- Selected for its high quality and fully double flowers on strong and sturdy stems
- Thick petals help transportability and large buds on the top increase the attractive character of the stems
- Arena III Pink may have less doubleness under high temperature conditions during flower bud formation stage

*Takii's Lisianthus is classified into four groups according to earliness of flowering.

	ľ	Group
I	:	Early
II	:	Middle
Ш	:	Mid-Late

IV : Late



I Light Pink FRS890



II Apricot



Il Kilimanjaro FRS784



II Light Pink FRS748



II White FRS781



III Apricot FRS724



III Baby Pink FRS674



III Blue Picotee FRS723



III Champagne



III Gold





III Green FRS728



III Pink





Arena series arrangement with Japanese atmosphere



III Pink Flash



III Red FRS741



IV Rose FRS705



IV White FRS731

Variety Comparison among Arena

Turioty C	anety companson among Arena							
	Variety name	Flowe	er Size	Branching	Plant	Stem	Characteristic	
	variety name	cm	inch	branching	Height	Strength	Gilaracteristic	
	F1 Arena Light Pink (NEW)	7.5	3.0	Good	Middle	Normal	Early, abundant flower	
	F1 Arena Apricot	8.0	3.2	Good	Tall	Normal	Easy to gain stem length	
	F1 Arena Kilimanjaro	8.0	3.2	Excellent	Middle	Very Hard	Abundant flower under strong sunlight	
	F1 Arena Light Pink	7.5	3.0	Good	Middle	Hard	Medium-size flowers with the color like cherry blossoms	
	F1 Arena White	8.0	3.2	Good	Middle	Very Hard	Excellent flower shape, Strong stem	
	F1 Arena III Apricot	8.0	3.2	Good	Middle	Hard	Unique color of flower	
	F1 Arena III Baby Pink	8.0	3.2	Good	Middle	Hard	Wavy, thick petals with good transportability	
	F1 Arena III Blue Picotee	7.5	3.0	Good	Tall	Hard	Thick petal and top flowering type	
Double Flowered	F1 Arena III Champagne	8.0	3.2	Good	Middle	Hard	Large flowers with many petals	
	F1 Arena III Gold	8.0	3.2	Good	Tall	Very Hard	High performance with its yellow gold flower	
	F1 Arena III Green	7.5	3.0	Excellent	Middle	Hard	Nice thick flower petal, good sturdy stem	
	F1 Arena III Pink	8.0	3.2	Good	Middle	Hard	Bright pink under fluorescent light	
	F1 Arena III Pink Flash	8.0	3.2	Good	Middle	Very Hard	Sturdy stem with high quality flower	
	F1 Arena III Red	6.0	2.4	Good	Tall	Hard	Vivid red, Unusual color for Lisianthus	
	F1 Arena IV Rose	7.0	2.8	Good	Very Tall	Very Hard	Suitable for season when it gets difficult to secure enough stem length	
	F1 Arena IV White	8.0	3.2	Good	Very Tall	Very Hard	Long stems suitable for cultivation under high temperatures and strong light intensity	

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.



Flower Earliness	Flower Size
∼ *	Large

*See page 96

Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 650-850 pel/g

- 2015 newly released series, available in 6 colors
- Corelli has excellent large, double flowers with elegant fringed, curly petals
- Along with large flower buds it has an elegant yet playful appearance, and can create a classical ambience
- Top branching, superb for bouquet usage
- Excellent vase life

Subtle colors bring out the beauty in bouquet arrangement with III Light Pink.





II White FRS870



III Apricot FRS766



III Blue FRS767



III Light Pink FRS764







III Yellow FRS763

Variety Comparison among Corelli

Verieter		Flower Size		Dronobina	Plant	Stem	Characteristic
	Variety name		inch	Branching	Height	Strength	Characteristic
	F1 Corelli II White (NEW)	8.5	3.4	Good	Middle	Normal	Early, large size flower
Double	F1 Corelli III Apricot (NEW)	8.5	3.4	Good	Middle	Hard	Highest number of petal and stable doubleness within Corelli series
Flowered	F1 Corelli III Blue (NEW)	8.5	3.4	Good	Middle	Normal	Easy to get single flower under high temp.
with fringed	F1 Corelli III Light Pink (NEW)	8.5	3.4	Good	Very Tall	Normal	Fringe is less compared to other colors in this series
	F1 Corelli III Rose (NEW)	8.0	3.2	Good	Tall	Very Hard	Thick petal with good transportability
	F1 Corelli III Yellow (NEW)	8.5	3.4	Good	Middle	Normal	Strong fringed flower, good vase life

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.





Flower Earliness	Flower Size
II*	Middle

*See page 96

Eustoma grandiflorum

Light required 15-20°C/ 59-68°F 20-25 days 650-850 pel/g

Gorgeous with its fringed

single petals

- Abundant flowers on each stem
- Uniqueness attracts florists, driving new ideas for bouquet arrangements
- Fringed flower makes voluminous bouquet, especially when many flowers are used in one vase
- Thick flower petals and sturdy stems make for good transportability



II Light Apricot FRS673



II Salmon FRS672



II Yellow FRS671

Variety Comparison among Falda

Variety name		Flower Size		Branching	Plant	Stem	Characteristic
	variety name		inch	branching	Height	Strength	Gilaracteristic
Single	F1 Falda II Light Apricot	5.0	2.0	Good	Middle	Hard	Nice color, Gorgeous in bouquet
	F1 Falda II Salmon	5.0	2.0	Good	Middle	Hard	Unique color, Thick petal
	F1 Falda II Yellow	5.0	2.0	Good	Short	Hard	Thick petal, Lemon yellow flower

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.

F1 Croma[™] series **P P** 80-100 cm 31-39 inches



Flower Earliness	Flower Size
I∼IV*	Middle

*See page 96


Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 650-850 pel/g

- Croma has excellent rose-like flowers
- Croma's thick, strong petals and extra-double flowers set it apart as a premium variety. Due to the strength of the flowers and stems, it is well suited for cold chain shipping.
- Croma is attractive to florists with its versatility in arrangements along with its high consumer appeal
- IV Lavender Imp is later flowering and with higher plant height than IV Lavender















I Green FRS788







II Snow FRS787





IV Lavender FRS746



III Blue Picotee FRS802





III White FSR785

IV Lavender Imp FRS745

Variety Comparison among Croma

Variety name		Flower Size		Down a bio o	Plant	Stem	Characteristic
		cm	inch	Branching	Height	Strength	Characteristic
Double Flowered	F1 Croma I Green	6.0	2.4	Good	Short	Normal	Good doubleness and thick petal
	F1 Croma II Snow	6.0	2.4	Good	Tall	Hard	Early flowering type compare to Croma III White
	F1 Croma III White	7.0	2.8	Good	Middle	Hard	Rosy flower, Excellent performance, Nice shape flower with good doublenes
	F1 Croma III Blue Picotee (NEW)	6.5	2.6	Excellent	Middle	Very Hard	Stable Picotee, high doubleness, top flowering
	F1 Croma III Yellow (NEW)	6.5	2.6	Good	Tall	Hard	High doubleness
	F1 Croma IV Lavender	6.0	2.4	Excellent	Short	Very Hard	Late variety, Very hard stem
	F1 Croma IV Lavender Imp (IMP)	7.0	2.8	Excellent	Middle	Very Hard	Taller, larger flower than Croma IV Lavender

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.

F1 Super Magic[™] series **② ★** 70-90 cm 28-35 inches





Flower Earliness	Flower Size
Mid-early	Large

Eustoma grandiflorum

Light required 15-18°C/59-64°F 20-25 days 700-1,200 pel/g

- Super Magic is a double flowered mid-early series
- Top flowering habit with large sized flowers
- The wide color assortment, including spectacular colors of Apricot and Champagne, provides a complete range for professional growers
- Deep Blue may have less doubleness under high temperature conditions during flower bud formation stage



Apricot



Capri Blue Picotee



Champagne



Deep Blue FRSG72



Green FRSG73



Light Green



Lilac FRSG56



Pink FRS811



Pure White FRSG63



Rose FRSG59



White FRSG79



FRSG62



Takii's Lisianthus flowering earliness Arena, Croma, Falda and Vulcan series are classified into four groups; I, II, III, IV, according to earliness of flowering.

1	Ш	III	IV
Early-Middle	Middle	Middle-Late	Late
Arena I	Arena II	Arena III	Arena IV
Croma I	Croma II	Croma III	Croma IV
	Corelli II	Corelli III	
Super	Magic Adva	ntage	
	Vulcan II		
	Falda II		





Flower Earliness	Flower Size
II*	Middle

* See page 96

Eustoma grandiflorum

Light required 15-20°C/59-68°F 20-25 days 650-850 pel/g

- Selected for its high quality, large cup-shaped flowers on strong and sturdy stems
- The thick flower petals of Vulcan increase its transportability
- Vulcan II Blue Picotee presents a more uniform blue rim when compared to other blue picotee Lisianthus
- Vulcan II White is improved for top flowering habit

Variety Comparison among Vulcan

	Variety name		er Size	Branching	Plant Height	Stem Strength	Characteristic
			inch				
	F1 Vulcan II Blue Picotee (IMP)	4.5	1.8	Excellent	Middle	Very Hard	Thick petal, top flowering
	F1 Vulcan II Champagne	4.0	1.6	Excellent	Tall	Hard	Unique color, Thick petal
Single Flowered	F1 Vulcan II Deep Violet	4.5	1.8	Good	Middle	Hard	Deep violet color, Curly flower shape
	F1 Vulcan II Pink Picotee	5.0	2.0	Good	Tall	Very Hard	Stable picotee color, Thick petal
	F1 Vulcan II White	4.0	1.6	Good	Middle	Very Hard	Thick petal, Strong stem

The above data is based on trials completed in Japan. Actual results are dependent upon environmental conditions and local practices that may affect variety characteristics and performance.







II Champagne FRS706



II Deep Violet FRS661



Il Pink Picotee FRS652



II White FRS660

F1 Advantage[™] series **P** ^{70-90 cm} 28-35 inches





Flower Earliness	Flower Size
Middle	Middle

Eustoma grandiflorum

Light required 15-18°C/ 59-64°F 20-25 days 700-1,200 pel/g

- •Middle-late flowering, fully double large flower
- Thicker and stronger stems are more suitable for production under high temperature and long day conditions



Cherry Sorbet FRSG41



Green FRSG42



Pink FRSG46



Purple FRSG43



Yellow FRSG44

High double type

Average of 90% double-flowering type







Matthiola incana

Dark required 18-21°C/ 64-70°F 4-5 days 480-600 sd/g

- Early flowering
- Approximately 7 to 10 days later than Noble series
- Dense flower spike with sturdy stem
- Hairy-leaved type





Regal White 90 110 cm 35-43 inches







Matthiola incana

Dark required 18-21°C/ 64-70°F 4-5 days 450-570 sd/g

- Sturdy and uniform plants
- Large, white flowers form full columns on sturdy stems
- Hairy-leaved type







NobleTM series & 180-90 cm 31-35 inches





Matthiola incana

Dark required 18-21°C/64-70°F 4-5 days 400-600 sd/g

- Extra-early flowering
- The full doubleness of Noble is breathtaking
- Closely arranged florets make a massive display on a sturdy stem
- Uniform growth makes Noble the grower's choice
- Hairy-leaved type



Cream Yellow





Noble Cream Yellow in an arrangement







Matthiola incana

Dark required 18-21°C/ 64-70°F 4-5 days 450-550 sd/g

- Extra-early flowering
- Uniform plants produce an abundance of pure white blooms
- Hairy-leaved type



White Wonder ** ** To-80 cm 27-31 inches







Matthiola incana

Dark required 18-21°C/ 64-70°F 4-5 days 450-600 sd/g

- Extra-early flowering
- This bright-green leaved variety produces well formed spikes
- It is improved for stem strength and better flower shape



Selectable type

Seedlings are selectable for doubleness

Series & Series & Series

Matthiola incana

Dark required 18-21°C/ 64-70°F 4-5 days 500-700 sd/g

- Glory series is an improvement over the Xmas series
- Uniform blooms are produced on straight and sturdy stems
- Doubles can be identified by cotyledon color (See page 49)







Cherry FST252







Light Purple FST258



FST256



Rose FST253



White FST193

series







Dark required 18-21°C/64-70°F 4-5 days 500-800 sd/g

- The non-branching gray-green leaved series produces a mass of blooms
- Xmas can be grown both in unheated glasshouses as well as outdoor field production
- Doubles can be identified by cotyledon color (See page 49)





Apricot FST328



Blue FST131



FST139



Pink FST135



Rouge FST324



Ruby FST134



White FST133

Tanacetum parthenium

Light required 15-20°C/59-68°F 3-5 days 6,500-7,000 sd/g

- Straight and stiff stem
- Excellent filler for mixed bouquets
- ●Virgo can be grown year round under 13-15°C/55-60°F with long-day conditions







Zinnia elegans

- 20-22°C/ 68-72°F 5-6 days 100-150 sd/g
- This series produces masses of large, fully double flowers
- Sun series blooms 60-70 days after sowing



TAKII & CO., LTD.

180 Umekoji-Inokuma, Shimogyo-ku Kyoto, 600-8686 CPO Box 7, Japan Tel. 81-(0)75-365-0123 Fax. 81-(0)75-365-0110 www.takiiseed.com

AMERICAN TAKII, INC.

301 Natividad Road Salinas, CA 93906 USA Tel. 1-(0)831-443-4901 Fax. 1-(0)831-443-3976 www.takii.com

TAKII EUROPE B.V.

Hoofdweg 19 1424 PC DE Kwakel The Netherlands Tel. 31-(0)297-345700 Fax. 31-(0)297-345658 www.takii.eu



2016-2018

