

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------------|--------------------------------------|--------------|---------|--------------------|---------|---|---|-------|--|
| Epeira syn | nigra Vinson | Nephilidae | Araneae | | Afr | Madagascar (Decary, 1937) | Nephilia inaurata (Walck.) | | |
| Nephila | inaurata (Walckenaer) | Nephilidae | Araneae | | Afr | Madagascar (Decary, 1937) | Epeira nigra Vinson syn | | |
| Nephila | madagascariensis Vinson | Nephilidae | Araneae | | Afr | Madagascar (Decary, 1937) | | | |
| Bostrichidae gen. | | Bostrichidae | Col | | Afr | Congo (DeFoliart 2002) | | larva | |
| Chrysobothris | fatalis Harold | Buprestidae | Col | jewel beetle | Afr | Angola (DeFoliart 2002) | | larva | |
| Lampetis | wellmani (Kerremans) | Buprestidae | Col | jewel beetle | Afr | Angola (DeFoliart 2002) | syn Psiloptera wellmani | larva | |
| Psiloptera syn | wellmani Kerremans | Buprestidae | Col | jewel beetle | Afr | Angola (DeFoliart 2002) | see Lampetis wellmani (Kerremans) | larva | |
| Steraspis | amplipennis (Fahr.) | Buprestidae | Col | jewel beetle | Afr | Angola (DeFoliart 2002) | | larva | |
| Sternocera | feldspathica White | Buprestidae | Col | jewel beetle | Afr | Angola (DeFoliart 2002) | | adult | |
| Sternocera | funebri Boheman syn | Buprestidae | Col | jewel beetle | Afr | Zimbabwe (Chavanduka, 1976; Gelfand, 1971) | see S. orissa | adult | |
| Sternocera | interrupta (Olivier) | Buprestidae | Col | jewel beetle | Afr | Cameroun (Seignobos et al., 1996) | | | |
| Sternocera | orissa Buquet | Buprestidae | Col | jewel beetle | Afr | Botswana (Nonaka, 1996), South Africa (Bodenheimer, 1951; Quin, 1959), Zimbabwe (Chavanduka, 1976; Gelfand, 1971) | syn S. funebris | adult | |
| Scarites sp. | | Carabidae | Col | ground beetle | Afr | Angola (Bergier, 1941), Madagascar (Decary, 1937) | | larva | |
| Acanthophorus | confinis Laporte de Cast. syn | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | see Tithoes confinus (Cast.) | | |
| Acanthophorus | capensis White syn | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | see Tithoes capensis (White) | | |
| Acanthophorus | maculatus (F.) syn | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | see Tithoes maculatus (F.) | | |
| Analeptes | trifasciata (F.) | Cerambycidae | Col | long-horned beetle | Afr | Nigeria (Banjo et al 2006), D.R. Congo (Hoare, 2007) CAR (Bahuchet 1985) | not Scarabaeidae! | larva | |
| Ancylonotus . | tribulus Fabr. | Cerambycidae | Col | long-horned beetle | Afr | Gabon, Senegal (Netolitzky, 1919), West Africa (Bergier, 1941) | | | |
| Ceroplesis | burgeoni Breuning | Cerambycidae | Col | long-horned beetle | Afr | Southern Africa (Malaisse, 1997) | | | |
| Macrotoma | edulis Karsch | Cerambycidae | Col | long-horned beetle | Afr | Sao Tomé and Príncipe (Netolitzky, 1919) | | | |
| Macrotoma | natala Thomson | Cerambycidae | Col | long-horned beetle | Afr | Botswana (Roodt, 1993) | | | |
| Macrotoma sp. | | Cerambycidae | Col | long-horned beetle | Afr | CAR (Hoare 2007) | | larva | |
| Malodon | downesi Hope | Cerambycidae | Col | long-horned beetle | Afr | Central Africa (Bergier, 1941), South Africa (Bodenheimer, 1951) Mozambique (DeFoliart 2002) CAR (Hoare 2007) | syn Stenodontes downesi Hope | larva | |
| Petrognatha | gigas Fabr. | Cerambycidae | Col | long-horned beetle | Afr | Gabon (Bergier 1941), Senegal (Netolitzky 1919), CAR (Hoare 2007) | | | |
| Plocaederus | frenatus Fähræus | Cerambycidae | Col | long-horned beetle | Afr | Central Africa (Bergier, 1941) South Africa (DeFoliart 2002) | | larva | |
| Pycnopsis | brachyptera Thomson | Cerambycidae | Col | long-horned beetle | Afr | DR Congo (Malaisse, 1997) | | | |
| Stenodontes syn | downesi (Hope) | Cerambycidae | Col | long-horned beetle | Afr | Mozambique, South Africa (Quin,1959) (DeFoliart 2002) | see Malodon downesi Hope | | |
| Sternotomis | itzingeri katangensis Allard | Cerambycidae | Col | long-horned beetle | Afr | DR Congo (Malaisse, 1997) | | | |
| Tithoes | confinus (Cast.) | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | Acanthophorus confinis (F.) syn | larva | |
| Tithoes | maculatus (F.) | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | Acanthophorus maculatus F. syn | larva | |
| Tithoes | capensis (White) | Cerambycidae | Col | long-horned beetle | Afr | Zambia (Mbata, 1995) | Acanthophorus capensis (White) syn | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------|--------------------------------|------------------------------|-------|---------------------------|---------|---|-------------------------------------|-------|--|
| Zogrophus | aulicus Bertolini | Cerambycidae | Col | long-horned beetle | Afr | DR Congo (Malaisse, 1997) Angola (DeFoliart 2002) | Z. aulicus var. ferox Harold | | |
| Polyclaeis | equestris Boheman | Curculionidae | Col | weevil | Afr | South Africa (Quin, 1959) | | adult | |
| Polyclaeis | plumbeus Guérin | Curculionidae | Col | weevil | Afr | South Africa (Quin, 1959) | | adult | |
| Rhyna sp. | | Curculionidae | Col | weevil | Afr | Madagascar (Bodenheimer, 1951) | | larva | |
| Sipalinus | aloyssi-sabaudiae Camerano | Curculionidae | Col | weevil | Afr | Tanzania (Bodenheimer, 1951; Harris, 1940) | | larva | |
| Eugnoristus | monachus (Oliv.) | Dryophthoridae | Col | weevil | Afr | Madagascar (Bodenheimer, 1951) | | larva | |
| Rhynchophorus | phoenicis Fabr. | Dryophthoridae | Col | African palm weevil | Afr | Angola (Santos Oliveira et al., 1976), Cameroun (Bodenheimer, 1951), CAR (Hoare 2007) D. R. Congo (Hoare 2007), Congo (Bani, 1995; Nkouka, 1987; Takeda, 1990, Hoare 2007), Nigeria (Fasoranti & Ajiboye, 1993) | | larva | |
| Rhynchophorus sp. | | Dryophthoridae | Col | palm weevil | Afr | Madagascar (Bodenheimer, 1951) D.R. Congo (Hoare 2007) | | | |
| Cybister | distinctus Reg. | Dytiscidae | Col | water beetle | Afr | Senegal Sierra Leone D. R. Congo (Ramos et al 2009) | | | |
| Cybister | hova Alluaud syn | Dytiscidae | Col | water beetle | Afr | Madagascar (Decary, 1937) | see Cybister owas Laporte | | |
| Cybister | owas Laporte | Dytiscidae | Col | water beetle | Afr | Madagascar (Decary, 1937) | Cybister hova Alluaud, hova Fairm.? | adult | |
| Eretes | sticticus (L.) | Dytiscidae | Col | water beetle | Afr | Kenya (Ramos et al 2009) | | adult | |
| Rhantus | latus (Fairm.) | Dytiscidae | Col | waterbeetle | Afr | Madagascar (Ramos et al 2009) | | | |
| Elateridae gen. | | Elateridae | Col | click beetle | Afr | Botswana (DeFoliart 2002) | | | |
| Tetralobus | flabellicornis (L.) | Elateridae | Col | giant acacia click beetle | Afr | Central Africa (Bodenheimer, 1951) | | larva | |
| Hydrophilus | senegalensis (Percheron) | Hydrophilidae | Col | water scavenger beetle | Afr | Senegal (Ramos et al 2009) | | | |
| Cladognathus | serricornis (Latr.) syn | Lucanidae | Col | stag beetle | Afr | Madagascar (Decary, 1937) | Prosopocoilus serricornis (Latr.) | | |
| Prosopocoilus | serricornis (Latr.) | Lucanidae | Col | stag beetle | Afr | Madagascar (Decary, 1937) | | larva | |
| Passalidae gen. | | Passalidae | Col | bess beetle | Afr | Madagascar (Bodenheimer, 1951) Congo (DeFoliart 2002) | from palm | | |
| Camenta sp. | | Scarabaeidae Dynastinae | Col | | Afr | Angola (DeFoliart 2002) | | larva | |
| Cetonia sp. | | Scarabaeidae Dynastinae | Col | flower beetle | Afr | Central Africa (Bergier, 1941) | | | |
| Gnathocera sp. | | Scarabaeidae Dynastinae | Col | | Afr | D.R. Congo (DeFoliart 2002) | | larva | |
| Goliathus | cacicus Ol. | Scarabaeidae Dynastinae | Col | Goliath beetle | Afr | Central Africa (Bergier, 1941) | | | |
| Goliathus | regius Klug | Scarabaeidae Dynastinae | Col | Goliath beetle | Afr | Central Africa (Bergier, 1941) | | | |
| Goliathus | cameronensis check | Scarabaeidae Scarabaeinae | Col | Goliath beetle | Afr | Central Africa (Bergier, 1941) | | | |
| Goliathus | goliathus L. | Scarabaeidae Trichiinae | Col | Goliath beetle | Afr | Central Africa (Bergier, 1941) | | | |
| Augosoma | centaurus (Fabr.) | Scarabaeidae Cetoniinae | Col | rhinoceros beetles | Afr | Cameroun (Bodenheimer, 1951), Congo (Bani, 1995, Nkouka, 1987, Hoare, 2007), D.R. Congo (Takeda, 1990, Cerritos 2009, Hoare, 2007) | | larva | |
| Goliathus sp. | | Scarabaeidae Cetoniinae | Col | Goliath beetle | Afr | D.R. Congo (DeFoliart 2002, Hoare 2007) | | larva | |
| Mecynorrhina sp. | | Scarabaeidae Cetoniinae | Col | | Afr | CAR (Hoare 2007) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------------|----------------------|-------------------------------|--------------------------|----------------------------|---------|--|------------------------------|-------|--|
| Lepidiota | anatina Brenske | Scarabaeidae Melolonthinae | Col | | Afr | Zimbabwe (Chavanduka, 1976) | | adult | |
| Lepidiota | mashona Arrow | Scarabaeidae Melolonthinae | Col | | Afr | Zimbabwe (Chavanduka, 1976; Gelfand, 1971; Weaving, 1973) | | adult | |
| Oryctes | boas (Fabr.) | Scarabaeidae Melolonthinae | Col | rhinoceros beetles | Afr | Congo (Bani, 1995; Nkouka, 1987, Hoare 2007), Nigeria (Fasoranti & Ajiboye, 1993), South Africa (Bergier, 1941; Netolitzky, 1919); D.R. Congo (DeFoliart 2002) | | larva | |
| Oryctus | monocerus (Oliv.) | Scarabaeidae Melolonthinae | Col | rhinoceros beetles | Afr | South Africa (Bergier, 1941; Netolitzky, 1919) | | larva | |
| Oryctus | nasicornis (Linn.) | Scarabaeidae Melolonthinae | Col | European rhinoceros beetle | Afr | Madagascar (Bergier, 1941) | | | |
| Oryctus | owariensis Beauvois | Scarabaeidae Melolonthinae | Col | rhinoceros beetles | Afr | Congo (Bani, 1995; Nkouka, 1987, Hoare 2007), South Africa (Bergier, 1941; Netolitzky, 1919); D.R. Congo (DeFoliart 2002) | Oryctus owariensis Palisot ? | larva | |
| Lepidiota | nitidicollis Kolbe | Scarabaeidae Rutelinae | Col | | Afr | Zimbabwe (Chavanduka, 1976) | | adult | |
| Proagosternus sp. | | Scarabaeidae Rutelinae | Col | | Afr | Madagascar (Decary, 1937) | | | |
| Tricholespis sp. check | | Scarabaeidae Trichiinae | Col | | Afr | Madagascar (Decary, 1937) | wrong spelling? | larva | |
| Pachylomera | femorale Kirby | Scarabaeidae Cetoniinae | Col | dung beetle | Afr | Zambia (Mbata, 1995) | | | |
| Platygenia | barbata Afzelius | Scarabaeidae Cetoniinae | Col | | Afr | D.R. Congo (Adriaens, 1951), CAR (Hoare 2007) | | larva | |
| Platygenia sp. | | Scarabaeidae Cetoniinae | Col | | Afr | Africa (Ghesquière, 1947) | | larva | |
| Popillia | femorale Klug | Scarabaeidae Cetoniinae | Col | | Afr | Cameroun (Bodenheimer, 1951) | | adult | |
| Popillia ssp. | | Scarabaeidae Cetoniinae | Col | | Afr | Cameroun (DeFoliart 2002) | | adult | |
| Tenebrionidae gen. | | Tenebrionidae | Col | | Afr | Congo (Nkouka, 1987) | xylophagus insects | | |
| Blattidae gen. | | Blattidae | Dictyoptera Blattodea | | Afr | Cameroun (Bergier, 1941) | | | |
| Tarachodes | saussurei Giglio-Tos | Tarachodidae | Dictyoptera Mantodea | | Afr | Cameroun (Barreteau, 1999) | | | |
| Hoplocorypha | garuana Giglio-Tos | Thespididae | Dictyoptera Mantodea | | Afr | Cameroun (Barreteau, 1999) | | | |
| Chaoborus | edulis Edwards | Chaoboridae | Dipt | lake flies phantom midges | Afr | East African lakes (Bergier, 1941; Owen, 1973), Tanzania (Bodenheimer, 1951; Harris, 1940), Uganda, Kenya | | adult | |
| Chaoborus | pallidipes Theob. | Chaoboridae | Dipt | lake flies phantom midges | Afr | Uganda (Bergier, 1941) | | | |
| Chaoborus sp. | | Chaoboridae | Dipt | lake flies phantom midges | Afr | East African lakes (Bergier, 1941; Ayieko, M.A. & Nyambuga, I.A. 2009) | | | |
| Chironomidae gen. | | Chironomidae | Dipt | non biting midges | Afr | Kenya Tanzania Uganda (Ayieko, M.A. & Nyambuga, I.A. 2009) | | adult | |
| Culicidae gen. | | Culicidae | Dipt | | Afr | Botswana (DeFoliart 2002) | | | |
| Caenis | kungu Kimm. | Caenidae | Eph | mayfly | Afr | Malawi (Grant 2001, DeFoliart 2002) | | adult | |
| Povilla | adusta Navas | Polymitarcidae | Eph | mayfly | Afr | Kenya Tanzania Uganda (Grant 2001, Ayieko, M.A. & Nyambuga, I.A. 2009) | | adult | |
| Belostoma sp. | | Belostomatidae | Hem Het | giant water bugs | Afr | Congo (Bani, 1995, Hoare 2007, Nkouka, 1987) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------|--------------------------------|----------------|---------|------------------|---------|---|---|------------|--|
| Carlisis | wahlbergi Stål | Coreidae | Hem Het | tip wilter | Afr | Zimbabwe (Chavanduka, 1976) | Petascelis wahlbergi (Stal) SYN | adult | |
| Petascelis | remipes Signoret | Coreidae | Hem Het | | Afr | Zimbabwe (Chavanduka, 1976; Weaving, 1973) | | adult | |
| Petascelis | wahlbergi (Stål) syn | Coreidae | Hem Het | | Afr | Zimbabwe (Chavanduka, 1976) | Carlisis wahlbergi Stal | | |
| Coridius | viduatus (Fabr.) | Dinidoridae | Hem Het | melon bug | Afr | Sudan, Namibia (Huis 2013) | litt. check! Huis In press | adult | |
| Nepa sp. | | Nepidae | Hem Het | water scorpions | Afr | Madagascar (Decary, 1937) | | adult | |
| Nepidae gen. | | Nepidae | Hem Het | water scorpions | Afr | D.R. Congo (DeFoliart 2002) | | | |
| Agonoscelis | versicolor (Fabr.) | Pentatomidae | Hem Het | Sudan millet bug | Afr | Sudan (Huis 2005) | syn A. pubescens (Thunberg) | | |
| Nezara | robusta Distant | Pentatomidae | Hem Het | | Afr | Malawi (Shaxson et al 1999, DeFoliart 2002) | | adult | |
| Sphaerocoris sp. | | Scutelleridae | Hem Het | | Afr | Malawi (DeFoliart 2002) | | adult | |
| Encosternum | delegorguei Spin. | Tessaratomidae | Hem Het | edible stink bug | Afr | South Africa (Faure, 1944; Dzerefos et al 2009), Zimbabwe (Chavanduka, 1976; Bodenheimer, 1951) | Natalicola delegorguei Spin. SYN | adult | |
| Haplosterna | delegorguei (Spin.) syn | Tessaratomidae | Hem Het | edible stink bug | Afr. | South Africa (Dzerefos et al 2009) | see Encosternum | | |
| Natalicola | delegorguei (Spin.) syn | Tessaratomidae | Hem Het | edible stink bug | Afr | South Africa (Faure, 1944), Zimbabwe (Chavanduka, 1976; Bodenheimer, 1951) | see Encosternum delegorguei Spin. | | |
| Natalicola | pallidus (Westwood) | Tessaratomidae | Hem Het | | Afr | Zimbabwe (Weaving, 1973) | | | |
| Cercopidae gen. | | Cercopidae | Hem Hom | | Afr | D.R. Congo (DeFoliart 2002) | | | |
| Afzeliada | afzelii Stål | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997) | | | |
| Afzeliada | duplex Diabola | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997) | | | |
| Afzeliada sp. | | Cicadidae | Hem Hom | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult | |
| loba | horizontalis Karsch | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997) | | | |
| loba | leopardina Distant | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997), Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976; Malaisse, 1997) | | adult | |
| loba sp. | | Cicadidae | Hem Hom | | Afr | Malawi (DeFoliart 2002) | | adult | |
| Monomatapa | insignis Distant | Cicadidae | Hem Hom | | Afr | Botswana (Roodt, 1993) | | adult | |
| Monomatapa sp. | | Cicadidae | Hem Hom | | Afr | Malawi (DeFoliart 2002) | | adult | |
| Munza | furva Distant | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997) | | | |
| Orapa sp. | | Cicadidae | Hem Hom | | Afr | Botswana (Roodt, 1993); Malawi (DeFoliart 2002) | | adult | |
| Platyleura | adouma Distant | Cicadidae | Hem Hom | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult | |
| Platyleura | stridula (L.) | Cicadidae | Hem Hom | | Afr | Zambia (Mbata, 1995) | | adult | |
| Platyleura sp. | | Cicadidae | Hem Hom | | Afr | Malawi (DeFoliart 2002) | | adult | |
| Pycna sp. | | Cicadidae | Hem Hom | | Afr | Malawi (DeFoliart 2002) | | adult | |
| Sadaka | radiata (Karsch) | Cicadidae | Hem Hom | | Afr | D.R. Congo (Malaisse, 1997) | | | |
| Ugada | giovanninae Boulard | Cicadidae | Hem Hom | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult | |
| Ugada | limbalis (Karsch) | Cicadidae | Hem Hom | | Afr | Congo (Nkouka, 1987), D.R. Congo (Malaisse, 1997), Zambia (Mbata, 1995) | | adult | |
| Ugada | limbata (F.) | Cicadidae | Hem Hom | | Afr | Congo (DeFoliart 2002, Hoare 2007) | | adult | |
| Ugada | limbimacula (Karsch) | Cicadidae | Hem Hom | | Afr | Congo (Nkouka, 1987, Hoare 2007), DR Congo (Malaisse, 1997) | | adult | |
| Flatida | rosea Melichar | Flatidae | Hem Hom | | Afr | Madagascar (Decary, 1937) | | secreation | |
| Phromnia | rubra Signoret syn | Flatidae | Hem Hom | | Afr | Madagascar (Decary, 1937) | see Flatida rosea | | |
| Pyrops | tenebrosa Fabr. syn | Fulgoridae | Hem Hom | | Afr | Madagascar (Decary, 1937) | see Zanna tenebrosa | | |
| Zanna | tenebrosa Fabr. | Fulgoridae | Hem Hom | | Afr | Madagascar (Decary, 1937) | Pyps tenebrosa F. syn | | |
| Arytaina | mopane Pettey | Psyllidae | Hem Hom | | Afr | Botswana (Sekhwela, 1988), Zimbabwe (Weaving, 1973) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------------|--|-----------------|---------|-------------------|---------|--|---|---------------|----|
| Psylla sp. | | Psyllidae | Hem Hom | | Afr | South Africa (DeFoliart 2002) | | secretion | |
| Apis | mellifera adansoni Latr. | Apidae | Hym | honey bee | Afr | D.R. Congo (Takeda, 1990), Tanzania (Harris, 1940), Zambia (Mbata, 1995) CAR (Bahuchet 1985) | | | |
| Apis | mellifera mellifera L. | Apidae | Hym | honey bee | Afr | Senegal (Gessain & Kinzler, 1975), Zambia (Mbata, 1995) Tanzania, D.R. Congo (DeFoliart 2002) | | larva | |
| Axestotrigona syn | erythra (Schletterer) | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | see M. ferruginea | | |
| Axestotrigona syn | richardsi (Darchen) | Apidae | Hym | stingless bee | Afr | D.R. Congo (DeFoliart 2002) | see M. richardsi | | |
| Axestotrigona syn | tescorum (Cockerell) | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | see M. ferruginea | | |
| Dactylurina | staudingeri (Gribodo) | Apidae | Hym | stingless bee | Afr | D.R. Congo (Takeda, 1990) | | | |
| Hypotrigona | gribodoi (Magretti) | Apidae | Hym | stingless bee | Afr | D.R. Congo (Takeda, 1990) CAR (Bahuchet 1985) | syn Trigona braunsi | | |
| Hypotrigona | ruspolii (Magretti) | Apidae | Hym | stingless bee | Afr | Senegal (Gessain & Kinzler, 1975) | Trigona ruspolii Magr. syn | | |
| Meliplebeia syn | beccarii africana Stadelman | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | | | |
| Meliponula | beccarii Friese | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | syn divers | | |
| Meliponula | bocandei (Spin.) | Apidae | Hym | stingless bee | Afr | D.R. Congo (DeFoliart 2002) CAR (Bahuchet 1985) | | larva | |
| Meliponula | ferruginea (Lep.) | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | syn Axestotrigona erythra Schl. Trigona tescorum Cock. | | Tr |
| Meliponula | ferruginea gambiensis Moure syn | Apidae | Hym | stingless bee | Afr | Senegal (Gessain & Kinzler, 1975) | see Meliponula gambiana Moure | | |
| Meliponula | lendliana (Friese) | Apidae | Hym | stingless bee | Afr | D.R. Congo (DeFoliart 2002) | syn Trigona lendliana | larva | |
| Meliponula | nebulata (Smith) | Apidae | Hym | stingless bee | Afr | CAR (Bahuchet 1985) | syn Trigona nebulata Sm. | | |
| Meliponula | richardsi Darchen | Apidae | Hym | stingless bee | Afr | D.R. Congo (DeFoliart 2002) | syn Axestotrichona | larva | |
| Trigona check | occidentalis Darchen | Apidae | Hym | stingless bee | Afr | Senegal (Gessain & Kinzler, 1975) | T. occidentalis is Neotropical | | |
| Trigona check | senegalensis Darchen | Apidae | Hym | stingless bee | Afr | Senegal (Gessain & Kinzler, 1975) | | | |
| Camponotus sp. | | Formicidae | Hym | | Afr | Botswana (Nonaka, 1996) | | | |
| Carebara | lignata (species group) | Formicidae | Hym | | Afr | Southern Africa check | | | |
| Carebara | vidua Smith | Formicidae | Hym | African thief ant | Afr | South Africa (Bodenheimer, 1951; Quin, 1959), Zambia (Mbata, 1995; Silow, 1983), Zimbabwe (Chavanduka, 1976; Jackson, 1954 in Gelfand, 1971) Malawi, D.R. Congo (DeFoliart 2002) | | flying sexual | |
| Dorylus (s.g. Anomma) | nigricans Illiger | Formicidae | Hym | driver ants | Afr | Cameroun ref. ? (Huis 2003) | | pupa | |
| Oecophylla | longinoda (Latr.) | Formicidae | Hym | driver ants | Afr | D.R. Congo (DeFoliart 2002) | O. smaragdina longinoda (Latr.) | | |
| Oecophylla sp. | | Formicidae | Hym | weaver ants | Afr | Cameroun, Congo (Bani, 1995; Nkouka, 1987) | | | |
| Sceliphron sp. | | Sphecidae | Hym | | Afr | D.R. Congo (DeFoliart 2002) | fly nests | | |
| Synagris sp. | | Vespidae | Hym | | Afr | D.R. Congo (DeFoliart 2002) | fly nests | wasp brood | |
| Hodotermes | mossambicus (Hagen) | Hodotermitidae | Isopt | harvester termite | Afr | Botswana (Grivetti, 1979; Nonaka, 1996) | | | |
| Hodotermes sp. | | Hodotermitidae | Isopt | | Afr | South Africa (DeFoliart 2002) | | | |
| Microhodotermes | viator (Latr.) | Hodotermitidae | Isopt | | Afr | South Africa (Bodenheimer, 1951) | | | |
| Coptotermes sp. | | Rhinotermitidae | Isopt | | Afr | Kenya (Ayieko & Nyumba 2009) | | winged adults | |
| Acanthotermes sp. | | Termitidae | Isopt | | Afr | Tanzania (Bodenheimer, 1951; Harris, 1940) | | | |
| Apicotermes sp. (probably) | | Termitidae | Isopt | | Afr | CAR (Hoare 2007) | | | |
| Bellicositermes | natalensis (Haviland) | Termitidae | Isopt | | Afr | CAR (Hoare 2007) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|----------------------------|----------------|-------|----------------------|---------|---|-----------------------------------|----------------------------------|--|
| Bellicositermes spp. | | Termitidae | Isopt | | Afr | D.R. Congo (DeFoliart 2002), CAR (Hoare 2007) | | winged adults soldiers | |
| Cubitermes spp. | | Termitidae | Isopt | | Afr | Congo (DeFoliart 2002, Hoare 2007) | | all stages | |
| Macrotermes | bellicosus (Smeathman) | Termitidae | Isopt | | Afr | CAR (Roulon-Doko, 1998), Congo (Nkouka, 1987, Hoare 2007), Malaisse (1997), D.R. Congo (Bequaert, 1921), Nigeria (Fasoranti & Ajiboye, 1993) Kenya (Ayieko & Nyambuga 2009) | | all stages | |
| Macrotermes | falciger (Gerstäcker) | Termitidae | Isopt | | Afr | Zambia (Mbata, 1995, Silow, 1983, Malaisse 1997), Zimbabwe (Chavanduka, 1976) | | winged adult soldier queen | |
| Macrotermes | muelleri (Sjöstedt) | Termitidae | Isopt | | Afr | D.R. Congo (DeFoliart 2002) | syn Termes gabonensis Sjöstedt | winged adult soldier | |
| Macrotermes | natalensis (Haviland) | Termitidae | Isopt | | Afr | Zimbabwe (DeFoliart 2002) D.R. Congo (DeFoliart 2002) Nigeria (Banjo et al 2006) | ? Bellicositermes | winged adult queen | |
| Macrotermes | subhyalinus (Rambur) | Termitidae | Isopt | | Afr | Angola (Santos Oliveira et al., 1976), Zambia (Mbata, 1995; Silow, 1983), Malaisse (1997) | | | |
| Macrotermes | swaziae Full | Termitidae | Isopt | | Afr | South Africa (Bodenheimer, 1951) | | | |
| Macrotermes | vitrialatus Sjöstedt | Termitidae | Isopt | | Afr | Zambia (Mbata, 1995; Silow, 1983) | | winged adult | |
| Macrotermes sp. | | Termitidae | Isopt | | Afr | D.R. Congo (Takeda, 1990, Hoare 2007), Tanzania (Bodenheimer, 1951; Harris, 1940), Zimbabwe (Jackson, 1954 in Gelfand, 1971) Malawi (DeFoliart 2002) | | winged adults soldiers | |
| Odontotermes | badius (Haviland) | Termitidae | Isopt | | Afr | South Africa (Quin, 1959), Zambia (Silow, 1983), Kenya (Ayieko & Nyambuga 2009) | | winged adult | |
| Odontotermes sp. | | Termitidae | Isopt | | Afr | Zimbabwe (Weaving, 1973) Kenya (DeFoliart 2002) | | | |
| Protermes sp. | | Termitidae | Isopt | | Afr | CAR (Hoare 2007) | | | |
| Pseudacanthotermes | militaris (Hagen) | Termitidae | Isopt | | Afr | Angola (Silow, 1983) | | | |
| Pseudacanthotermes | spiniger (Sjöstedt) | Termitidae | Isopt | | Afr | D.R. Congo (Bequaert, 1921), Zambia (Silow, 1983) | | | |
| Pseudacanthotermes spp. | | Termitidae | Isopt | | Afr | Tanzania (DeFoliart 2002) | | winged | |
| Termes check | capensis DeGeer | Termitidae | Isopt | | Afr | South Africa (DeFoliart 2002) | | | |
| Termes sp. | | Termitidae | Isopt | | Afr | Tanzania (Bodenheimer, 1951; Harris, 1940) | | | |
| Termes syn | gabonensis Sjöstedt | Termitidae | Isopt | | Afr | D.R. Congo (DeFoliart 2002) | see Macrotermes muelleri | winged adult soldier larva | |
| Dactyloceras | lucina Dryry | Brahmaeidae | Lep | | Af | Malaisse 2005 | | larva | |
| Ceratocampidae gen. | | Ceratocampidae | Lep | | Afr | D.R. Congo (DeFoliart 2002) | | | |
| Striphnopteryx | edulis (Boisduval) | Eupterotidae | Lep | edible monkey | Afr | Southern Africa (Bergier, 1941) | | | |
| Coeliades | libeon (Druce) | Hesperiidae | Lep | | Afr | Congo (Bani, 1995; Nkouka, 1987, Hoare 2007) D.R. Congo (DeFoliart 2002) | | | |
| Bombycomorpha | pallida Distant | Lasiocampidae | Lep | pepper tree moth | Afr | South Africa (Quin, 1959), | | larva | |
| Borocera | cajani Vinson | Lasiocampidae | Lep | wild silkworm | Afr | Madagascar (Decary, 1937) as Hysoides (DeFoliart 2002) as Libethra | | larva pupa | |
| Borocera | madagascariensis Boisduval | Lasiocampidae | Lep | | Afr | Madagascar (Decary, 1937) | | pupa | |
| Catalebeda | jamesoni Bethune-Baker | Lasiocampidae | Lep | Jameson's cream spot | Afr | Zambia (Silow, 1976) | | | |
| Gonometa | postica Walker | Lasiocampidae | Lep | dark chopper | Afr | South Africa (Quin, 1959), Zambia (Silow, 1976) | | pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------------------|--------------------------------|---------------------------------|-------|---------------------------|---------|---|---|-------|--|
| Mimopacha | aff. knoblauchii Dew. | Lasiocampidae | Lep | | Afr | Central Africa (Silow, 1976) | | | |
| Pachymeta | robusta Aurivillius | Lasiocampidae | Lep | Msasa moth | Afr | Zimbabwe (Bodenheimer, 1951) | confusion? Brachyostegia in (Bodenheimer) is foodplant name for Brachyostegia. Is Pachymeta consumed? | | |
| Pachypasa | bilinea Walker | Lasiocampidae | Lep | twin line lappet | Afr | Zambia (Silow, 1976) | | | |
| Hadraphe | ethiopica (Bethune-Baker) | Limacodidae | Lep | | Afr | Zambia (Malaisse 2005) | | larva | |
| Limacodidae gen. | | Limacodidae | Lep | slug moths | Afr | D.R. Congo (Malaisse & Parent, 1980) Zimbabwe (DeFoliart 2002) Zambia (DeFoliart 2002) | | larva | |
| Rhyopteryx | poecilanthes (Collenette) | Lymantriidae | Lep | | Afr | D.R. Congo (Latham 2003, Hoare 2007) | | larva | |
| Busseola | fusca (Fuller) | Noctuidae | Lep | African maize stalk borer | Afr | Zambia (DeFoliart 2002) | | larva | |
| Helicoverpa | armigera armigera (Hübner) | Noctuidae | Lep | Afro-Asian bollworm | Afr | Zambia (DeFoliart 2002) | syn <i>Heliothis</i> obsoleta | larva | |
| Noctuidae gen. | | Noctuidae | Lep | | Afr | Congo (DeFoliart 2002) | | larva | |
| Nyodes | prasinodes Prout | Noctuidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007) | | larva | |
| Prodenia sp. | | Noctuidae | Lep | | Afr | D.R. Congo (Malaisse 2005) | | larva | |
| Sphingomorpha | chlorea (Cramer) | Noctuidae | Lep | sundowner moth | Afr | Zambia (Silow, 1976) | | larva | |
| Spodoptera | exempta (Walker) | Noctuidae | Lep | African army worm | Afr | Zambia (Mbata, 1995) | | larva | |
| Spodoptera | exigua (Hübner) | Noctuidae | Lep | lesser army worm | Afr | Zambia (Mbata, 1995) | | larva | |
| Amerila see Boracera? | madagacariensis | Notodontidae | Lep | | Afr | Madagascar (Decary, 1937) | | | |
| Antheua | insignata Gaede | Notodontidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Latham 2003, Hoare 2007) | | larva | |
| Antheua sp. | | Notodontidae | Lep | | Afr | D.R. Congo (Latham 2003) | | | |
| Cerurina | c.f. marshalli (Hampson) | Notodontidae | Lep | | Afr | CAR (Malaisse 2005) | | | |
| Desmeocraera sp. | | Notodontidae | Lep | | Afr | Zambia (Silow, 1976) | | larva | |
| Drapetides | uniformis (Swinhoe) | Notodontidae | Lep | lobed prominent | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007) | | larva | |
| Elaphrodes | lactea (Gaede) | Notodontidae | Lep | | Afr | D.R. Congo (Malaisse, 1997; Malaisse & Parent, 1980, Latham 2003, Hoare 2007) | | larva | |
| Epanaphe | carteri Walsingham | Notodontidae | Lep | | Afr | Malaisse 2005 | | larva | |
| Hypsoïdes | diego Coquerel | Notodontidae | Lep | | Afr | Madagascar (Decary, 1937) | | | |
| Hypsoïdes | radama Coquerel | Notodontidae | Lep | | Afr | Madagascar (Decary, 1937) | syn <i>Bombyx radama</i> | pupa | |
| Hypsoïdes syn | cajani Vinson | Notodontidae | Lep | wild silkworm | Afr | Madagascar (Decary, 1937) | <i>Borocera cajani</i> Vinson | | |
| Nephele | comma Hopffer | Notodontidae | Lep | | Afr | Zambia (Silow, 1976) | | | |
| Notodontidae spp. (2) | | Notodontidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980) | | | |
| Notodontidae spp. (3) | | Notodontidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980) | | | |
| Rhenea | mediata Walker | Notodontidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007) | | larva | |
| Anaphe | infracta Walsingham syn | Notodontidae Thaumatopoeinae | Lep | | Afr | Tanzania (Bodenheimer, 1951; Harris, 1940), Zambia (Silow, 1976) | see <i>A. panda</i> | | |
| Anaphe | panda (Boisduval) | Notodontidae Thaumatopoeinae | Lep | | Afr | Tanzania (Bodenheimer, 1951; Harris, 1940) D.R. Congo (Malaisse & Parent, 1980; Takeda, 1990), Tanzania, Zimbabwe (DeFoliart 2002) Nigeria (Banjo et al 2006), CAR (Hoare, 2007) Zambia (Silow, 1976) | syn <i>A. infracta</i> Walsingham | larva | |
| Anaphe | reticulata Walker | Notodontidae Thaumatopoeinae | Lep | | Afr | Nigeria (Banjo et al 2006) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------------------|-------------------------|---------------------------------|-------|---------------------|---------|--|---------------------------------|-------|--|
| Anaphe | venata Butler | Notodontidae Thaumetopoeinae | Lep | African silkworm | Afr | Nigeria (Ashiru, 1988), Zambia (Silow, 1976), CAR, (Hoare, 2007) | | larva | |
| Anaphe fault? See Trigona | gribodi | Notodontidae Thaumetopoeinae | Lep | | Afr | D.R. Congo (Takeda, 1990) | | | |
| Anaphe sp. | | Notodontidae Thaumetopoeinae | Lep | | Afr | Congo (Bani, 1995), D.R. Congo (Latham, 1999 2003, Takeda, 1990, Hoare 2007), Equatorial Africa (Bergier, 1941), CAR (Hoare, 2007) | | larva | |
| Cymothoe | aramis Hewitson | Nymphalidae | Lep | | Afr | CAR (Hoare 2007) | Cymothoe arunus is misp. | larva | |
| Cymothoe | caenis (Drury) | Nymphalidae | Lep | | Afr | CAR, D.R. Congo (Latham 2003, Hoare 2007) | | larva | |
| Nymphalidae gen. | | Nymphalidae | Lep | | Afr | D.R. Congo (DeFoliart 2002) | | larva | |
| Papilio sp. | | Papilionidae | Lep | | Afr | CAR (Malaisse 2005) | | larva | |
| Crania syn | moddermanni Heylaerts | Psychidae | Lep | common bagworm | Afr | Equatorial Africa (Bergier, 1941) | see Eumeta servina | | |
| Deborrea | malgassa Heylaerts | Psychidae | Lep | Fangalabola | Afr | Madagascar (Decary, 1937) | | pupa | |
| Eumeta | cervina Druce | Psychidae | Lep | common bagworm | Afr | Equatorial Africa (Bergier, 1941) | syn Clania moddermanni | larva | |
| Eumeta | rougeoti Bourgogne | Psychidae | Lep | | Afr | D.R. Congo (DeFoliart 2002) | | larva | |
| Antherina | suraka (Boisd.) | Saturniidae | Lep | | Afr | Madagascar (DeFoliart) | | larva | |
| Anthocera syn | monippe | Saturniidae | Lep | | Afr | Gabon (Bergier, 1941) | see Melanocera menippe (Westw.) | larva | |
| Anthocera syn | teffraria | Saturniidae | Lep | | Afr | Gabon (Bergier, 1941) | see Bunaea alcinoë (Stoll) | larva | |
| Anthocera ssp. syn | | Saturniidae | Lep | | Afr | Gabon (Bergier, 1941) | ? Anthoera | larva | |
| Argema | mimosae (Boisduval) | Saturniidae | Lep | African moonmoth | Afr | South Africa (Malaisse 2005) | | larva | |
| Athletes | gigas (Sonthonnax) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare, 2007) | | larva | |
| Athletes | semialba (Sonthonnax) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare, 2007) | | larva | |
| Bunaea | alcinoë (Stoll) | Saturniidae | Lep | Common emperor | Afr | Cameroun, D.R. Congo, Gabon, Zambia (Silow, 1976, Latham 2003), South Africa, Zimbabwe, Tanzania (DeFoliart 2002), CAR (Hoare 2007), Nigeria (Braide et al 2011) | | larva | |
| Bunaea | aslauga Kirby | Saturniidae | Lep | | Afr | Tanzania (Malaisse 2005) | | larva | |
| Bunaea sp. | | Saturniidae | Lep | | Afr | Zimbabwe (DeFoliart 2002) | | larva | |
| Bunaea syn | caffraria (Stoll) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980), Tanzania (Bodenheimer, 1951; Harris, 1940), Zimbabwe (Chavanduka, 1976; Weaving, 1973), Zambia (Silow, 1976), Southern Africa | see Bunaea alcinoë (Stoll) | | |
| Bunaeopsis | aurantiaca (Rothschild) | Saturniidae | Lep | | Afr | D.R. Congo (Leleup & Daems, 1969; Malaisse and Parent, 1980, Hoare 2007), Zambia (Silow, 1976) Congo (DeFoliart 2002) | | larva | |
| Bunaeopsis sp. | | Saturniidae | Lep | | Afr | D.R. Congo (Latham 2003, Hoare 2007) | | | |
| Cinabra | hyperbius (Westwood) | Saturniidae | Lep | banded emperor moth | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007), Zambia (Silow, 1976) | | larva | |
| Cirina | forda (Westwood) | Saturniidae | Lep | pallid emperor moth | Afr | Burkina Faso, D.R. Congo (Latham, 1999 2003; Leleup & Daems, 1969; Fromme, A. 2005, Hoare 2007), Zambia (Mbata, 2002) Congo (DeFoliart 2002) Nigeria (Banjo et al 2006), CAR (Hoare 2007) | | larva | |
| Cirina syn | butyrospermi Vuillot | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980), Mali (Bergier, 1941), Nigeria (Fasoranti & Ajiboye, 1993), South Africa (Quin, 1959), Southern Africa (Oberprieler, 1995), Zambia (Silow, 1976), Zimbabwe (Chavanduka, 1976) | see Cirina forda | | |
| Epiphora | bauhiniae (Guérin) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse 2005) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|----------------------------|-------------|-------|------------------------|---------|--|---|-------|--|
| Goodia | kuntzei (Dewitz) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980) Zimbabwe (DeFoliart 2002) | | larva | |
| Gynanisa | ata Strand | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980) Malawi Zambia (DeFoliart 2002) | | larva | |
| Gynanisa | maja (Klug) | Saturniidae | Lep | | Afr | Malawi (Munthali & Mughogho, 1997), Namibia (Oberprieler, 1995), South Africa (Quin, 1959), Zambia (Mbata, 2002; Oberprieler, 1995; Silow, 1976; Fromme, A. 2005) | H. maja ata Strand ? | larva | |
| Gynasia sp. | | Saturniidae | Lep | | Afr | Zimbabwe (DeFoliart 2002) | | larva | |
| Heniocha | apollonia (Cramer) | Saturniidae | Lep | | Afr | South Africa (Malaisse 2005) | | larva | |
| Heniocha | dyops (Maassen) | Saturniidae | Lep | | Afr | Southern Africa (Marais, 1996; in Ilgner and Nell, 2000) | | larva | |
| Heniocha | marnois (Rogenhofer) | Saturniidae | Lep | | Afr | Southern Africa (Marais, 1996; in Ilgner and Nell, 2000, Malaisse 2005) | | | |
| Holocerina | agomensis (Karsch) | Saturniidae | Lep | | Afr | Zambia (Silow, 1976) | | larva | |
| Imbrasia | alopia (Westwood) | Saturniidae | Lep | | Afr | D.R. Congo (Latham, Hoare 2007) | | larva | |
| Imbrasia | anthina (Karsch) | Saturniidae | Lep | | Afr | D.R. Congo (Latham 2003, Hoare 2007) | | larva | |
| Imbrasia | cytherea (Fabr.) | Saturniidae | Lep | pine tree emperor moth | Afr | Zambia (Silow, 1976) | | larve | |
| Imbrasia | dione (Fabr.) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980; Takeda, 1990, Hoare 2007) | | larva | |
| Imbrasia | epimethea (Drury) | Saturniidae | Lep | | Afr | Congo (Bani, 1995), D.R. Congo (Kodondi et al., 1987; Malaisse & Parent, 1980, Latham 2003, Fromme, A. 2005, Hoare 2007), CAR (Hoare 2009), Zambia (Mbata, 2002; Silow, 1976), Zimbabwe (Gelfand, 1971; Weaving, 1973, DeFoliart 2002)), South Africa (DeFoliart 2002) | syn with I. nictitans ? Wikipedia | larva | |
| Imbrasia | ertli Rebel | Saturniidae | Lep | | Afr | Angola (Santos Oliveira et al., 1976), D.R. Congo (Latham, 1999, Hoare 2007), Southern Africa (Oberprieler, 1995) Zimbabwe (DeFoliart 2002) | | larva | |
| Imbrasia | macrothyris (Rothchild) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Latham 2003, Hoare 2007) | | larva | |
| Imbrasia | nictitans (F.) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse 2005) | syn Imbrasia hecate (Rougeot) l. epimethea (Drury) | larva | |
| Imbrasia | obscura Butler | Saturniidae | Lep | | Afr | Congo (Bani, 1995), D.R. Congo, CAR (Latham 2003, Hoare 2007) | | larva | |
| Imbrasia | petiveri Guérin-M. | Saturniidae | Lep | | Afr | D.R. Congo (Latham 2003, Hoare 2007) | | larva | |
| Imbrasia | rectilineata (Sonthonax) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse, 1997; Malaisse & Parent, 1980) | | larva | |
| Imbrasia | rhodina Rothsch. | Saturniidae | Lep | | Afr | D.R. Congo (Hoare 2007) | | larva | |
| Imbrasia | rubra (Bouvier) syn | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980), Zambia (Mbata, 2002) | see Imbrasia tyrreha | | |
| Imbrasia | truncata Aurivillius | Saturniidae | Lep | | Afr | Congo (Bani, 1995), D.R. Congo (Kodondi et al., 1987, Hoare 2007), CAR (Hoare 2007) | | larva | |
| Imbrasia | wahlbergi Boisduval | Saturniidae | Lep | | Afr | D.R. Congo (Latham 2003, Hoare 2007) | or I. wahlbergia groupe | larva | |
| Imbrasia (=Gonimbrasia) | richelmanni Weymer | Saturniidae | Lep | | Afr | D.R. Congo (DeFoliart 2002) | | larva | |
| Imbrasia (=Gonimbrasia) | belina (Westwood) | Saturniidae | Lep | | Afr | Malawi (Munthali and Mughogho, 1997), South Africa (Bodenheimer, 1951; Quin, 1959), Southern Africa (Oberprieler, 1995), Zambia (Mbata, 1995; Silow, 1976), Zimbabwe (Chavanduka, 1976), Botswana (DeFoliart 2002) | | larva | |
| Imbrasia (=Gonimbrasia) | hecate Rougeot | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980) | | larva | |
| Imbrasia (=Gonimbrasia) | melanops (Bouvier) | Saturniidae | Lep | | Afr | D.R. Congo, (Latham 2003, Hoare 2007) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------------------------|----------------------------------|-------------|-------|-----------------------|---------|--|---|------------|--|
| Imbrasia (=Gonimbrasia) | tyrrhea (Cramer) | Saturniidae | Lep | willow tree emperor | Afr | Namibia (Oberprieler, 1995) D.R. Congo (DeFoliart 2002, Hoare 2007) | syn Imbrasia rubra | larva | |
| Imbrasia (=Gonimbrasia) | zambesina (Walker) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980), Zambia (Mbata, 2002; Silow, 1976; Fromme, A. 2005) South Africa (DeFoliart 202) | | larva | |
| Imbrasia (=Gonimbrasia) syn | aurantiaca (Rothschild) | Saturniidae | Lep | | Afr | D.R. Congo (Leleup and Daems, 1969; Malaisse and Parent, 1980), Zambia (Silow, 1976) | see Bunaeopsis aurantiaca | | |
| Imbrasia (=Nudaurelia) | oyemensis (Rougeot) | Saturniidae | Lep | | Afr | Congo (Bani, 1995, Hoare 2007), D.R. Congo (Kodondi et al., 1987, Hoare 2007), CAR (Hoare 2007) | | larva | |
| Imbrasia sp. | | Saturniidae | Lep | | Afr | D.R. Congo, Congo (DeFoliart 2002, Hoare 2007) | | larva | |
| Lobobunaea | angasana (Westwood) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980), Zambia (Silow, 1976) | | larva | |
| Lobobunaea | christyi (Sharpe) | Saturniidae | Lep | | Afr | Zambia (DeFoliart 2002) | | larva | |
| Lobobunaea | goodi (Holland) | Saturniidae | Lep | | Afr | D.R. Congo (Takeda, 1990, Hoare 2007) | | larva | |
| Lobobunaea | phaedusa (Drury) | Saturniidae | Lep | | Afr | D.R. Congo (Latham 1999, 2003, Hoare 2007) | | larva | |
| Lobobunaea | saturnus (F.) | Saturniidae | Lep | | Afr | D.R. Congo, Zambia (DeFoliart 2002, Hoare 2007) | | larva | |
| Lobobunaea sp. | | Saturniidae | Lep | | Afr | Zimbabwe (DeFoliart 2002) | | larva | |
| Melanocera | menippe (Westwood) | Saturniidae | Lep | | Afr | Gabon (Bergier, 1941) South Africa (DeFoliart 2002) | | larva | |
| Melanocera | nereis (Rothchild) | Saturniidae | Lep | | Afr | D.R. Congo (Hoare 2007) | | larva | |
| Melanocera | parva (Rothchild) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007), Zambia (Silow, 1976) | | larva | |
| Micragone | ansorgei (Rothchild) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse, 1997), Zambia (Silow, 1976) | | larva | |
| Micragone | cana (Aurivillius) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse and Parent, 1980) South Africa (DeFoliart 2002) | | larva | |
| Micragone | herilla (Westwood) | Saturniidae | Lep | | Afr | Cameroun (Bodenheimer, 1951) | | larva | |
| Micragone sp. | | Saturniidae | Lep | | Afr | Equatorial Africa (Bergier, 1941) Zimbabwe (DeFoliart 2002) | | larva | |
| Pseudantheraea | discrepans (Butler) | Saturniidae | Lep | | Afr | D.R. Congo (Leleup & Daems, 1969; Silow, 1976; Takeda, 1990) Congo (DeFoliart 2002), CAR (Hoare 2007) | | larva | |
| Pseudantheraea syn | arnobia (Westwood) | Saturniidae | Lep | | Afr | D.R. Congo (Hoare 2007) | see P. discrepans | | |
| Pseudobunaea | irius (F.) | Saturniidae | Lep | | Afr | Namibia (Malaisse 2005) | | larva | |
| Pseudobunaea sp. | | Saturniidae | Lep | | Afr | Zimbabwe (DeFoliart 2002) | | larva | |
| Rohaniella | pygmaea (Maassen & Weyding) | Saturniidae | Lep | | Afr | Namibia (Malaisse 2005) | | larva | |
| Saturnia | marchii !! check | Saturniidae | Lep | | Afr | Gabon (Bergier, 1941) | | | |
| Saturnia sp. not African! | | Saturniidae | Lep | | Afr | D.R. Congo (Takeda, 1990, Hoare 2007) | | | |
| Tagoropsis | flavinata (Walker) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007) | | larva | |
| Tagoropsis | natalensis Felder | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse 2005) | | larva | |
| Tagoropsis sp. | | Saturniidae | Lep | | Afr | Madagascar (DeFoliart 2002) | | pupa | |
| Urota | sinope (Westwood) | Saturniidae | Lep | | Afr | D.R. Congo (Malaisse & Parent, 1980, Hoare 2007), Gabon (Bergier, 1941), Southern Africa South Africa (DeFoliart 2002) | | larva pupa | |
| Usta | terpsichore (Maassen and Weymer) | Saturniidae | Lep | | Afr | Angola (Santos Oliveira et al., 1976), D.R. Congo (Malaisse & Parent, 1980, Hoare 2007) | | larva | |
| Usta | wallengrennii (Felder & Felder) | Saturniidae | Lep | | Afr | Namibia (Oberprieler, 1995) | | | |
| Acherontia | atropos (L.) | Sphingidae | Lep | Dead's head hawk moth | Afr | D.R. Congo (Latham 2003, Hoare 2007) | | larva | |
| Agrius | convolvuli (L.) | Sphingidae | Lep | convolvulus hawk moth | Afr | Botswana (Nonaka, 1996), South Africa (Quin, 1959), Zambia (Silow, 1976) Zimbabwe (DeFoliart 2002) | syn Herse convolvuli (L.) syn | larva | |
| Coelonia | fulvotata (Butler) | Sphingidae | Lep | | Afr | CAR (Malaisse 2005) | | larva | |
| Hippotion | eson (Cramer) | Sphingidae | Lep | | Afr | D.R. Congo (Malaisse 2005) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life |
|----------------------------|-------------------------------|--------------|---------|-------------------------|---------|--|---|-------|
| Hippotion sp. | | Sphingidae | Lep | | Afr | CAR (Malaisse 2005) | | larva |
| Lophostethus | demolini (Angas) | Sphingidae | Lep | | Afr | CAR (Malaisse 2005) | | larva |
| Nephele | comma Hopffer | Sphingidae | Lep | | Afr | Zambia (DeFoliart 2002) | | |
| Platysphinx | stigmatica (Mabille) | Sphingidae | Lep | | Afr | Trop. Africa (Malaisse 2005) | | |
| Platysphinx sp. | | Sphingidae | Lep | | Afr | D.R. Congo (Hoare 2007) | | |
| Sphingidae gen. | | Sphingidae | Lep | | Afr | Madagascar (DeFoliart 2002) | | larva |
| Trithemis | arteriosa (Burm.) | Libellulidae | Odonata | | Afr | DR Congo (Malaisse, 1997) | | |
| Odonata gen. larvae | | Odonata fam | Odonata | | Afr | Nigeria (Bodenheimer, 1951) Madagascar (Decary, 1937) | | |
| Acanthacris | ruficornis (Fabr.) | Acrididae | Orth | | Afr | Sahel, D.R. Congo (Hoare 2007), CAR (Hoare 2007), Congo (Bani, 1995, Nkouka, 1987), Niger (Lévy-Luxereau, 1980), Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976) Malawi (Shaxson et al 1999, DeFoliart 2002) | | adult |
| Acanthacris | ruficornis citrina (Serville) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) CAR (Bahuchet 1985) | | |
| Acorypha | clara (Walker) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | |
| Acorypha | glaucopsis (Walker) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | |
| Acorypha | nigrovariegata (Bolivar) | Acrididae | Orth | | Afr | Zambia (Mbata, 1995) | | adult |
| Acorypha | picta Krauss | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | |
| Acrida | bicolor (Thunberg) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Zimbabwe (Chavanduka, 1976) | | |
| Acrida | sulphuripennis (Gerstäcker) | Acrididae | Orth | | Afr | Zambia (Mbata, 1995) | | adult |
| Acrida | turrita (L.) | Acrididae | Orth | long-headed grasshopper | Afr | Cameroun (Barreteau, 1999) | | |
| Acridoderes | strenua (Walker) | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980), Sahel | | |
| Acrotylus | blondeli Saussure | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980) | | |
| Acrotylus | longipes (Charpentier) | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980) | | |
| Afroxyrrhepes | procera (Burmeister) | Acrididae | Orth | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult |
| Afroxyrrhepes sp. | | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) | | adult |
| Anacridium | burri Dirsh & Uvarov | Acrididae | Orth | | Afr | Southern Africa (Malaisse, 1997) | | |
| Anacridium | wernerellum (Karny) | Acrididae | Orth | Sudanese tree locust | Afr | Niger (Lévy-Luxereau, 1980), Sahel | | |
| Anacridium | melanorhodon (Walker) | Acrididae | Orth | Sahelian tree locust | Afr | Cameroun (Barreteau, 1999), Niger (Lévy-Luxereau, 1980), Sahel | | |
| Brachycrotaphus | tryxalicerus (Fischer) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | |
| Cardeniopsis | guttatus (Uvarov) syn | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) | see C. nigropunctatus | |
| Cardeniopsis | nigropunctatus (Bolivar) | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) | syn Cardeniopsis guttatus (Uvarov) | adult |
| Cataloipus | cymbiferus (Krauss) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | |
| Cataloipus | fuscocoeruleipus Sjöstedt | Acrididae | Orth | | Afr | Sahel | | |
| Catantops | spissus Walker | Acrididae | Orth | | Afr | Congo (DeFoliart 2002, Hoare 2007) | see Oxycantops spissus (Walker) | |
| Catantops sp. | | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) | | adult |
| Catantops syn | ornata Karny | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) ? as Catantops ornata (author?) | see Eupropacris cylindricollis (Schaum) | |
| Catantops syn | quadratus (Walker) | Acrididae | Orth | | Afr | CAR (Bahuchet 1985) | see Hadrolecocatantops quadratus | |
| Chirista | compta (Walker) | Acrididae | Orth | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult |
| Cryptocantops check | haemorrhoidalis Krauss | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980) | Cataloipes? | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|-------------------------------------|-----------|-------|---------------------------|---------|---|---|-----------------|--|
| Cyathosternum sp. | | Acrididae | Orth | | Afr | Zimbabwe (Gefland, 1971) Zambia (DeFoliart 2002) | | adult | |
| Cyrtacanthacris | aeruginosa (Stoll) | Acrididae | Orth | | Afr | Nigeria (Fasoranti & Ajiboye, 1993), Zambia (Mbata, 1995) Malawi (Shaxson et al 1999, DeFoliart 2002) | | adult | |
| Cyrtacanthacris | tatarica (L.) | Acrididae | Orth | black spotted grasshopper | Afr | Botswana (Nonaka, 1996), Zambia (Mbata, 1995) | | adult | |
| Diabolocatantops | axillaris (Thunberg) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Niger (Lévy-Luxereau, 1980), Sahel | | | |
| Eupropacris | cylindricollis (Schaum) | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) ? as Catantops ornata Karny | syn Eupropacris cylindricollis (Schaum) | adult | |
| Exopropacris | modica (Karsch) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | | |
| Gastrimargus | africanus (Saussure) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Congo (Nkouka, 1987, Hoare 2007), Niger (Lévy-Luxereau, 1980), Sahel | | adult | |
| Gastrimargus | determinatus procerus (Gerstäcker) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Niger (Lévy-Luxereau, 1980) | G. procerus (Gerstäcker) syn | | |
| Gastrimargus | procerus (Gerstäcker) syn | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Niger (Lévy-Luxereau, 1980) | G. determinatus procerus (Gerstäcker) | | |
| Hadrolecocatantops | quadratus (Walker) | Acrididae | Orth | | Afr | CAR (Hoare 2007) | syn Catantops quadratus | | |
| Harpezocatantops | stylifer (Krauss) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Niger (Lévy-Luxereau, 1980) | | | |
| Heteracris | coerulescens (Stal) | Acrididae | Orth | | Afr | CAR (Hoare 2007) | | | |
| Heteracris | guineensis (Krauss) | Acrididae | Orth | | Afr | Congo (Nkouka, 1987, Hoare 2007) | | adult | |
| Hieroglyphus | daganensis Krauss | Acrididae | Orth | large rice grasshopper | Afr | Sahel Africa (Huis 2005) | | | |
| Homoxyrrhepes | punctipennis (Walker) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) D.R. Congo (DeFoliart 2002) | | nymph adult | |
| Humbe | tenuicornis (Schaum) | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980) | | | |
| Kraussaria | angulifera (Krauss) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999), Sahel | | | |
| Kraussella | amabile (Krauss) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | | |
| Lamarckiana | cucullata (Stoll) | Acrididae | Orth | | Afr | Botswana (Nonaka, 1996) | | | |
| Locusta | migratoria capito Sauss. | Acrididae | Orth | Madagascar locust | Afr | Madagascar (Decary, 1937) | | adult | |
| Locusta | migratoria migratorioidis (R. & F.) | Acrididae | Orth | African migratory locust | Afr | Cameroun (Barreteau, 1999), Congo (Nkouka, 1987, Hoare 2007), Zimbabwe (DeFoliart 2002) | Acrydium syn | adult | |
| Locustana | pardalina (Walker) | Acrididae | Orth | brown locust | Afr | South Africa (Quin, 1959), southern Africa, Zambia (Mbata, 1995) | | adult | |
| Mesopsis | abbreviatus (Beauvois) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | | |
| Metaxymecus | gracilipes (Brancsik) | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | Tylotropidius | | |
| Nomadacris | septemfasciata (Serville) | Acrididae | Orth | red locust | Afr | Congo (Nkouka, 1987), South Africa (Quin, 1959), Tanzania (Bodenheimer, 1951; Harris, 1940), Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976; Gefland, 1971), Malawi (Shaxson et al 1999), Malawi Uganda (DeFoliart 2002) eastern Africa | Cyrtacanthacris septemfasciata (Serv.) syn | nymph, adult | |
| Oedaleus | nigeriensis Uvarov | Acrididae | Orth | | Afr | Cameroun (Barreteau, 1999) | | | |
| Oedaleus | nigrofasciatus (De Geer) | Acrididae | Orth | | Afr | Zambia (Mbata, 1995) | | adult | |
| Oedaleus | senegalensis (Krauss) | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980), | | | |
| Ornithacris | cavroisi (Finot) | Acrididae | Orth | | Afr | Congo (Bani, 1995), Niger (Lévy-Luxereau, 1980), Sahel | | adult | |
| Ornithacris | cyanea (Stoll) | Acrididae | Orth | | Afr | Zimbabwe (Gefland, 1971) | | adult | |
| Ornithacris | turbida cavroisi (Finot) syn | Acrididae | Orth | | Afr | Congo (Bani, 1995), Niger (Lévy-Luxereau, 1980), Sahel | Ornithacris cavroisi (Finot) | | |
| Ornithacris sp. | | Acrididae | Orth | | Afr | Zimbabwe (Weaving, 1973) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life |
|--------------------------|----------------------------|----------------|-------|----------------------|---------|--|--|-------|
| Orthacanthacris | humilicrus (Karsch) | Acrididae | Orth | | Afr | Niger (Lévy-Luxereau, 1980) | | |
| Orthochthya | venosa (Ramme) | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Oxycatantops | congoensis (Sjöstedt) | Acrididae | Orth | | Afr | Congo (Bani, 1995; Nkouka, 1987, Hoare 2007) | | adult |
| Oxycatantops | spissus (Walker) | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999), Congo (Bani, 1995; Nkouka, 1987), Sahel | Catantops spissus (Walker) syn | |
| Paracinema | tricolor (Thunberg) | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Poecilocerastis sp. | | Acrididae | Orth | | Afr | Zambia (DeFoliart 2002) | | adult |
| Roduniella | inspida (Karsch) | Acrididae | Orth | | Afr | CAR (Hoare 2007) | | |
| Schistocerca | gregaria (Forskål) | Acrididae | Orth | desert locust | Afr | Africa, Congo (Nkouka, 1987), Cameroun (Barreateau, 1999), Tanzania (Bodenheimer, 1951; Harris, 1940), Zambia (Mbata, 1995) Uganda (DeFoliart 2002) | | adult |
| Schistocerca sp. | | Acrididae | Orth | | Afr | South Africa (DeFoliart 2002) | | adult |
| Sherifuria | haningtoni Uvarov | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Truxalis | johnstoni Dirsh | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Truxaloides | constrictus (Schaum) | Acrididae | Orth | | Afr | Zimbabwe (Gelfand, 1971) | | adult |
| Tylotropidius syn | gracilipes Brancsik | Acrididae | Orth | | Afr | Cameroun (Barreateau, 1999) | Metaxymecus gracilipes (Brancsik) | |
| Borborothis | brunneri Bolivar | Anostomatidae | Orth | | Afr | Congo (Bergier, 1941), southern Africa (Malaisse, 1997) check = ? Phymateus viridipes Stål | | |
| Acanthoplus sp. | | Gryllidae | Orth | | Afr | Botswana (Nonoka 1996) | | |
| Acheta sp. | | Gryllidae | Orth | | Afr | Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976) | | adult |
| Brachytrupes | membranaceus (Drury) | Gryllidae | Orth | giant cricket | Afr | Congo (Bani, 1995; Nkouka, 1987, Hoare 2007), D.R. Congo (Adriaens, 1951), CAR (Hoare 2007), Nigeria (Fasoranti & Ajiboye, 1993), Tanzania (Bodenheimer, 1951; Harris, 1940), (East, Central and Southern Africa), Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976; Gelfand, 1971; Weaving, 1973) | | adult |
| Gryllodes sp. | | Gryllidae | Orth | | Afr | CAR (Hoare 2007) | | |
| Gryllus | bimaculatus DeGeer | Gryllidae | Orth | spotted cricket | Afr | Zambia (Mbata, 1995) | | adult |
| Gryllotalpa | africana Palisot | Gryllotalpidae | Orth | African mole cricket | Afr | Uganda (Bodenheimer, 1951), Zimbabwe (Chavanduka, 1976; Gelfand, 1971; Weaving, 1973) | | adult |
| Chrotogonus | senegalensis Krauss | Pyrgomorphidae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Phymateus | viridipes brunneri Bolivar | Pyrgomorphidae | Orth | green bush locust | Afr | Congo (Bergier, 1941), southern Africa (Malaisse, 1997) | | |
| Pyrgomorpha | cognata Krauss | Pyrgomorphidae | Orth | | Afr | Cameroun (Barreateau, 1999) | | |
| Pyrgomorpha | vignaudi (Guérin-M.) | Pyrgomorphidae | Orth | | Afr | CAR (Hoare 2007) | | |
| Zonocerus | elegans (Thunberg) | Pyrgomorphidae | Orth | coffee locust | Afr | Mozambique, South Africa (Quin, 1959) | | adult |
| Zonocerus | variegatus (L.) | Pyrgomorphidae | Orth | stink locust | Afr | CAR (Barreateau, 1999), Nigeria (Fasoranti & Ajiboye, 1993) | | |
| Anoedopoda | erosa (Karsch) | Tettigoniidae | Orth | | Afr | CAR (Hoare 2007) | | |
| Conocephalus sp. | | Tettigoniidae | Orth | | Afr | CAR (Hoare 2007) | | |
| Ruspolia | differens Serville | Tettigoniidae | Orth | edible grasshopper | Afr | The whole of East (Owen, 1973) and Southern Africa, D.R. Congo (Bergier, 1941; Bequaert, 1921), Cameroun (Womeni et al 2009), Tanzania (Bodenheimer, 1951; Harris, 1940), Malawi (Shaxson et al 1999), Zambia (Mbata, 1995), Zimbabwe (Chavanduka, 1976; Gelfand, 1971; Weaving, 1973) | syn Homorocoryphus vicinus (Walker) | adult |
| Ruspolia syn | nitidulus vicinus (Walker) | Tettigoniidae | Orth | edible grasshopper | Afr | The whole of East (Owen, 1973) and Southern Africa, D.R. | see Ruspolia | adult |
| Euryscaphus sp. | | Carabidae | Col | | Au | Australia (DeFoliart 2002) | | adult |
| Agrianome | spenicollis (McLeay) | Cerambycidae | Col | | Au | Australia (DeFoliart 2002) | | |
| Bardistus | cibarius Newman | Cerambycidae | Col | | Au | Australia (DeFoliart 2002) | | |
| Batocera sp. | | Cerambycidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|---------------------------|----------------|--------------------------|-------------------|---------|---|----------------------------------|---------------------|--|
| Cerambycidae gen. | | Cerambycidae | Col | | Au | Australia New Caledonia (DeFoliart 2002) | | larva adult | |
| Cnemoplites | edulis Newman | Cerambycidae | Col | | Au | Australia (DeFoliart 2002) | | | |
| Cnemoplites | flavipilis Thomson | Cerambycidae | Col | | Au | Australia (DeFoliart 2002) | subg. Apsectrogaster | | |
| Dihamnus sp. | | Cerambycidae | Col | | Au | P.N.G. (DeFoliart 2002) | | adult | |
| Euryassa | australis odewahni Pascoe | Cerambycidae | Col | | Au | Australia (DeFoliart 2002) | | larva | |
| Hoplocerambyx | severus Pascoe | Cerambycidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Malodon syn | costatus Montrouzier | Cerambycidae | Col | | Au | N. Caledonia (DeFoliart 2002) | | larva | |
| Prionoplus | reticularis White | Cerambycidae | Col | huhu beetle | Au | New Zealand (DeFoliart 2002) | | larva | |
| Rosenbergia | mandibularis Ritsema | Cerambycidae | Col | | Au | Papua (Ramanday et al 2010) | | | |
| Xixuthrus | costatus (Montrouzier) | Cerambycidae | Col | | Au | N. Caledonia (DeFoliart 2002) | | larva | |
| Curculionidae gen. | | Curculionidae | Col | | Au | Australia (DeFoliart 2002) | | larva | |
| Rhynchophorus | bilineatus (Montr.) | Dryophthorinae | Col | black palm weevil | Au | P.N.G. (DeFoliart 2002) Papua (Suara Ser. 2006) | | | |
| Rhynchophorus | ferrugineus (Oliv.) | Dryophthorinae | Col | Asian palm weevil | Au | P.N.G. (DeFoliart 2002) | | larva pupa adult | |
| Aulonogyrus | strigosus F. | Gyrinidae | Col | | Au | Australia (Jäch 2003) | | | |
| Lucanidae gen. | | Lucanidae | Col | stag beetles | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Passalidae gen. | | Passalidae | Col | bess beetles | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Anoplognathus | viridiaeneus (Donovan) | Scarabaeidae | Col | christmas beetles | Au | Australia (DeFoliart 2002) | | larva | |
| Lepidiota | vogeli Brenske | Scarabaeidae | Col | | Au | P.N.G. (DeFoliart 2002) | | adult | |
| Oryctes | centaurus Sternberg | Scarabaeidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva adult | |
| Oryctes | rhinoceros (L.) | Scarabaeidae | Col | | Au | Solomon Islands (DeFoliart 2002) | | larva | |
| Oryctes sp. | | Scarabaeidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Scapanes sp. | | Scarabaeidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Xylotrupes | gideon (L.) | Scarabaeidae | Col | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Cosmozosteria sp. | | Blattidae | Dictyoptera Blattodea | cockroach | Au | Australia (Yen 2005) | | | |
| Hierodula | sternosticta W.-M. | Mantidae | Dictyoptera Mantodea | | Au | P.N.G. (DeFoliart 2002) | not Australian! | | |
| Tenodera sp. | | Mantidae | Dictyoptera Mantodea | | Au | P.N.G. (DeFoliart 2002) | | | |
| Bibionidae gen. | | Bibionidae | Dipt | | Au | Australia (DeFoliart 2002) | | | |
| Plethogenesia sp. ? | | Palingeniidae | Eph | | Au | P.N.G. (Grant 2001) | | | |
| Ephemeroptera gen. | | | Eph | | Au | P.N.G. (DeFoliart 2002) | | adult | |
| Coreidae gen. | | Coreidae | Hem Het | | Au | P.N.G. (DeFoliart 2002) | | | |
| Mictis sp. | | Coreidae | Hem Het | | Au | P.N.G. (DeFoliart 2002) | | | |
| Nezara | viridula (L.) | Pentatomidae | Hem Het | | Au | Papua (Suara serangga 2006) | | | |
| Cicadellidae gen. | | Cicadellidae | Hem Hom | leafhopper | Au | Australia (DeFoliart 2002) | | | |
| Baeturia sp. | | Cicadidae | Hem Hom | | Au | P.N.G. (DeFoliart 2002) | | | |
| Cicadidae gen. | | Cicadidae | Hem Hom | | Au | Australia (DeFoliart 2002) | | adult manna | |
| Cosmopsaltria sp. | | Cicadidae | Hem Hom | | Au | Papua (Suara serangga 2006) | | | |
| Diceropyga sp. | | Cicadidae | Hem Hom | | Au | P.N.G. (DeFoliart 2002) | | | |
| Apiomorpha syn | pomiformis Froggatt | Eriococcidae | Hem Hom | | Au | Australia (DeFoliart 2002) | on Eucalyptus see Cystococcus | gall | |
| Cystococcus | pomiformis (Froggatt) | Eriococcidae | Hem Hom | | Au | Australia (DeFoliart 2002) | on Eucalyptus | gall | |
| Austrotachardia | acaciae (Maskell) | Kerriidae | Hem Hom | | Au | Australia (DeFoliart 2002) | | lerp sugar | |
| Eucalyptolyma sp. | | Psyllidae | Hem Hom | | Au | Australia (DeFoliart 2002) | | lerp sugar | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|----------------------------|--------------|---------|------------------|---------|-----------------------------------|------------------------------------|------------------|--|
| Glycaspis | eucalypti (Dobson) | Psyllidae | Hem Hom | | Au | Australia (DeFoliart 2002) | syn Spondylaspis eucalypti | lerp manna | |
| Psylla sp. | | Psyllidae | Hem Hom | | Au | Australia (DeFoliart 2002) | | lerp manna | |
| Psyllina gen. | | | Hem Hom | | Au | Australia (DeFoliart 2002) | | | |
| Trigona sp. | | Apidae | Hym | | Au | Australia (DeFoliart 2002) | | larva pupa | |
| Camponotus | aurocinctus (Smith) | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | syn Camponotus midas | honey pot | |
| Camponotus | consobrinus (Erichson) | Formicidae | Hym | banded sugar ant | Au | Australia (DeFoliart 2002) | | pupa | |
| Camponotus | gasseri (Forel) | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | syn Colobopsis gasseri | pupa | |
| Camponotus | inflatus Lubb. | Formicidae | Hym | honey pot ant | Au | Australia (DeFoliart 2002) | | honey pot | |
| Melophorus | bagoti Lubb. | Formicidae | Hym | honey ant | Au | Australia (DeFoliart 2002) | see M. bagoti Lubb. | honey pot | |
| Melophorus | cowlei Frogg. syn | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | | honey pot | |
| Melophorus syn | midas Frogg. | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | see Camponotus aurocinctus (Smith) | honey pot | |
| Myrmecia | pyriformis Smith | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | | pupa | |
| Myrmecia | sanguinea Smith syn | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | see M. pyriformis | | |
| Oecophylla | smaragdina (F.) | Formicidae | Hym | green tree ant | Au | Australia P.N.G. (DeFoliart 2002) | | pupa | |
| Oecophylla | virescens (F.) | Formicidae | Hym | | Au | Australia (DeFoliart 2002) | | larva adult | |
| Trichilogaster sp. | | Pteromalidae | Hym | | Au | Australia (DeFoliart 2002) | wattle apple gal wasp | gall | |
| Vespidae gen. | | Vespidae | Hym | | Au | Australia P.N.G. (DeFoliart 2002) | | larva pupa | |
| Isoptera gen. | | | Isopt | | Au | Australia P.N.G. (DeFoliart 2002) | | | |
| Catoxophylla | cyanauges Turner | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | | adult | |
| Cossus sp. | | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | | larva | |
| Endoxyla sp. syn | | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | see Xyleutes | larva | |
| Endoxyla syn | eucalypti H.-S. | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | see Xyleutes | larva | |
| Xyleutes | amphiplecta Turner | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | syn ? Endoxyla | larva | |
| Xyleutes | biarpiti Tindale | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | syn ? Endoxyla | larva | |
| Xyleutes | boisduvali Rothschild | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | | larva | |
| Xyleutes | eucalypti H.-S. | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | | larva | |
| Xyleutes | leucomochla Turner | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | syn ? Endoxyla | larva | |
| Xyleutes | liturata Don. | Cossidae | Lep | | Au | Australia (DeFoliart 2002) | syn ? Zeuzera liturata | larva | |
| Panacela sp. | | Eupterotidae | Lep | bagshelter moths | Au | Australia (DeFoliart 2002) | | larva | |
| Abantiades | marcidus Tindale | Hepialidae | Lep | bardi grub | Au | Australia (DeFoliart 2002) | | larva pupa adult | |
| Oxycanus sp. | | Hepialidae | Lep | | Au | Australia (DeFoliart 2002) | | larva pupa adult | |
| Trictena | argyrosticha Turner | Hepialidae | Lep | | Au | Australia (DeFoliart 2002) | | larva pupa adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|-------------------------|---------------------------------|----------------------|-------------------------------|----------|---|-------------------|---------------------|--|
| Trictena | atripalpis Walker | Hepialidae | Lep | bardi grub | Au | Australia (DeFoliart 2002) | syn T. argentata | larva pupa adult | |
| Trictena syn | argentata H.-S. | Hepialidae | Lep | | Au | Australia (DeFoliart 2002) | see T. atripalpis | larva pupa adult | |
| Agrotis | infusa (Boisd.) | Noctuidae | Lep | bogong moths | Au | Australia (DeFoliart 2002) | | adult | |
| Ochrogaster | lunifer H.-S. | Notodontidae Thaumetopoeinae | Lep | processionary caterpillar | Au | Australia (Yen 2005) | | | |
| Coenotes | eremophilae (Lucas) | Sphingidae | Lep | | Au | Australia (DeFoliart 2002) | | | |
| Hyles | livornicoides Lucas | Sphingidae | Lep | | Au | Australia (DeFoliart 2002) | | larva | |
| Sphingidae gen. | | Sphingidae | Lep | | Au | P.N.G. (DeFoliart 2002) | | adult | |
| Nyctalemon | patroclus goldiei Druce | Uranidae | Lep | | Au | Papua (Ramanday et al 2010) | | | |
| Libellulidae gen. | | Libellulidae | Odonata | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Zygoptera gen. | | | Odonata Zygoptera | | Au | P.N.G. (DeFoliart 2002) | | larva | |
| Chortoicetes | terminifera (Walker) | Acrididae | Orth | Australian plague locust | Au | Australia (DeFoliart 2002) | | | |
| Locusta | migratoria (L.) | Acrididae | Orth | migratory locust | Au | P.N.G. (DeFoliart 2002) | | | |
| Valanga | irregularis (Walk.) | Acrididae | Orth | large coast locust | Au | P.N.G. (DeFoliart 2002) | | | |
| Gryllacridae gen. | | Gryllacridae | Orth | | Au | P.N.G. (DeFoliart 2002) | | | |
| Teleogryllus | commodus (Walker) | Gryllacridae | Orth | | Au | Australia P.N.G. (DeFoliart 2002) | | | |
| Gryllotalpa sp. | | Gryllotalpidae | Orth | | Au | P.N.G. (DeFoliart 2002) | | | |
| Caedicia sp. | | Tettigoniidae | Orth | | Au | P.N.G. (DeFoliart 2002) | | | |
| Eurycantha | horrida Boisduval | Phasmatidae | Phasmida | | Au | P.N.G. (DeFoliart 2002) | | | |
| Extatosoma | tiaratum (MacLeay) | Phasmatidae | Phasmida | giant prickly stick insect | Au | P.N.G. (DeFoliart 2002) | | | |
| Algarobius sp. | | Bruchidae | Col | seed beetles | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Neltumius sp. | | Bruchidae | Col | seed beetles | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Ergates | spiculatus Lec. | Cerambycidae | Col | pine sawyer beetle | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Monochames | maculosus Hald. | Cerambycidae | Col | spotted pine sawyer | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Monochames | scutellatus (Say) | Cerambycidae | Col | white-spotted sawyer | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Neoclytus | conjunctus (LeConte) | Cerambycidae | Col | western ash borer | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Prionus | californicus Motsch. | Cerambycidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | | larva adult | |
| Rhagium | lineatum (Ol.) | Cerambycidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Xylotrechus | nauticus (Mann.) | Cerambycidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Rhynchophorus | cruentatus (F.) | Curculionidae | Col | palmetto weevil | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Cybister | ellipticus Le Conte | Dytiscidae | Col | | Nearctic | USA (Ramos et al 2009) | | | |
| Cybister | explanatus LeConte | Dytiscidae | Col | | Nearctic | N. Am. (DeFoliart 2002, Ramos et al 2009) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|---------------------------------|----------------|---------|-------------------------|----------|--------------------------------------|--------------------------------------|---------------------|--|
| Cyclocephala | borealis Arrow | Scarabaeidae | Col | northern masked chafer | Nearctic | N. Am. (DeFoliart 2002) | syn C. villosa Burm. | adult | |
| Cyclocephala | dimidiata Burmeister syn | Scarabaeidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | see C. melanocephala (F.) | adult | |
| Cyclocephala | melanocephala (F.) | Scarabaeidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | syn C. dimidiata Burm. | adult | |
| Cyclocephala | villosa Burm. syn | Scarabaeidae | Col | | Nearctic | N. Am. (DeFoliart 2002) | see C. borealis Arrow | adult | |
| Phyllophaga | fusca (Froelich) | Scarabaeidae | Col | northern june beetle | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Polyphylla | crinita LeConte | Scarabaeidae | Col | ten-lined june beetle | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Ephydra | cinerea Jones | Ephydriidae | Dipt | shore fly | Nearctic | N. Am. (DeFoliart 2002) | | pupa | |
| Ephydra | hians Say | Ephydriidae | Dipt | alkali fly | Nearctic | N. Am. (DeLong 1960, DeFoliart 2002) | ? syn Hydropyrus hians | pupa | |
| Ephydra | macellaria Egger | Ephydriidae | Dipt | shore fly | Nearctic | N. Am. (DeFoliart 2002) | | pupa | |
| Hydropyrus syn | hians Say | Ephydriidae | Dipt | shore fly | Nearctic | N. Am. (DeFoliart 2002) | see Ephydra hians | pupa | |
| Hypoderma | bovis (L.) | Oestridae | Dipt | bot fly warble fly | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Hypoderma | tarandi (L.) | Oestridae | Dipt | reindeer warble fly | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Atherix sp. | | Rhagionidae | Dipt | snipe fly | Nearctic | N. Am. (DeFoliart 2002) | | egg masses adult | |
| Holorusia | hespera Arnaud & B. | Tipulidae | Dipt | giant western crane fly | Nearctic | N. Am. (DeFoliart 2002) | syn Holorusia rubiginosa Loew | larva | |
| Holorusia | rubiginosa Loew syn | Tipulidae | Dipt | giant western crane fly | Nearctic | N. Am. (DeFoliart 2002) | see H. hespera | larva | |
| Tipula | derbyi Doane | Tipulidae | Dipt | crane fly | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Tipula | quaylii Doane | Tipulidae | Dipt | crane fly | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Tipula | simplex Doane | Tipulidae | Dipt | crane fly | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Lethocerus | americanus (Leidy) | Belostomatidae | Hem Het | eastern toe biter | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Hyalopterus | pruni (Geoffr.) | Aphididae | Hem Hom | mealy plum aphid | Nearctic | N. Am. (DeFoliart 2002) | | honeydew | |
| Diceroprocta | apache (Davis) | Cicadidae | Hem Hom | Apache cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph adult | |
| Magjicicada | cassini (Fisher) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Magjicicada | septemdecim (L.) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Magjicicada | septendecula (A. & M.) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Magjicicada | tredecassini (A. & M.) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------|---------------------------------|------------|---------|-----------------|----------|---------------------------|--------------------------------|---------------------|--|
| Magjicicada | tredecim (Riley) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Magjicicada | tredecula (A. & M.) | Cicadidae | Hem Hom | periodic cicada | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Okanagana | bella Davis | Cicadidae | Hem Hom | | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Okanagana | cruentifera (Uhler) | Cicadidae | Hem Hom | | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Platypedia | areolata (Uhler) | Cicadidae | Hem Hom | | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Anthophora sp. | | Apidae | Hym | digger bee | Nearctic | N. Am. (DeFoliart 2002) | | honey | |
| Bombus | appositus Cresson | Apidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Bombus | nevadensis Cresson | Apidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Bombus | terricola occidentalis Greene | Apidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Bombus | vosnesenskii Radoszk. | Apidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Cynipidae gen. | | Cynipidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | oak galls | |
| Camponotus sp. | | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva adult | |
| Formica sp. | | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Lasius sp. | | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Myrmecocystus | melliger Forel | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | honeypots | |
| Myrmecocystus | mexicanus hortideorum McCook | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | honeypots | |
| Pogonomyrmex | californica (Buckley) | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Pogonomyrmex | desertorum Wheeler | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Pogonomyrmex | occidentalis (Cresson) | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Pogonomyrmex | owyheei Cole | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Pogonomyrmex sp. | | Formicidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa adult | |
| Vespula | arenaria (F.) | Vespidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | syn V. diabolica (Saussure) | larva pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------|-------------------------------|-----------------|---------|------------------------------|----------|---------------------------|--------------------------|------------|--|
| Vespula | diabolica Saussure syn | Vespidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | see V. arenaria (F.) | larva pupa | |
| Vespula | pennsylvanica (Saussure) | Vespidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Vespula sp. | | Vespidae | Hym | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Reticulitermes | tibialis Banks | Rhinotermitidae | Isopt | | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Arctia | caja americana Harris | Arctiidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Megathymus | yuccae Boisd. & LeC. | Hesperiidae | Lep | giant skippers | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Malacosoma sp. | | Lasiocampidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Helicoverpa | zea (Boddie) | Noctuidae | Lep | American bollworm | Nearctic | N. Am. (DeFoliart 2002) | syn Heliothis zea | larva | |
| Heliothes syn | zea (Boddie) | Noctuidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | see Helicoverpa zea | larva | |
| Homonocnemis | fortis (Grote) | Noctuidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Spodoptera | frugiperda (Smith) | Noctuidae | Lep | black army worm | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Coloradia | pandora Blake | Saturniidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Hyalophora | euryalus (Boisd.) | Saturniidae | Lep | | Nearctic | N. Am. (DeFoliart 2002) | | larva pupa | |
| Hyles | lineata (F.) | Sphingidae | Lep | white lined sphinx | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Manduca | sexta (L.) | Sphingidae | Lep | tobacco hornworm | Nearctic | N. Am. (DeFoliart 2002) | | larva | |
| Rhionaeschna | multicolor (Hagen) | Aeschnidae | Odonata | | Nearctic | N. Am. (DeFoliart 2002) | | nymph | |
| Arphia | pseudonietana (Thomas) | Acrididae | Orth | | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Camnula | pellucida (Scudder) | Acrididae | Orth | clear-winged grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus | bivittatus (Say) | Acrididae | Orth | two-striped grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus | devastator Scudder | Acrididae | Orth | | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus | differentialis (Thomas) | Acrididae | Orth | | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus | femurrubrum (DeGeer) | Acrididae | Orth | red-legged grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus | sanguinipes (F.) | Acrididae | Orth | lesser migratory grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Melanoplus sp. | | Acrididae | Orth | | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Oedaleonotus | enigma (Scudder) | Acrididae | Orth | valley grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|------------------------------|----------------|---------|--------------------------|----------|---|----------------------------|---------------------|--|
| Schistocerca | shoshone (Thomas) | Acrididae | Orth | green valley grasshopper | Nearctic | N. Am. (DeFoliart 2002) | | adult | |
| Stenopelmatus | fuscus Haldeman | Gryllacrididae | Orth | Jerusalem cricket | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Gryllus | assimilis (F.) | Gryllidae | Orth | | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Anabrus | simplex Haldeman | Tettigoniidae | Orth | mormon bush cricket | Nearctic | N. Am. (DeFoliart 2002) | | nymph adult | |
| Isoperla sp. | | Perlodidae | Plecop | | Nearctic | N. Am. (DeFoliart 2002) | | | |
| Heteropoda | venatoria Latreille | Sparassidae | Araneae | brown huntsman spider | Neotrop | Venezuela (Araujo & Beserra 2007) | | adulr | |
| Holothele | waikoshiemi Bertani & Araújo | Theraphosidae | Araneae | bird eather spider | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Theraphosa | blondi (Latreille) | Theraphosidae | Araneae | bird eather spider | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Euchroma | gigantea L. | Bupestidae | Col | Ceiba borer beetle | Neotrop | Colombia (De Foliart 2002) Mexico (Ramos 2004) Brazil (Costa Neto & Ramos 2006) | | larva adult | |
| Chalcophora sp. | | Bupestidae | Col | | Neotrop | Mexico (DeFoliart 2002 Ramos 2004) | | larva | |
| Cicindela | curvata Chev. | Carabidae | Col | tiger beetle | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva | |
| Cicindela | roseiventris Chev. | Carabidae | Col | tiger beetle | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva | |
| Acrocinus | longimanus (L.) | Cerambycidae | Col | harlequin beetle | Neotrop | Colombia (DeFoliart 2002); Mexico (Ramos 2004) | | larva pupa adult | |
| Ancylonotus | tribulus (F.) | Cerambycidae | Col | | Neotrop | South America (DeFoliart 2002) | | larva | |
| Aplagiognathus | spinosus (Newman) | Cerambycidae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva pupa adult | |
| Aplagiognathus sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002; Ramos 2004) | | larva pupa adult | |
| Arhophalus | c.f. rusticus (L.) | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | larva pupa | |
| Arhophalus | rusticus montanus (LeConte) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Arhophalus sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Callipogon | barbatus (F.) | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002; Ramos 2004) | C. barbatus is misspelling | larva pupa adult | |
| Cerambyx sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa adult | |
| Cisa sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | | |
| Cyllene sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Derobrachus | procerus Thomson | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa adult | |
| Derobrachus sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos & Pino Mereno 2002) | | larva pupa adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------------|-------------------------|----------------------------|-------|-------------------|---------|--|---|------------------|--|
| Eburia | stigmatica Chevr. | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Hevorodon | maxillosum (Drury) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2006) | syn Stenodontes maxillosum (Drury) | | |
| Lagocheirus | rogersi (Bates) | Cerambycidae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva pupa adult | |
| Macrodonia | cervicornis (L.) | Cerambycidae | Col | | Neotrop | Brazil Guyana Paraguay West Indies Jamaica (DeFoliart 2002) Ecuador (Onore 2005) | | larva | |
| Malodon | molarius Bates | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Stenodontes maxillosum (Drury) | larva pupa | |
| Malodon sp. | sp. cer. molarius Bates | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Stenodontes | larva pupa | |
| Nothopleurus | cer. maxillosum (Drury) | Cerambycidae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | cer. (near N. maxillosum) | larva pupa | |
| Nothopleurus | maxillosum (Drury) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Stenodontes maxillosum (Drury) | larva pupa | |
| Oncideres sp. | | Cerambycidae | Col | Mesquite girdler | Neotrop | Ecuador (Onore 2005) | | | |
| Ornithia | mexicana (Sturm) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Polyrphis sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos 2004) | | larva pupa | |
| Prionacalus | atys White | Cerambycidae | Col | | Neotrop | Ecuador (Onore 2005) | | | |
| Prionacalus | cacicus White | Cerambycidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Prosopocera sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa adult | |
| Psalidognathus | erythrocerus Reiche | Cerambycidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Psalidognathus | modestus Fries | Cerambycidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Stenodontes | damicornis (L.) | Cerambycidae | Col | | Neotrop | Brazil Guyana West Indies (DeFoliart 2002) | syn Prionus damicornis F. | larva | |
| Stenodontes sp. | | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Stenodontes syn | maxillosum (Drury) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | see Hovorodon maxillosum (Drury) | larva pupa | |
| Stenodontes syn | molarius (Bates) | Cerambycidae | Col | | Neotrop | Mexico (Ramos 2004) | see Malodon | larva pupa | |
| Trichoderes | pini Chevr. | Cerambycidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002; Ramos 2004) | | larva pupa adult | |
| Blepharida | mexicana Jacoby | Chrysomelidae | Col | | Neotrop | Mexico (Ramos 2004) | | adult | |
| Blepharida sp. | | Chrysomelidae | Col | | Neotrop | Mexico (Ramos 2004) | | adult | |
| Lactica sp. | | Chrysomelidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Leptinotarsa | decemlineata Say | Chrysomelidae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva | |
| Pachymerus sp. | | Chrysomelidae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Bruchinae gen. | | Chrysomelidae Bruchinae | Col | | Neotrop | Brazil Venezuela (DeFoliart 2002) | | larva | |
| Caryoborus | serripes (Sturm) | Chrysomelidae Bruchinae | Col | | Neotrop | Choo 2008 | | larva | |
| Caryobruchus sp. | (scheelaeae Bridwell?) | Chrysomelidae Bruchinae | Col | palm seed bruchid | Neotrop | Colombia (DeFoliart 2002) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------|-------------------------------|---------------------------------|-------|----------------------------|---------|---|--|---------------------|--|
| Caryobruchus sp. | | Chrysomelidae Bruchinae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Pachymerus | cardo (Fahr.) | Chrysomelidae Bruchinae | Col | | Neotrop | Choo 2008, Brazil (Costa Neto & Ramos 2006) | | larva | |
| Pachymerus | nucleorum (F.) | Chrysomelidae Bruchinae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Speciomerus | giganteus (Chevrolat) | Chrysomelidae Bruchinae | Col | | Neotrop | Choo 2008 | | larva | |
| Anthonomus sp. | | Curculionidae | Col | | Neotrop | Colombia (DeFoliart 2002) | | adult | |
| Cosmopolites | sordidus (Germar) | Curculionidae | Col | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Scyphophorus | acupunctatus Gyll. syn | Curculionidae | Col | agave weevil | Neotrop | Mexico (DeFoliart 2002) | see <i>S. interstitialis</i> Dryophthoridae | larva pupa | |
| Scyphophorus | interstitialis Gyll. | Curculionidae | Col | agave weevil sisal weevil | Neotrop | Mexico (DeFoliart 2002; Ramos 2004, 2006, Cerritos 2009) | Dryophthoridae | larva pupa | |
| Scyphophorus sp. | | Curculionidae | Col | agave weevil | Neotrop | Mexico (Ramos et al 1998) | | | |
| Dynamis | borassi (F.) | Curculionidae Dryophthorinae | Col | | Neotrop | Ecuador (Onore 2005) | syn <i>D. perryi</i> Wattanap. | larva pupa | |
| Dynamis | nitidulus (Guérin) | Curculionidae Dryophthorinae | Col | | Neotrop | Ecuador (Onore 2005) | | larva pupa | |
| Metamasius | cinnamominus Champ. | Curculionidae Dryophthorinae | Col | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Metamasius | dimidiatipennis (Jekel) | Curculionidae Dryophthorinae | Col | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Metamasius | hemipterus (L.) | Curculionidae Dryophthorinae | Col | | Neotrop | Ecuador (Onore 2005) | syn <i>M. sericeus</i> Ol. | adult | |
| Metamasius | spinolae (Gyll.) | Curculionidae Dryophthorinae | Col | cactus weevil | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002; Ramos 2004, 2006) | Dryophthoridae | larva pupa | |
| Metamasius sp. | | Curculionidae Dryophthorinae | Col | | Neotrop | Venezuela (Araujo & Beserra 2007) | | larva | |
| Rhinostomus | barbirostris (F.) | Curculionidae Dryophthorinae | Col | bearded weevil | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Rhynchophorus | cruentatus Fabr. | Curculionidae Dryophthorinae | Col | palmetto weevil | Neotrop | Mexico (Ramos 2004) | | larva | |
| Rhynchophorus | palmarum (L.) | Curculionidae Dryophthorinae | Col | South American palm weevil | Neotrop | pan-regional West Indies Barbados Trinidad Mexico (DeFoliart 2002; Ramos 2004, 2009) Brazil (Costa & Ramos 2006) Ecuador (Onore 2005) Venezuela (Araújo & Beserra 2007) | | larva pupa | |
| Cybister | explanatus LeConte | Dytiscidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004) | | larva pupa adult | |
| Cybister | fimbriolatus (Say) | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2002) | | larva adult | |
| Cybister | flavocinctus Aubé | Dytiscidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos 2004, Ramos et al 2009) | | larva adult | |
| Cybister | occidentalis Aubé | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004, Ramos et al 2009) | not in Africa and China | larva adult | |
| Cybister sp. | | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Dytiscus | habilis Say | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------|-------------------------------|------------|-------|--------------|---------|--|------------------------------|-------------|--|
| Dytiscus | marginicollis LeConte | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Dytiscus sp. | | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Laccophilus | apicalis Sharp syn | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | see L. fasciatus Aubé | larva | |
| Laccophilus | fasciatus Aubé | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | syn L. apicalus Sharp | larva | |
| Laccophilus sp. | | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Megadytes | giganteus (Laporte) | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Megadytus sp. | | Dytiscidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos 2004) | | larva adult | |
| Rhantus | atricolor (Aubé) | Dytiscidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos 2004, Ramos et al 2009) | | larva adult | |
| Rhantus | consimilis Motsch. | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004, Ramos et al 2009) | | larva adult | |
| Rhantus sp. | | Dytiscidae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004, Ramos et al 2009) | | larva adult | |
| Thermonectus | basilaris (Harris) | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Thermonectus | marmoratus (Gray) | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Thermonetus sp. | | Dytiscidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Chalcolepidius | lafargi Chevrolat | Elateridae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | larva adult | |
| Chalcolepidius | rugatus Cand. | Elateridae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | larva adult | |
| Lacon | mexicana Cand. | Elateridae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | larva adult | |
| Pyrophorus | mexicanus Champ. ? syn | Elateridae | Col | | Neotrop | Mexico (Ramos 2004) | see Lacon mexicana Cand. | larva | |
| Pyrophorus | pellucens Esch. | Elateridae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | larva adult | |
| Pyrophorus sp. | | Elateridae | Col | click beetle | Neotrop | West Indies (DeFoliart 2002) | | adult ? | |
| Austrelmis | chilensis (Germain) | Elmidae | Col | | Neotrop | Chile Peru? (DeFoliart 2002) Peru (Ramos et al 2009) | | adult | |
| Austrelmis | condimentarius (Philippi) | Elmidae | Col | | Neotrop | Peru Chile? (DeFoliart 2002, Jäch 2003) Chile (Ramos et al 2009) | | adult | |
| Dichomorpha sp. | | Erotylidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Gyrinus | parcus Say | Gyrinidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Gyrinus | plicatus Régimb. | Gyrinidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Haliplus | punctatus Aubé | Haliplidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Haliplus sp. | | Haliplidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Peltodytes | mexicanus (Wehncke) | Haliplidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------------|-----------------------------|---------------|-------|--------------|---------|--|------------------------------------|---------------------|--|
| Peltodytes | ovalis Zimm. | Halipidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Hololepta | guidonis Marseul | Histeridae | Col | | Neotrop | Mexico (Ramos et al 2009) | | | |
| Hololepta sp. | | Histeridae | Col | | Neotrop | Mexico (DeFoliart 2002; Ramos 2004) | | larva | |
| Berosus sp. | | Hydrophilidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Dibolocelus sp. is Hydrophilus | | Hydrophilidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | | adult | |
| Tropisternus | mexicanus Lap. | Hydrophilidae | Col | | Neotrop | Mexico (Ramos 2004) Panama S. America (Ramos et al 2009) | | larva adult | |
| Tropisternus | sublaevis (LeC.) | Hydrophilidae | Col | | Neotrop | Mexico (Ramos 2004, Ramos et al 2009) | | larva adult | |
| Tropisternus | tinctus Sharp | Hydrophilidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004) | | larva pupa adult | |
| Tropisternus sp. | | Hydrophilidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Lucanus sp. | | Lucanidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Lucanus syn | virescens F. | Lucanidae | Col | | Neotrop | Mexico (Ramos 2004) | see Platycerus virescens | larva | |
| Platycerus | virescens (F.) | Lucanidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Lucanus virescens F. | larva | |
| Sphaenognathus | feisthamelii (Guérin) | Lucanidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Sphaenognathus | lindenii Murray | Lucanidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Sphaenognathus | metallifer Bomans & Lacroix | Lucanidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Meloe | dugesii Champ. | Meloidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | adult | |
| Meloe | laevis Leach | Meloidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | adult | |
| Meloe | nebulosus Champ. | Meloidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | larva adult | |
| Meloe sp. | | Meloidae | Col | | Neotrop | Mexico (Ramos 2004) | | adult | |
| Suphisellus sp. | | Noteridae | Col | | Neotrop | Mexico (Ramos 2004, Ramos et al 2009) | not Dytiscidae! | | |
| Heliscus | yucatanus Bates | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Odontotaenius | striatopunctatus Perch. | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Popilius | larva | |
| Odontotaenius | yucatanus Bates | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Popilius | larva | |
| Odontotaenius | zodiacus Truq. | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | syn Popilius | larva | |
| Oileus | rimator Truqui | Passalidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004) | | larva pupa | |
| Passalidae gen. | | Passalidae | Col | | Neotrop | Colombia Paraguay (DeFoliart 2002) | | larva adult | |
| Passalus | interruptus L. | Passalidae | Col | | Neotrop | Suriname (DeFoliart 2002) | | larva | |
| Passalus | interstitialis Esch. | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Passalus | punctiger Lep. & Serv. | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Passalus | puntatostratus Perch. | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa | |
| Passalus sp. | af. punctiger Lep. & Serv. | Passalidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004) | af. punctiger Lep. & S. | larva pupa | |
| Passalus sp. | | Passalidae | Col | | Neotrop | Mexico (Ramos et al 1998, Ramos 2004) | | larva | |
| Paxillus | leachi MacLeay | Passalidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004) | | larva pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|--------------------------------|--------------|-------|--------------|---------|--|---------------------------|---------------------|--|
| Popilius syn | striatopunctatus (Perch.) | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | see Odontotaenius | larva | |
| Popilius syn | yucatanus (Bates) | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | see Odontotaenius | larva | |
| Popilius syn | zodiacus (Truq.) | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | see Odontotaenius | larva | |
| Verres | corticicola (Truq.) | Passalidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Veturius | sinuosus (Drapiez) | Passalidae | Col | | Neotrop | Colombia (Paoletti et al 2001) | | larva | |
| Ancognatha | castanea Erichson | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Ancognatha | jamesoni Murray | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Ancognatha | vulgaris Arrow | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Ancognatha sp. | | Scarabaeidae | Col | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Canthon | humectus hidalgoensis Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | | |
| Chrysin | macropus (Franc.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Clavipalpus | antisanuae Bates | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Coelosis | biloba (L.) | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Cotinis | mutabilis Gory & Perch. | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2006) | | | |
| Cyclocephala | capitata Hohn | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Cyclocephala | fasciolata Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | | larva adult | |
| Cyclocephala | guttata Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Cyclocephala sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Democrates | burmeisteri Reiche | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Diloboderus sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | not Hydrophilidae ! | larva | |
| Dynastes | hercules (L.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) Brazil (Costa Neto & Ramos 2006) Ecuador (Onore 2005) | | larva | |
| Dynastes | hyllus Chev. | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Dynastes sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Enema | pan (F.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Geniatosoma | nigrum (Ohaus) | Scarabaeidae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Golofa | aegeon (Drury) | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Golofa | eacus Burmeister | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Golofa | imperialis Thomson | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa adult | |
| Golofa | tersander Burmeister | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa adult | |
| Golofa | unicolor (Bates) | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva adult | |
| Heterogomphus | bourcierii Guérin | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Megaceras | crassum Prell | Scarabaeidae | Col | | Neotrop | Colombia (DeFoliart 2002) | | adult larva | |
| Megaceras sp. | | Scarabaeidae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Megasoma | actaeon (L.) | Scarabaeidae | Col | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva adult | |
| Megasoma | anubis (Chevrolat) | Scarabaeidae | Col | | Neotrop | Brazil (DeFoliart 2002) | syn M. hector Gory | larva | |
| Megasoma | elephas (F.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------------|------------------------------|------------------------------------|-------|--------------|---------|---|---|---------------------|--|
| Megasoma | elephas occidentalis B. & P. | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Megasoma | hector Gory syn | Scarabaeidae | Col | | Neotrop | Brazil (DeFoliart 2002) | see M. anubis | larva | |
| Megasoma sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Melolontha sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | larva | |
| Pelidnota syn missp. | nigricauda Bates | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | missp. see Platycoelia nigricauda Bates = P. parva Kirsch | larva adult | |
| Phyllophaga | mexicana (Blanch.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Phyllophaga | rubella (Bates) | Scarabaeidae | Col | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Phyllophaga | rugipennis (Schaufuss) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa adult | |
| Phyllophaga sp. | | Scarabaeidae | Col | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002, Ramos 2004, 2006) | | larva pupa adult | |
| Platycoelia | forcipales Ohaus | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Platycoelia | lutescens Blanchard | Scarabaeidae | Col | | Neotrop | Ecuador (Smith & Paucar 2000, Onore 2005) | | larva adult | |
| Platycoelia | parva Kirsch | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | syn P. nigricauda Bates | larva | |
| Platycoelia | rufosignata Ohaus | Scarabaeidae | Col | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Podischnus | agenor (Ol.) | Scarabaeidae | Col | | Neotrop | Colombia (DeFoliart 2002) | | larva adult | |
| Strategus | aloeus aloeus (L.) | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004, 2006) | | adult | |
| Strategus | aloeus julianus Burm. | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | adult | |
| Strategus | fallaciosus Kolbe | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Strategus sp. | | Scarabaeidae | Col | | Neotrop | Mexico (DeFoliart 2002 Ramos 2004) Brazil (Costa Neto & Ramos 2006) | | larva adult | |
| Xyloryctes | corniger Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Xyloryctes | ensifer Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva pupa adult | |
| Xyloryctes | furcatus Burm. | Scarabaeidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Xyloryctes | teuthras Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa adult | |
| Xyloryctes | thetalus Bates | Scarabaeidae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa adult | |
| Xyloryctes sp. | | Scarabaeidae | Col | | Neotrop | Mexico (DeFoliart 2002) | | larva pupa | |
| Diloboderus sp. !! | | Scarabaeidae not Hydrophilidae! | Col | | Neotrop | Mexico (Ramos 2004) | Scarabaeidae not Hydrophilidae! | adult | |
| Oxytelus | rugulosus Say | Staphylinidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva adult | |
| Eleodes | blapoides Esch. | Tenebrionidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Eleodes | spinipes Sol. | Tenebrionidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Eleodes sp. | | Tenebrionidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Sitophagus sp. | | Tenebrionidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|-----------------------|------------------------|--------------------------|-----------------------|---------|---|-------------------------------|---------------------|--|
| Tenebrio | molitor L. | Tenebrionidae | Col | | Neotrop | Mexico (DeFoliart 2002, Ramos 2004, 2009) | | larva pupa | |
| Tenebrio sp. | | Tenebrionidae | Col | | Neotrop | Mexico (Ramos 2004) | | larva | |
| Tribolium | castaneum (Herbst) | Tenebrionidae | Col | red flour beetle | Neotrop | Mexico (Ramos 2009) | | | |
| Tribolium | confusum Du Val | Tenebrionidae | Col | confused flour beetle | Neotrop | Mexico (Ramos 2009) | | | |
| Ulomoides | dermestoides (Fairm.) | Tenebrionidae | Col | Palembus | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva adult | |
| Zophobas | morio F. | Tenebrionidae | Col | super worm | Neotrop | Mexico (Ramos 2004, 2009) | | larva | |
| Zophobas sp. | | Tenebrionidae | Col | | Neotrop | Venezuela (Araujo & Beserra 2007) | | larva | |
| Zopherus | jourdani Sallé | Zopheridae | Col | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos 2004) | M | adult | |
| Zopherus | mexicanus Gray | Zopheridae | Col | | Neotrop | Mexico (Ramos 2004) | | adult | |
| Blattella | germanica (L.) | Ectobiidae | Dictyoptera Blattodea | cockroaches | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | adult | |
| Blattidae gen. | | Blattidae | Dictyoptera Blattodea | cockroaches | Neotrop | Mexico (DeFoliart 2002) | M | | |
| Periplaneta | americana L. | Blattidae | Dictyoptera Blattodea | cockroaches | Neotrop | Brazil (Costa Neto & Ramos 2006) Mexico (Ramos 2009) | | | |
| Pseudomops sp. | | Ectobiidae | Dictyoptera Blattodea | cockroaches | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | adult | |
| aquatic diptera | | Chironomidae Culicidae | Dipt | | Neotrop | Bolivia (DeFoliart 2002) | | | |
| Drosophila | melanogaster Meigen | Drosophilidae | Dipt | common fruit fly | Neotrop | Mexico (Ramos 2009) | | | |
| Ephydra | hians Say | Ephydriidae | Dipt | alkali fly | Neotrop | Mexico (Ramos 2009, Ramos et al 1998, DeFoliart 2002) | Ephydra (Hydropyrus) hians | larva pupa adult | |
| Mosillus | tibialis Cresson | Ephydriidae | Dipt | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Musca | domestica L. | Muscidae | Dipt | | Neotrop | Mexico (Ramos 2009, Ramos et al 1998, DeFoliart 2002) | | larva pupa | |
| Simulium | rubrithorax Lutz | Simuliidae | Dipt | black flies | Neotrop | Brazil (DeFoliart 2002, Costa Neto & Ramos 2006) | | larva adult | |
| Chrysochlorina sp. | | Stratiomyidae | Dipt | soldier flies | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Stratiomyidae gen. | | Stratiomyidae | Dipt | soldier flies | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Copestylum | anna (Williston) | Syrphidae | Dipt | | Neotrop | Mexico (Ramos et al 1998) | | larva | |
| Copestylum | haagii (Jaennicke) | Syrphidae | Dipt | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Eristalis sp. | | Syrphidae | Dipt | | Neotrop | Mexico (Ramos et al 1998) | | larva | |
| Anastrepha | ludens (Loew) | Tephritidae | Dipt | Mexican fruit fly | Neotrop | Mexico (Ramos 2009) | | | |
| Baetis sp. | | Baetidae | Eph | may fly | Neotrop | Mexico (Ramos et al 1998) | | nymph | |
| Epemera sp. | | Ephemeroidea | Eph | may fly | Neotrop | Mexico (Ramos et al 1998) | | nymph | |
| Abedus | dilatatus (Say) | Belostomatidae | Hem Het | giant water bug | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Abedus | ovatus Stal | Belostomatidae | Hem Het | giant water bug | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Abedus sp. | | Belostomatidae | Hem Het | giant water bug | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Belostoma | micantulum (Stal) | Belostomatidae | Hem Het | giant water bug | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Belostoma sp. | | Belostomatidae | Hem Het | giant water bug | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Lethocerus sp. | | Belostomatidae | Hem Het | giant water bug | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Acanthocephala | luctuosa Stal | Coreidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|----------------------|--------------|---------|--------------------|---------|---|---|-----------------------|--|
| Acanthocephala sp. | | Coreidae | Hem Het | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Thasus | gigas (Klug) | Coreidae | Hem Het | giant mesquite bug | Neotrop | Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002) | syn Pachylis gigas | nymph adult | |
| Corisella | edulis (Champion) | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | egg nymph adult | |
| Corisella | mercenaria (Say) | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos 2006, 2009, Ramos et al 1998, DeFoliart 2002) | | egg nymph adult | |
| Corisella | texcocana Jacz. | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos 2006, 2009, Ramos et al 1998, Cerritos 2009) | | egg adult | |
| Graptocorixa | abdominalis (Say) | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos 2006, 2009, Ramos et al 1998, Cerritos 2009) | | egg nymph adult | |
| Graptocorixa | bimaculata (Guérin) | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Cerritos 2009, Ramos 2006, 2009) | | egg | |
| Graptocorixa sp. | | Corixidae | Hem Het | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg nymph adult | |
| Krizousacorixa | azteca (Jacz.) | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos 2006, 2009, Ramos et al 1998, DeFoliart 2002) | | egg nymph adult | |
| Krizousacorixa | femorata Guér. | Corixidae | Hem Het | water boatman | Neotrop | Mexico (Ramos 2006, 2009, Ramos et al 1998, DeFoliart 2002) | | egg nymph adult | |
| Ambrysus | stali La Rivers | Naucoridae | Hem Het | | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Ambrysus | usingeri La Rivers | Naucoridae | Hem Het | | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Limnocorus | cf. minutus De Carlo | Naucoridae | Hem Het | | Neotrop | Venezuela (Araujo & Beserra 2007) | | adult | |
| Naucoridae gen. | | Naucoridae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Notonecta | unifasciata Guér. | Notonectidae | Hem Het | backswimmer | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | egg nymph adult | |
| Notonecta sp. | | Notonectidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998, Ramos & Pino Moreno 2002) | | egg nymph adult | |
| Atizies syn | taxcoensis Ancona | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | see Edessa | nymph adult | |
| Brochymena | tenebrosa Walker | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Chlorocoris sp. | | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | nymph adult | |
| Dendrocerus | suffultus (Distant) | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | syn Euschistus suffultus Distant | nymph adult | |
| Edessa | conspersa Stal | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Edessa | cordifera (Walker) | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos 2009, Ramos et al 1998) | | nymph adult | |
| Edessa | mexicana Stal | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al, DeFoliart 2002) | | nymph adult | |
| Edessa | montezuma Distant | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------|------------------------|---------------|---------|------------------|---------|--|---|---------------------------|--|
| Edessa | petersii Distant | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Edessa | rufomarginata (DeGeer) | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | nymph adult | |
| Edessa | taxcoensis (Ancona) | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | syn Atizies taxcoensis Ancona | nymph adult | |
| Edessa sp. | | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Euschistus | crenator (F.) | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002, Yen et al 2013)) | | nymph adult | |
| Euschistus | lineatus Walk | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Euschistus | strenuus Stal | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998) DeFoliart 2002) | | nymph adult | |
| Euschistus sp. | | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Mormidea | notulata (H.-S.) | Pentatomidae | Hem Het | | Neotrop | Mexico (Acuña et al 2011) | | adult | |
| Pentatomidae gen. | | Pentatomidae | Hem Het | stink bug | Neotrop | Ecuador (DeFoliart 2002) | | adult | |
| Pharypia | fasciata (Haglund) | Pentatomidae | Hem Het | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Proxys | punctulatus (Palisot) | Pentatomidae | Hem Het | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Aphididae gen. | | Aphididae | Hem Hom | aphid | Neotrop | Mexico (DeFoliart 2002) | | honeydew | |
| Cicada syn | montezuma Distant | Cicadidae | Hem Hom | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | adult | |
| Proarna sp. | | Cicadidae | Hem Hom | | Neotrop | Mexico (DeFoliart 2002) | | adult | |
| Quesada | gigas (Olivier) | Cicadidae | Hem Hom | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | adult | |
| Tibicen | montezuma (Distant) | Cicadidae | Hem Hom | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | syn Cicada montezuma | adult | |
| Tibicen | pruinosa (Say) | Cicadidae | Hem Hom | annual cicada | Neotrop | Mexico (DeFoliart 2002) | | adult | |
| Tibicen sp. | | Cicadidae | Hem Hom | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | adult | |
| Dactylopius | confusus (Cockerell) | Dactylopiidae | Hem Hom | cochineal insect | Neotrop | Mexico (Ramos 2009, Ramos et al 1998) | | adult | |
| Dactylopius | indicus Green | Dactylopiidae | Hem Hom | cochineal insect | Neotrop | Mexico (Ramos 2009, Ramos et al 1998) | | adult | |
| Dactylopius | coccus Costa | Dactylopiidae | Hem Hom | cochineal insect | Neotrop | South America Mexico (Ramos 2009, Ramos et al 1998, Aldama-Aguilera et al 2005) | | adult carminic acid | |
| Dactylopius | tomentosus Lamarck | Dactylopiidae | Hem Hom | cochineal insect | Neotrop | Mexico (Ramos et al 1998) | | adult | |
| Anthiante | expensa Germar | Membracidae | Hem Hom | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Hoplophorion | monogramma Germar | Membracidae | Hem Hom | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Umbonia | reclinata Germar | Membracidae | Hem Hom | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Umbonia | spinosa (F.) | Membracidae | Hem Hom | tree hopper | Neotrop | Brazil (DeFoliart 2002) Ecuador (Onore 2005) Colombia (Paoletti et al 2001) | | adult | |
| Umbonia sp. | | Membracidae | Hem Hom | | Neotrop | Mexico (DeFoliart 2002) | | adult | |
| Carineta | fimbriata Distant | Tibicinidae | Hem Hom | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Apis | mellifera L. | Apidae | Hym | | Neotrop | nearly pan-regional West Indies (Ramos 2006, DeFoliart 2002) | | larva pupa | |
| Axestotrigona sp. | | Apidae | Hym | | Neotrop | Brazil (Ramos, Costa Neto et al 2009) | | | |
| Bombus | atratus Franklin | Apidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|---------------------------|--------|-------|--------------|---------|--|---|----------------------------------|--|
| Bombus | diligens Smith | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2009, Ramos & Pino Moreno 2002)) | M | adult larva egg pupa honey | |
| Bombus | ecuadorius Meunier | Apidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Bombus | ephippiatus Say | Apidae | Hym | | Neotrop | Mexico (Ramos 2009, Ramos et al 1998, DeFoliart 2002) | syn B. formosus Smith | adult | |
| Bombus | formosus Smith syn | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | see B. ephippiatus Say | adult | |
| Bombus | funebri Smith | Apidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Bombus | medius Cresson | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2009) | | adult | |
| Bombus | robustus Smith | Apidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Bombus | rufocinctus Cresson | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | larva pupa honey | |
| Bombus sp. | | Apidae | Hym | | Neotrop | Mexico (Ramos et al 1998, Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Cephalotrigona | capitata (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Cephalotrigona | femorata (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Cephalotrigona | zexmemiae (Cockerel) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa honey | |
| Friesella | schrottkyi (Friese) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa pollen honey | |
| Frieseomelitta | nigra (Lepeletier) | Apidae | Hym | | Neotrop | Mexico (Ramos, Costa Neto et al 2009) | Trigona (Frieseomelitta) nigra Lep. | | |
| Frieseomelitta | silvestrii (Friese) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | syn Trigona silvestrii Friese | honey | |
| Frieseomelitta sp. | | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Lestrimelitta | limao (Smith) | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos & Pino Moreno 2002), Brazil (Costa Neto & Ramos 2006) | M | larva pupa honey pollen | |
| Lestrimelitta | niitkip Ayala | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa honey | |
| Megachile sp. | | Apidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Melipona | asilvai Moure | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | beecheii Bennett | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2009, Ramos & Pino Moreno 2002)) | M | egg larva pupa honey | |
| Melipona | bicolor Lep. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | compressipes (Fabr.) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|-----------------------------------|--------|-------|--------------|---------|--|--|-------------------------------|--|
| Melipona | compressipes fasciculata Smith | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Melipona | crinita Moure & Kerr | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | eburnea fuscopilosa Friese | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | fasciata Latr. | Apidae | Hym | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | syn M. fasciata guerreroensis Schwarz | | |
| Melipona | fasciata scutellaris Latr. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | is M. scutellaris Latr. | honey | |
| Melipona | grandis Guérin | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey larva pupa | |
| Melipona | interrupta Latr. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Melipona | mandacaia Smith | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | marginata Lep. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | melanoventer Schwarz | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Melipona | pseudocentris pseudocentris Cock. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | quadrifasciata Lep. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | rufiventris Lep. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | schencki schencki Gribodo | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | schwarzi Moure | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey larva pupa | |
| Melipona | scutellaris Latr. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) Mexico (Ramos, Costa Neto et al 2009) | | honey | |
| Melipona | seminigra merrillae Cock. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona | solani Cock. | Apidae | Hym | | Neotrop | Brazil (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Melipona check | atrátula Ill. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona check | bilineata Sm | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona check | dorsalis Smith | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona check | nigra Lep. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona check | schencki picadensis Strand | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Melipona syn | fasciata guerreroensis | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see M. fasciata | | |
| Nannotrigona | perlampoides (Cresson) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | | |
| Nannotrigona | testaceicornis (Lep.) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006), Mexico (Ramos & Pino Moreno 2002) | M syn Trichona geniculata Ill. | honey | |
| Nannotrigona sp. | | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | ? Scaptotrigona | larva pupa honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------|--------------------------|--------|-------|--------------|---------|--|----------|-------------------------------|--|
| Oxytrigona | obscura (Friese) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Oxytrigona | tataira (Smith) | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002, Costa Neto & Ramos 2006) | | larva pupa honey | |
| Oxytrigona sp. | | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002) | | larva pupa | |
| Oxytrigona sp. | | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Paratrigona sp. | | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Partamona | bilineata (Say) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Partamona | cf. cupira (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Partamona | orizabaensis (Strand) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa honey | |
| Partamona sp. | | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | egg larva pupa honey | |
| Plebeia | emerina (Friese) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Plebeia | frontalis (Friese) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Plebeia | mexica Ayala | Apidae | Hym | | Neotrop | Mexico (Acuña et al 2011) | | honey | |
| Plebeia | mosquito (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Plebeia | remota (Holmb.) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Plebeia sp. | | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) Mexico (Ramos & Pino Moreno 2002) | | larva pupa honey | |
| Ptilotrigona | lurida (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Scaptotrigona | mexicana Guérin | Apidae | Hym | | Neotrop | Mexico (Ramos 2009, Ramos et al 1998, DeFoliart 2002) | | egg larva pupa honey | |
| Scaptotrigona | pectoralis (Dalla Torre) | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Scaptotrigona | polystica (Moure) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larav pupa honey | |
| Scaptotrigona | postica (Latreille) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Scaptotrigona | tubiba (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------------|--------------------------|--------|-------|--------------|---------|---|--------------------------------------|-------------------------------|--|
| Scaptotrigona | xanthotricha (Moure) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | syn Nannotrigona | larva pupa honey | |
| Scaptotrigona check | nigro hirta Moure | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002) | | larva pupa | |
| Scaptotrigona check | nigrohirta (Moure) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa pollen honey | |
| Scaptotrigona sp. | | Apidae | Hym | | Neotrop | Brazil (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Tetragona | dorsalis (Smith) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Tetragonisca | angustula (Latr.) | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002, Costa Neto & Ramos 2006, Trigona) Ecuador (Onore 2005) | | larva pupa honey | |
| Trigona | branneri Cockerell | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey | |
| Trigona | chanchamayoensis Schwarz | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002, Costa Neto & Ramos 2006) | | larva pupa honey | |
| Trigona | cilipes F. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Trigona | clavipes (F.) | Apidae | Hym | | Neotrop | Colombia (DeFoliart 2002) Brazil (Costa Neto & Ramos) | Trigona (Tetragona) clavipes (F.) | larva honey | |
| Trigona | dallatorreana Friese | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Trigona | flaveola Cock. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Trigona | fulviventris Guérin-M. | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) Brazil (Ramos, Costa Neto et al 2009) | | egg larva pupa honey | |
| Trigona | fuscipennis Friese | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Trigona | hypogea Silvestri | Apidae | Hym | vulture bee | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Trigona | jaty Smith | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | egg larva pupa | |
| Trigona | nigra nigra Cresson | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | egg larva pupa | |
| Trigona | recurva Smith | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|-----------------------|-------------|-------|---------------|---------|---|--|--|--|
| Trigona | spinipes (F.) | Apidae | Hym | | Neotrop | Brazil (DeFoliart 2002) | | larva pupa | |
| Trigona | trinidadensis (Prov.) | Apidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | | larva pupa | |
| Trigona (Duckeola) | ghilianii (Spinola) | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Trigona check | leucogaster Cockerell | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa honey pollen | |
| Trigona check | muscaria G. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Trigona sp. | | Apidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | egg larva pupa | |
| Trigona syn | geniculata Ill. | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | see <i>Nannotrichona testaceicornis</i> (Lep.) | honey | |
| Trigona syn | mombuca Smith | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | honey | |
| Trigona syn | silvestrii Friese | Apidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | see <i>Friseomelitta</i> | honey | |
| Trigonisca | pipioli Ayala | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Trigonisca check | schultessi Friese | Apidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Xylocopa sp. | | Apidae | Hym | carpenter bee | Neotrop | Mexico (DeFoliart 2002) | | larval food | |
| Neodiprion | gillettei (Rohwer) | Diprionidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | prepupa | |
| Acromyrmex | octospinosus (Reich) | Formicidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | repr. adult | |
| Acromyrmex | rugosus (Smith) | Formicidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | repr. adult | |
| Atta | bisphaerica Forel | Formicidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult winged adult | |
| Atta | capiguara Goncalves | Formicidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Atta | cephalotes (L.) | Formicidae | Hym | | Neotrop | Brazil Colombia Guyana Honduras Nicaragua Mexico (DeFoliart 2002, Costa Neto & Ramos 2006) Ecuador (Onore 2005) Venezuela (Araujo & Beserra 2007) | | alate female soldier winged adults | |
| Atta | laevigata (Smith) | Formicidae | Hym | | Neotrop | Colombia (DeFoliart 2002, Costa Neto & Ramos 2006) | | alate female soldier winged adults | |
| Atta | mexicana (Smith) | Formicidae | Hym | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | repr. adult | |
| Atta | opaciceps Borgm. | Formicidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | most prob. not <i>opacipes</i> Wheeler! | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------|-----------------------|----------------|-------|--------------|---------|---|--|--|--|
| Atta | sexdens (L.) | Formicidae | Hym | | Neotrop | Brazil Colombia (DeFoliart 2002, Costa Neto & Ramos 2006) Ecuador (Onore 2005) | | alate female soldier winged adults | |
| Atta sp. | | Formicidae | Hym | | Neotrop | Nicaragua (DeFoliart 2002), Colombia (Ratcliffe 2006) | | | |
| Camponotus | dumetorum Wheelre | Formicidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | adult | |
| Camponotus sp. | | Formicidae | Hym | | Neotrop | Mexico (Ramos 2006, Ramos & Pino Moreno 2002) | | adult | |
| Eciton | burchelli (Westwood) | Formicidae | Hym | | Neotrop | Venezuela (Araújo & Beserra 2007) | | adult | |
| Eciton sp. | | Formicidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | adult | |
| Liometopum | apiculatum Mayr | Formicidae | Hym | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002, Cerritos 2009) | | egg larva pupa | |
| Liometopum | luctuosum Wheeler | Formicidae | Hym | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | egg larva pupa | |
| Myrmecocystus | melliger Forel | Formicidae | Hym | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002, Cerritos 2009) | | adult | |
| Myrmecocystus | mexicanus Wesmael | Formicidae | Hym | | Neotrop | Mexico (Ramos 2006, DeFoliart 2002, Cerritos 2009) | | adult | |
| Myrmecocystus sp. | | Formicidae | Hym | | Neotrop | South America (DeFoliart 2002) | | adult | |
| Pogonomyrmex | barbatus (Smith) | Formicidae | Hym | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998) | | larva pupa adult workers | |
| Pogonomyrmex sp. | | Formicidae | Hym | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | larva pupa | |
| Ammophila sp. | | Sphecidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | immature stages | |
| Dielocerus | formosus (Ohaus) | Tenthredinidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | pupa | |
| Agelaia | angulata (F.) | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | syn Stelopolybia angulata (F.) | pupa | |
| Agelaia | areata (Say) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | syn Stelopolybia areata (Say) | egg larva pupa honey | |
| Agelaia | baezae (Richards) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Agelaia | corneliana (Richards) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Agelaia | lobipleura (Richards) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Agelaia | ornata (Ducke) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Agelaia | panamensis (Cameron) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | syn Stelopolybia panamensis (Cameron) | egg larva pupa honey | |
| Angiopolybia | paraensis (Spinola) | Vespidae | Hym | | Neotrop | Ecuador (DeFoliart 2002) | | adult | |
| Angiopolybia sp. | | Vespidae | Hym | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Apoica | pallens (F.) | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) Ecuador (Onore 2005) | | larva pupa adult | |
| Apoica | pallida (Oliv.) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Apoica | strigata Richards | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Apoica | thoracica Buysson | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) Venezuela (Araújo & Beserra 2007) | | larva pupa | |
| Apoica sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | | |
| Brachygastra | azteca (Sauss.) | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2006, Ramos & Pino Moreno 2002) | M | immatures honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------|--|----------|-------|--------------|---------|---|--|-------------------------------|--|
| Brachygastra | lecheguana (Latr.) | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos & Pino Moreno 2002) Brazil (Costa Neto & Ramos 2006) Ecuador (Onore 2005) | M | immatures honey | |
| Brachygastra | mellifica (Say) | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | immatures | |
| Brachygastra sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa honey | |
| Brachymenes | wagnerianus (Saussure) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Epipona | media Cooper | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | syn E. quadrituberculata sensu Richards | larva pupa | |
| Epipona syn | quadrimaculata (Gribodo) sensu Richards | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | see E. media | larva pupa | |
| Epipona sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos 2009) | | | |
| Eumenes sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa | |
| Euodynerus sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa | |
| Mischocyttarus | basimacula (Cameron) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa | |
| Mischocyttarus | cubensis (Saussure) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa | |
| Mischocyttarus | pallidipectus (Smith) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa | |
| Mischocyttarus | rotundicollis (Cameron) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Mischocyttarus | tomentosus Zikan | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Mischocyttarus sp. | | Vespidae | Hym | | Neotrop | Colombia Mexico (Ramos et al 1998, DeFoliart 2002) | | immatures adult workers | |
| Montezumia | dimidiata Saussure | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Parachartegus | apicalis (F.) | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | immatures | |
| Polistes | apicalis Saussure | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | | |
| Polistes | bicolor Lep. | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polistes | canadensis (L.) | Vespidae | Hym | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | M | egg larva pupa adult | |
| Polistes | carnifex (F.) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa adult | |
| Polistes | deceptor Schulz | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polistes | dorsalis (F.) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa adult | |
| Polistes | erythrocephalus Latr. | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | P. canadensis erythrocephalus Latr. | larva | |
| Polistes | instabilis Sauss. | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2009, Ramos et al 1998, Ramos & Pino Moreno 2002) | M | larva pupa adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|------------------------------------|----------|-------|--------------|---------|---|--|------------------------------------|------------------|
| Polistes | kaibabensis Hayward | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | egg larva pupa adult | |
| Polistes | major Beauv. | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2006, Ramos et al 1998, Ramos & Pino Moreno 2002)) | M | egg larva pupa adult | |
| Polistes | occipitalis Ducke | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polistes | pacificus F. | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | syn P. modestus Smith | larva | |
| Polistes | testaceicolor Bequart | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polistes | versicolor (Ol.) | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Polistes sp. | | Vespidae | Hym | | Neotrop | Guatemala Mexico (Ramos et al 1998, DeFoliart 2002) | | larva pupa | |
| Polistes syn | modestes Smith | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see P. pacificus | egg larva pupa adult | |
| Polybia | aequatorialis Zavattari | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polybia | diguatana Buysson | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002) | | immatures | |
| Polybia | dimidiata (Oliv.) | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) Ecuador (Onore 2005) | | larva pupa | |
| Polybia | emaciata Lucas | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polybia | flavifrons Smith | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Polybia | ignobilis (Haliday) | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Polybia | micans Ducke | Vespidae | Hym | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Polybia | occidentalis (Oliv.) | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) Venezuela (Araújo & Beserra 2007) | | honey larva pupa | |
| Polybia | occidentalis bohemani Holmgren | Vespidae | Hym | | Neotrop | Mexico (Ramos 2009, Ramos et al 1998, DeFoliart 2002) | | immatures | adult workers |
| Polybia | occidentalis nigratella Buysson | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos 2006, 2009, Ramos et al 1998, Ramos & Pino Moreno 2002) | M | immatures | |
| Polybia | parvulina Richards | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos & Pino Moreno 2002) | M | immatures honey | |
| Polybia | rejecta (F.) | Vespidae | Hym | | Neotrop | Colombia (DeFoliart 2002) | | pupa | |
| Polybia | striata (F.) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa | |
| Polybia check | pygmaea | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | egg larva pupa honey | |
| Polybia sp. | | Vespidae | Hym | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 1998, Ramos & Pino Moreno 2002)) | M | egg larva pupa adult workers | |
| Pseudopolybia | vespiceps (Sauss.) | Vespidae | Hym | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva pupa | |
| Stelopolybia syn | areata (Say) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see Agelaia areata (Say) | egg larva pupa honey | |
| Stelopolybia syn | panamensis (Cameron) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see Agelaia panamensis (Cameron) | egg larva pupa honey | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------------|-----------------------------|----------------|-------|-----------------------|---------|--|---------------------------------------|-------------------------------------|--|
| Stelopolybia sp. syn | | Vespidae | Hym | | Neotrop | Venezuela (Araújo & Beserra 2007) | see <i>Agelaiia</i> ? | larva | |
| Synoeca | surinama (L.) | Vespidae | Hym | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa | |
| Synoeca | virginea (F.) | Vespidae | Hym | | Neotrop | Ecuador (Onore 2005) | | adult | |
| Vespula | squamosa (Drury) | Vespidae | Hym | southern yellowjacket | Neotrop | Mexico (DeFoliart 2002, Ramos & Pino Moreno 2002) | M | immatures honey | |
| Vespula sp. | | Vespidae | Hym | | Neotrop | Mexico (Ramos et al 1998) | | larva pupa adult | |
| Kaloterмес | flavicollis (F.) | Kalotermitidae | Isopt | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Corniterмес sp. | | Termitidae | Isopt | | Neotrop | Brazil (DeFoliart 2002) | | winged adult soldier queen | |
| Labioterмес | labralis (Holmgren) | Termitidae | Isopt | | Neotrop | Colombia (Paoletti et al 2001) | | alate pupa | |
| Macrotermes sp. | | Termitidae | Isopt | | Neotrop | Colombia (DeFoliart 2002) | | soldier | |
| Nasutiterмес | corniger (Motschulsky) | Termitidae | Isopt | | Neotrop | Venezuela (Araújo & Beserra 2007) | | adult | |
| Nasutiterмес | ephratae (Holmgren) | Termitidae | Isopt | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Nasutiterмес | macrocephalus (Silvestri) | Termitidae | Isopt | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Nasutiterмес | surinamensis (Holmgren) | Termitidae | Isopt | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Synterмес | aculeosus Emerson | Termitidae | Isopt | | Neotrop | Venezuela (Araújo & Beserra 2007) | | adult | |
| Synterмес | parallelus Silvestri | Termitidae | Isopt | | Neotrop | Colombia (DeFoliart 2002) | | soldier alate female | |
| Synterмес | snyderi Emerson syn | Termitidae | Isopt | | Neotrop | Colombia (DeFoliart 2002) | | soldier alate female | |
| Synterмес | spinus (Latr.) | Termitidae | Isopt | | Neotrop | Colombia (DeFoliart 2002) Brazil (Costa Neto & Ramos 2006) | syn S. snyderi Emerson | soldier alate female | |
| Synterмес | tanygnathus Constantino | Termitidae | Isopt | | Neotrop | Colombia (Paoletti et al 2001) | | soldier | |
| Synterмес sp. | | Termitidae | Isopt | | Neotrop | Brazil (Costa Neto & Ramos 2006) Colombia (Ratcliffe 2006) | | adult | |
| Isoptera gen. | | | Isopt | | Neotrop | Mexico (DeFoliart 2002) | | | |
| Termes check | destructor (Fabr.) | | Isopt | | Neotrop | Guyana (DeFoliart 2002) | ? Termes fatalis L. | | |
| Termes check | flavicolle Perty | | Isopt | | Neotrop | Brazil (DeFoliart 2002) | | adult | |
| Amastus | ochraceator (Walker) | Arctiidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Elysius | superba (Druce) | Arctiidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Estigmene | acrea (Drury) | Arctiidae | Lep | salt marsh moth | Neotrop | Mexico (Ramos et al 2011) | | adult | |
| Pelochyta | cervina (Edwards) | Arctiidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | adult | |
| Bombyx | mori (L.) | Bombycidae | Lep | silkworm moth | Neotrop | Mexico (Ramos 2009, Ramos et al 2011) | | larva pupa | |
| Castnia | daedalus Cramner syn | Castniidae | Lep | | Neotrop | Ecuador (Onore 2005) | see Eupalamides cyparissias | larva | |
| Castnia | licoides Boisduval | Castniidae | Lep | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Castnia | licus Drury | Castniidae | Lep | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Castnia | chelone Hopffer syn | Castniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | | |
| Eupalamides | cyparissias F. | Castniidae | Lep | | Neotrop | Ecuador (Onore 2005) | syn Castnia daedalus Cramer | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------|-------------------------------|---------------|-------|-----------------------------------|---------|---|---------------------------------|------------|--|
| Synpalamides | chelone (Hopffer) | Castniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | syn Castnia chelone | | |
| Comadia | redtenbacheri (Hammerschmidt) | Cossidae | Lep | red tequila worm | Neotrop | Mexico (Ramos 2006, Ramos et al 1998 2011, DeFoliart 2002, Cerritos 2009) | syn Xyleutes redt. | larva | |
| Cossidae gen. | | Cossidae | Lep | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Achlyodes | pallida (Felder) | Geometridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | | |
| Acronyctodes | mexicaria (Walker) syn | Geometridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | see Eois | larva | |
| Eois | mexicaria Walker | Geometridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | syn Acronyctes mexicaria | larva pupa | |
| Panthera | pardalaria Hübner | Geometridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Hepialidae gen. | | Hepialidae | Lep | ghost moths | Neotrop | Brazil (DeFoliart 2002, Costa Neto & Ramos 2006) | sp. on bamboo | larva | |
| Hepialus sp. | | Hepialidae | Lep | | Neotrop | Ecuador (Onore 2005) Mexico (Ramos et al 2011) | | larva | |
| Phassus | triangularis Edwards | Hepialidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 1998 2011, Ramos & Pino Moreno 2002) | M | larva | |
| Phassus | trajesa L. syn | Hepialidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 1998, Ramos & Pino Moreno 2002)) | M see Schausiana trajesa | larva | |
| Phassus sp. | | Hepialidae | Lep | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Schausiana | trojesa (Schaus) | Hepialidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 2011) | | | |
| Hesperidae gen. | | Hesperidae | Lep | skippers | Neotrop | Colombia (DeFoliart 2002) | | | |
| Aegiale | hesperiaris (Walker) | Hesperidae | Lep | white tequila worm Maguey worm | Neotrop | Mexico (Ramos et al 1998 2011, DeFoliart 2002, Cerritos 2009) | | larva | |
| Eutachyptera | psidii (Sallé) | Lasiocampidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Mimallonidae gen. | | Mimallonidae | Lep | sack-bearers | Neotrop | Colombia (DeFoliart 2002) | syn Lacosomidae | larva | |
| Morphinae gen. | | Morphidae | Lep | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Ascalapha | odorata (L.) | Noctuidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 2011) | syn A. agarista (Cramer) | larva pupa | |
| Ascalapha | agarista (Cramer) syn | Noctuidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | see A. odorata | larva | |
| Gerra | sevorsa (Grote) | Noctuidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Helicoverpa | zea (Boddie) | Noctuidae | Lep | bollworm | Neotrop | Mexico (Ramos 2006, Ramos et al 1998 2011, DeFoliart 2002) | syn Heliothis zea | larva | |
| Heliothis | zea (Boddie) syn | Noctuidae | Lep | bollworm | Neotrop | Mexico (DeFoliart 2002) | see Helicoverpa | larva | |
| Latebraria | amphipyroides Guenée | Noctuidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | M | larva | |
| Mocis | punctularis Hübner | Noctuidae | Lep | | Neotrop | Colombia (DeFoliart 2002) | syn M. repanda | larva | |
| Mocis | repanda F. syn | Noctuidae | Lep | | Neotrop | Colombia (DeFoliart 2002) | see M. punctularis | larva | |
| Noctuidae gen. | | Noctuidae | Lep | | Neotrop | Colombia Venezuela (DeFoliart 2002) | | larva | |
| Spodoptera | exigua (Hübner) | Noctuidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Spodoptera | frugiperda (Smith) | Noctuidae | Lep | black armyworm | Neotrop | Colombia Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002) | | larva | |
| Spodoptera sp. | | Noctuidae | Lep | | Neotrop | Mexico (Ramos 2009, Ramos et al 2011) | | larva | |
| Thysania | agrippina (Cramer) | Noctuidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva | |
| Notodontidae gen. | | Notodontidae | Lep | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Anartia | fatima (F.) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Brassolis | astyra Godart | Nymphalidae | Lep | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Brassolis | sophorae (L.) | Nymphalidae | Lep | | Neotrop | Brazil (Costa Neto & Ramos 2006) Ecuador (Onore 2005) | | larva | |
| Caligo | memnon Felder | Nymphalidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Chlosyne | lacinia (Geyer) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Danaus | gilippus thersippus (Bates) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Danaus | plexippus (L.) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | adult | |
| Hamadryas sp. | | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Junonia | lavinia Cramer | Nymphalidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Morpho sp. | | Nymphalidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------|--------------------------------------|--------------|-------|------------------------|---------|--|---|-------------|--|
| Nymphalis | antiopia (L.) | Nymphalidae | Lep | mourning cloak | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva | |
| Panacea | prola Doubleday | Nymphalidae | Lep | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Pareuptychia | metaleuca (Boisduval) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | | |
| Vanessa | annabella (Field) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva pupa | |
| Vanessa | virginiensis (Drury) | Nymphalidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva pupa | |
| Papilio | multicaudata (Kirby) | Papilionidae | Lep | two tailed swallowtail | Neotrop | Mexico (Ramos et al 2011) | syn Pterourus | larva | |
| Papilio | polyxenes F. | Papilionidae | Lep | black swallowtail | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Protographium | philolaus (Boisduval) | Papilionidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Pterourus | multicaudata (Kirby) syn | Papilionidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | see Papilio | larva | |
| Phalaenidae gen. | | Phalaenidae | Lep | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Catasticta | flisa (H.-S.) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Catasticta | nimbice (Boisduval) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Catasticta | teutila (Doubleday) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 1998 2011, DeFoliart 2002) | | larva pupa | |
| Eucheira | socialis Westw. | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 1998 2001, DeFoliart 2002) | | larva | |
| Eurema | lisa (B. & LeC.) | Pieridae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Eurema | salome jamapa (Reakirt) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Leptophobia | aripa (Boisduval) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Phoebis | agarithe (Boisduval) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Phoebis | philea (L.) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Phoebis | sennae marcellina (Cramer) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Pieris sp. | | Pieridae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Pontia | protodice (B. & LeC.) | Pieridae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Synchlœ check syn | callidice (Hubner) | Pieridae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see Pontia callidice this a Pal. sp. ? P. protodice | larva | |
| Psychidae gen. | | Psychidae | Lep | | Neotrop | Mexico (DeFoliart 2002) | | bagworm tea | |
| Laniifera | cyclades (Druce) | Pyrilidae | Lep | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998 2011, DeFoliart 2002) | | larva | |
| Myelobia (Morpheis) | smerintha Hubner | Pyrilidae | Lep | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | larva | |
| Actias | luna (L.) | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva | |
| Actias | truncatipennis (Sonthonnax) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Antheraea | polyphemus (Cramer) | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa | |
| Antheraea | polyphemus mexicana Hoffmann | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Arsenura | armida (Cramer) | Saturniidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 2011) | | larva | |
| Arsenura | polyodonta (Jordan) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Caio | championi (Druce) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Caio | richardsoni (Druce) | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | syn Arsenura richardsoni Druce | larva pupa | |
| Callosamia | promethea Drury | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | larva pupa | |
| Eacles | aff. ormondei yacatanensis (Lemaire) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------|-----------------------|-------------------|-------------|--------------------|---------|---|-----------------------------|----------------|--|
| Eacles sp. | | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Hemileuca sp. | | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Hyalophora sp. | | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva pupa | |
| Hylesia | coinopus Dyar | Saturniidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva pupa | |
| Hylesia | frigida Schaus | Saturniidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 2011) | | larva pupa | |
| Hylesia sp. | | Saturniidae | Lep | | Neotrop | Mexico (DeFoliart 2002, Ramos et al 2011) | | larva | |
| Latebraria | amphipyroides Guenée | Saturniidae | Lep | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Paradirphia | fumosa (Felder) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Paradirphia | hoegei (Druce) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Pseudodirphia | mexicana (Bouvier) | Saturniidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | adult | |
| Saturniidae gen. | | Saturniidae | Lep | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Synanthedon | cardinalis (Dampf) | Sesiidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | | |
| Cocytius | antaeus (Drury) | Sphingidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva | |
| Erinyis | ello (L.) | Sphingidae | Lep | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Hyles | lineata (F.) | Sphingidae | Lep | | Neotrop | Mexico (DeFoliart 2002) | | larva | |
| Manduca | sexta (L.) | Sphingidae | Lep | | Neotrop | Mexico (Ramos & Pino Moreno 2002, Ramos et al 2011) | | larva adult | |
| Manduca sp. | | Sphingidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva adult | |
| Pachilia | ficus (L.) | Sphingidae | Lep | | Neotrop | Mexico (Ramos et al 2011) | | larva | |
| Sphingidae gen. | | Sphingidae | Lep | | Neotrop | Colombia (DeFoliart 2002) | | larva | |
| Corydalus | cornutus (L.) | Corydalidae | Megaloptera | eastern dobson fly | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Corydalus sp. | | Corydalidae | Megaloptera | dobsonflies | Neotrop | Colombia Mexico (Ramos et al 1998, DeFoliart 2002) Venezuela (Araujo & Beserra 2007) | | larva | |
| Aeschna sp. | | Aeschnidae | Odonata | | Neotrop | Mexico (Ramos et al 1998) | | nymph | |
| Anax sp. | | Aeschnidae | Odonata | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Coryphaeschna | adnexa (Hagen) | Aeschnidae | Odonata | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Rhionaeschna | brevifrons (Hagen) | Aeschnidae | Odonata | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Rhionaeschna | marchali (Rambur) | Aeschnidae | Odonata | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Rhionaeschna | multicolor (Hagen) | Aeschnidae | Odonata | | Neotrop | Mexico (Ramos et al 1998) | | nymph | |
| Rhionaeschna | peralta (Ris) | Aeschnidae | Odonata | | Neotrop | Ecuador (Onore 2005) | | larva | |
| Argia sp. | | Coenagrionidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Lauromacromia | dubitalis (Fraser) | Corduliidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Agriogomphus sp. | | Gomphidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Progomphus sp. | | Gomphidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Zonophora sp. | | Gomphidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Brechmorhoga sp. | | Libellulidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Dasythemis sp. | | Libellulidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Oxystigma sp. | | Megapodagrionidae | Odonata | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Abracris | flavolineata (DeGeer) | Acrididae | Orth | | Neotrop | Colombia Mexico (DeFoliart 2002) | syn Osmilia flavolineata | | |
| Abracris sp. | | Acrididae | Orth | | Neotrop | Colombia (DeFoliart 2002) | syn Abracris | nymph adult | |
| Aidemona | azteca (Saussure) | Acrididae | Orth | | Neotrop | Colombia (DeFoliart 2002) | | nymph adult | |
| Arphia | fallax Saussure | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|------------------------------|-----------|-------|--------------|---------|---|--|----------------|--|
| Boopedon | flaviventris Bruner | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Boopedon | sp. af. flaviventris Bruner | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Encoptolophus | herbaceus Bruner syn | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see E. otomitus | nymph adult | |
| Encoptolophus | otomitus (Saussure) | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | syn Encoptolophus herbaceus Bruner | nymph adult | |
| Melanoplus | femurrubrum (DeGeer) | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Melanoplus | mexicanus (Sauss.) | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Melanoplus | sumichrasti (Saussure) | Acrididae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Melanoplus sp. | | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Ochrotettix | cer. salinus Bruner | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Opeia sp. | | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Orphula | azteca (Saussure) | Acrididae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Orphulella sp. | | Acrididae | Orth | | Neotrop | Colombia (DeFoliart 2002) | | nymph adult | |
| Osmilia syn | flavolineata DeGeer | Acrididae | Orth | | Neotrop | Colombia (DeFoliart 2002) | see Abracris flavolineata | | |
| Plectrotetra syn | nobilis Walk. | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see Rhammatocerus viatorius viatorius (Sauss.) | nymph adult | |
| Rhammatocerus | nobilis Walk. syn | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see Rhammatocerus viatorius viatorius (Sauss.) | nymph adult | |
| Rhammatocerus | schistocercoides (Rhen) | Acrididae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | nymph adult | |
| Rhammatocerus | viatorius viatorius (Sauss.) | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | syn Plectrotettix nobilis Wik. | nymph adult | |
| Rhammatocerus sp. | | Acrididae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | nymph | |
| Schistocerca | cancellata cancellata(Serv.) | Acrididae | Orth | | Neotrop | South America (DeFoliart 2002) | | | |
| Schistocerca | cancellata paranensis(Serv.) | Acrididae | Orth | | Neotrop | South America Mexico (DeFoliart 2002) | | | |
| Schistocerca | nitens (Thunberg) | Acrididae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M syn Schistocerca vaga vaga | nymph adult | |
| Schistocerca sp. | | Acrididae | Orth | | Neotrop | South America Mexico (Ramos et al 1998, DeFoliart 2002) Ecuador (Onore 2005) | | nymph adult | |
| Schistocerca syn | vaga vaga (Scudder) | Acrididae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | see S. nitens | nymph adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------|--------------------------------|-----------------|-------|------------------------|---------|---|--|----------------|--|
| Spharagemon | equale (Say) | Acrididae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Trimerotropis sp. | | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Xanthippus | corallipes (Haldeman) | Acrididae | Orth | | Neotrop | Mexico (Ramos et al 1998) West Indies (DeFoliart 2002) | | | |
| Acheta | domesticus (L.) | Gryllidae | Orth | European house cricket | Neotrop | Mexico (Ramos 2009) | | | |
| Gryllus | assimilis (F.) | Gryllidae | Orth | | Neotrop | Mexico (Ramos 2009) | | | |
| Gryllidae gen. | | Gryllidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | | |
| Gryllotalpidae gen. | | Gryllotalpidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | | |
| Sphenarium | magnum Marquez syn | Pyrgomorphidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see S. histrio magnum | nymph adult | |
| Sphenarium | mexicanum histrio Gerst. | Pyrgomorphidae | Orth | | Neotrop | Mexico (Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Sphenarium | mexicanum mexicanum Sauss. | Pyrgomorphidae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | nymph adult | |
| Sphenarium | purpurascens Charp. | Pyrgomorphidae | Orth | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002, Cerritos 2009, Ceritos & Cano-Santana 2008) | | nymph adult | |
| Sphenarium sp. | | Pyrgomorphidae | Orth | | Neotrop | Mexico (Ramos 2006, Ramos et al 1998, DeFoliart 2002) | | nymph adult | |
| Chromacris | colorata (Serville) | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Lophacris syn | | Romaleidae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | see Titanacris | adult | |
| Romalea | colorata (Serville) syn | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see Chromacris colorata | nymph adult | |
| Romalea sp. | | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Taeniopoda | auricornis (Walker) | Romaleidae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | | |
| Taeniopoda sp. | | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002, Ramos & Pino Moreno 2002) | | nymph adult | |
| Titanacris | albipes (De Geer) | Romaleidae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Titanacris sp. | | Romaleidae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | syn Lophacris | adult | |
| Tropidacris | collaris (Stoll) | Romaleidae | Orth | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Tropidacris | cristata cristata (L.) | Romaleidae | Orth | | Neotrop | Colombia (DeFoliart 2002) | | nymph adult | |
| Tropidacris | cristata latreillei (Perty) | Romaleidae | Orth | | Neotrop | Colombia (DeFoliart 2005) | | | |
| Tropinotus | mexicanus Brunner syn | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | see Xyleus discoideus mexicanus | nymph adult | |
| Xyleus | discoideus mexicanus (Bruner) | Romaleidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | syn Tropinotus mexicanus Bruner | nymph adult | |
| Stenopelmatus sp. | | Stenopelmatidae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | M | adult | |
| Conocephalus | angustifrons (Redt.) | Tettigoniidae | Orth | | Neotrop | Colombia (DeFoliart 2002) | | nymph adult | |
| Microcentrum sp. | | Tettigoniidae | Orth | | Neotrop | Mexico (DeFoliart 2002) | | nymph adult | |
| Neoconocephalus | triops (L.) | Tettigoniidae | Orth | Broad-tipped conehead | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Petaloptera | zendala Saussure | Tettigoniidae | Orth | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------|--|-----------------|--------------|----------------------------|---------|--|------------------------------------|----------------|--|
| Pyrgocorypha sp. | | Tettigoniidae | Orth | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | nymph adult | |
| Stilpnochlora | azteca (Saussure) | Tettigoniidae | Orth | | Neotrop | Mexico (Ramos et al 1998, Ramos & Pino Moreno 2002) | | nymph adult | |
| Stilpnochlora | thoracica (Serville) | Tettigoniidae | Orth | | Neotrop | Mexico (Ramos et al 1998) | | nymph adult | |
| Pediculus | humanus L. | Pediculidae | Phthiraptera | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Pediculus sp. | | Pediculidae | Phthiraptera | | Neotrop | Brazil (Costa Neto & Ramos 2006) | | adult | |
| Phylloicus sp. | | Calamoceratidae | Trich | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Leptonema sp. | | Hydropsychidae | Trich | | Neotrop | Colombia Mexico (DeFoliart 2002) Venezuela (Araujo & Beserra 2007) | | larva | |
| Oecetis | disjuncta (Banks) | Leptoceridae | Trich | | Neotrop | Mexico (Ramos & Pino Moreno 2002) | | larva | |
| Triplectides sp. | | Leptoceridae | Trich | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Marilia sp. | | Odontoceridae | Trich | | Neotrop | Venezuela (Araújo & Beserra 2007) | | larva | |
| Haplopelma | albostriatum (Simon) | Theraphosidae | Araneae | Thai zebra tarantula | Or | Cambodia (Yen et al 2013) | | | |
| Haplopelma sp. | | Theraphosidae | Araneae | spider | Or | Laos (Yhoun-Aree et al 2005) | syn Melopoeus | adult | |
| Melopoeus sp. syn | | Theraphosidae | Araneae | spider | Or | Laos (Yhoun-Aree et al 2005) | see Haplopelma | adult | |
| Xestobium sp. | | Anobiidae | Col | knock beetle | Or | India (Singh et al 2007) | | larva adult | |
| Buprestis sp. | | Buprestidae | Col | jewel beetle | Or | Thailand (DeFoliart 2002) | | adult | |
| Chrysobothris | femorata (Olivier) check Nearct | Buprestidae | Col | flat headed apple borer | Or | Thailand (DeFoliart 2002) | | larva adult | |
| Chrysochroa sp. | | Buprestidae | Col | jewel beetle | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Sternocera | aequisignata Saund. | Buprestidae | Col | jewel beetle | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoun-Aree et al 2005) | | adult | |
| Sternocera | ruficornis Saund. | Buprestidae | Col | jewel beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Sternocera | sternicornis (L.) | Buprestidae | Col | jewel beetle | Or | India (Singh et al 2007a) | | | |
| Sternocera sp. | | Buprestidae | Col | jewel beetle | Or | Thailand (DeFoliart 2002) India (Chakravorty et al 2011) | | adult | |
| Acanthophorus | serraticornis (Oliv.) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Aeolesthus sp. | | Cerambycidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Anomophysis | inscripta (Waterhouse) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | syn Macrotoma crenata | | |
| Anoplophora sp. | | Cerambycidae | Col | | Or | India (Singh et al 2007) | | adult larva | |
| Apriona | germari (Hope) | Cerambycidae | Col | Mulberry longhorn beetle | Or | Thailand Vietnam (Hanboonsong et al 2000, DeFoliart 2002, Cerritos 2009) | | larva adult | |
| Aristobia | approximator (Thomson) | Cerambycidae | Col | | Or | Thailand (Hanboonsong 2010) | | | |
| Aristobia sp. | | Cerambycidae | Col | | Or | India (Chakravorty et al 2011) | | adult | |
| Batocera | gigas (Drap.) | Cerambycidae | Col | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Batocera | numitor Newman | Cerambycidae | Col | Mango-tree longicorn borer | Or | Philippines (DeFoliart 2002) | | larva | |
| Batocera | parryi (Hope) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Batocera | roylei Hope | Cerambycidae | Col | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Batocera | rubus (L.) | Cerambycidae | Col | | Or | Indonesia India Sri Lanka (DeFoliart 2002) Laos (Yhoun-Aree et al 2005) | | larva | |
| Batocera | tigris (Voet) | Cerambycidae | Col | | Or | Indonesia (Roepke 1951) | syn Batocera hector Thomson | | |
| Batocera sp. | | Cerambycidae | Col | | Or | Indonesia (Chung 2003, 2010) Malaysia, Sabah (Chung et al 2002) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------------|---------------------------------|---------------|-------|-----------------------------|---------|---|--|-------|--|
| Celosterna | scabrator (F.) | Cerambycidae | Col | Babul-root boring longicorn | Or | India (DeFoliart 2002) | | | |
| Celosterna sp. | | Cerambycidae | Col | | Or | India (DeFoliart 2002) | | | |
| Diastocera | wallichii Hope | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Dorysthenes | buqueti (Guérin-M.) | Cerambycidae | Col | | Or | Thailand (Utsunomiya & Matsumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) India (Singh et al 2007a, as Lapnosternus) | syn Lophosternus buqueti | adult | |
| Dorysthenes | granulosus (Thomson) | Cerambycidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Dorysthenes | montanus (Guérin-M.) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Dorysthenes | walkerii (Waterhouse) | Cerambycidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Glenea | cantor obesa (Thoms.) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Hoplocerambyx | spinicornis (Newman) | Cerambycidae | Col | Sal heartwood borer | Or | Malaysia (DeFoliart 2002) India (Singh et al 2007a) | | larva | |
| Hoplocerambyx sp. | | Cerambycidae | Col | | Or | India (Singh et al 2007) | | adult | |
| Lophosternus syn | buqueti Guérin-M. | Cerambycidae | Col | | Or | India (Singh et al 2007a) | see Dorysthenes buqueti | | |
| Macrotoma | crenata Newman syn | Cerambycidae | Col | | Or | India (Singh et al 2007a) | see Anomophysis inscripta (Waterhouse) | | |
| Macrotoma | fisheri (Waterhouse) syn | Cerambycidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | see M. pascoei (Lansberge) | adult | |
| Macrotoma | pascoei (Lansberge) | Cerambycidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | syn M. fisheri (Waterhouse) | adult | |
| Macrotoma sp. | | Cerambycidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Neocerambyx | paris (Wiedemann) | Cerambycidae | Col | | Or | India (DeFoliart 2002) | | | |
| Neoplocaederus | obesus (Gahan) | Cerambycidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | syn Plocaderus | | |
| Neoplocaederus | ruficornis (Newman) | Cerambycidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | syn Plocaderus | | |
| Nupserha | fricator (Dalm.) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Oplatocera sp. | | Cerambycidae | Col | | Or | India (Chakravorty et al 2011) | | adult | |
| Plocaderus syn | | Cerambycidae | Col | | Or | Thailand (Hanboonsong 2010) | see Neoplocaderus | | |
| Pseudonemophas | versteegii (Ritsema) | Cerambycidae | Col | | Or | India (Chakravorty et al 2011) | syn Monochamus versteegii | adult | |
| Rhaphipodus sp. | | Cerambycidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Stromatium | barbatum F. | Cerambycidae | Col | Kulsi Teak borer | Or | India (Singh et al 2007a) | | | |
| Threnetica | lacrymans (Thoms.) | Cerambycidae | Col | | Or | Laos (Yyoung-Aree et al 2005) | | | |
| Xylorhiza sp. | | Cerambycidae | Col | | Or | India (Chakravorty et al 2011) | | larva | |
| Xylotrechus | quadripes Chevrolat | Cerambycidae | Col | Coffee-borer | Or | India (Singh et al 2007) | | | |
| Xylotrechus | smei (Lap. & Gory) | Cerambycidae | Col | | Or | India (Singh et al 2007a) | | | |
| Xystrocera | globosa (Oliv.) | Cerambycidae | Col | monkeypod roundheaded borer | Or | India (DeFoliart 2002) | | | |
| Xystrocera sp. | | Cerambycidae | Col | | Or | India (DeFoliart 2002) | | | |
| Aplosomyx | albicornis Wiedemann | Chrysomelidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Aplosomyx | chalybaeus (Hope) | Chrysomelidae | Col | | Or | India (Singh et al 2007a) | | | |
| Sagra | femorata (Drury) | Chrysomelidae | Col | | Or | Laos (Yyoung-Aree et al 2005) | | | |
| Arrhines | hirtus Faust | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Arrhines sp. | | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Astycus | gestroi Marshall | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Cnaphoscapus check | decoratus Faust | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | ? Anisomus decoratus Roelofs | | |
| Episomus | aurivilliusi Faust syn | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | see Episomus humeralis | | |
| Episomus | humeralis Chevrolat | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010)) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------------|------------------------------|----------------|-------|------------------------|---------|---|---|-------------|--|
| Episomus sp. | | Curculionidae | Col | | Or | Thailand (Hanboonsong 2010) | Septiomus is misspelling | | |
| Hypodisa check | talaca Walk. | Curculionidae | Col | | Or | Thailand (DeFoliart 2002) | Hyposidra talaca (Walker) (Geometridae) | adult | |
| Hypomeces | squamosus (Fabr.) | Curculionidae | Col | gold-dust weevil | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | adult | |
| Pachyrrhynchus | moniliferus (Germ.) | Curculionidae | Col | | Or | Philippines (DeFoliart 2002) | | adults | |
| Pollendera | atomaria Motsch. | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Sitophilus | oryzae (L.) | Curculionidae | Col | | Or | whole region (Taylor 1975, VanHuis 2013) | as storage pest | all stages | |
| Tanymecus sp. | | Curculionidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Cyrtotrachelus | birmanicus Faust | Dryophthoridae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Cyrtotrachelus | buqueti (Guér.) | Dryophthoridae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Cyrtotrachelus | longimanus (F.) | Dryophthoridae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) India (Singh et al 2007a) | | adult | |
| Cyrtotrachelus | rufopectinipes Chevrolat | Dryophthoridae | Col | | Or | India (Singh et al 2007a) | | | |
| Cyrtotrachelus sp. | | Dryophthoridae | Col | | Or | India (Singh et al 2007) | | larva | |
| Protocerius sp. | | Dryophthoridae | Col | giant weevil | Or | Indonesia (Chung 2003, 2010) | | larva | |
| Rhynchophorus | ferrugineus (Oliv.) | Dryophthoridae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000,) | | adult | |
| Rhynchophorus | ferrugineus schah Fabr. | Dryophthoridae | Col | red stripe weevil | Or | Thailand Indonesia Malaysia Philippines Vietnam Sri Lanka (DeFoliart 2002, Meer, v.d. Mohr 1965, Lukiwati 2010, Chung et al 2002) Thailand (Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | var. of R. ferrugineus? | larva adult | |
| Copelatus sp. | | Dytiscidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Cybister | guerini Aubé | Dytiscidae | Col | | Or | Indonesia (Ramos et al 2009) | | | |
| Cybister | limbatus (F.) | Dytiscidae | Col | diving beetle | Or | Thailand (DeFoliart 2002, Hanboonsong, \ et al 2000, Hanboonsong 2010), Laos (Yhoung-Aree et al 2005) | | adult | |
| Cybister | rugosus (MacLeay) | Dytiscidae | Col | diving beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | | |
| Cybister | tripunctatus (Olivier) | Dytiscidae | Col | diving beetle | Or | Thailand (DeFoliart 2002) Indonesia (Meer, v.d. Mohr 1965) | | larva adult | |
| Cybister | tripunctatus asiaticus Sharp | Dytiscidae | Col | diving beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Cybister sp. | | Dytiscidae | Col | diving beetle | Or | Vietnam (DeFoliart 2002) Laos Thailand Cambodia Myanmar (Ramos et al 2009) Malaysia, Sabah (Chung et al 2002) India (Singh et al 2007) | | adult | |
| Dytiscus sp. | | Dytiscidae | Col | | Or | India (Singh et al 2007) | | adult | |
| Eretes | sticticus (L.) | Dytiscidae | Col | twinpoes diving beetle | Or | Myanmar India (DeFoliart 2002) Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) Malaysia (Ramos et al 2009) | | larva adult | |
| Hydaticus | rhantoides Sharp | Dytiscidae | Col | diving beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Laccophilus | pulicarius Sharp | Dytiscidae | Col | diving beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Rhantaticus | congestus (Klug) | Dytiscidae | Col | diving beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Cardiophorus check | aequabilis Candéze | Elateridae | Col | click beetle | Or | India (Singh et al 2007a) | | | |
| Haliplidae gen. | | Haliplidae | Col | crawling waterbeetles | Or | Thailand (DeFoliart 2002) | | adult | |
| Hydrobiomorpha | spinicollis (Eschscholtz) | Hydrophilidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Hydrophilus | acuminatus Motsch. | Hydrophilidae | Col | | Or | India (Ramos et al 2009) | syn H. pallidipalpis Mac Leay | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|---------------------------|---------------|-------|-------------------------|---------|---|--|-------------|--|
| Hydrophilus | bilineatus (MacLeay) | Hydrophilidae | Col | | Or | Thailand (Hanboonsong et al 2000, Vietnam (DeFoliart 2002) | ? <i>H. bilineatus</i> cashmirensis (Redtenbacher) different subspecies | adult | |
| Hydrophilus | cavisternum (Bedel) | Hydrophilidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) Laos (Yhoun-Aree et al 2005) Vietnam (Ramos et al 2009) | syn <i>Hydrous cavisternum</i> | adult | |
| Hydrophilus | hastatus (Herbst) | Hydrophilidae | Col | | Or | Vietnam (DeFoliart 2002) Laos Thailand Cambodia Myanmar (Ramos et al 2009) | | adult | |
| Hydrophilus | olivaceus F. | Hydrophilidae | Col | | Or | India (DeFoliart 2002) Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Hydrophilus | picicornis Chev. | Hydrophilidae | Col | | Or | Philippines (DeFoliart 2002) | | | |
| Hydrophilus sp. | | Hydrophilidae | Col | water scavenger beetles | Or | Thailand (DeFoliart 2002) as <i>Hydrous</i> , India (Singh et al 2007) | | adult | |
| Hydrophilus syn | pallidipalpis McLeay | Hydrophilidae | Col | | Or | India (Ramos et al 2009) | see <i>Hydrophilus acuminatus</i> Motsch. | | |
| Sternolophus | rufipes (F.) | Hydrophilidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Calcodes sp. | | Lucanidae | Col | | Or | India (Singh et al 2007) | | adult larva | |
| Cyclommatus | pahangensis (Nagel) | Lucanidae | Col | | Or | India (Singh et al 2007) | | adult larva | |
| Cyclommatus | strigiceps albersi Kraatz | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Dorcus sp. | | Lucanidae | Col | | Or | India (Chakravorty et al 2011) Malaysia, Sabah (Chung et al 2002) | | larva adult | |
| Hexarthrius | forsteri (Hope) | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Hexarthrius sp. | | Lucanidae | Col | | Or | India (Singh et al 2007) | | adult | |
| Lucanus | cantori (Hope) | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Lucanus | laminifer Waterhouse | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Odontolabis | cuvera Hope | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Odontolabis | gazella (F.) | Lucanidae | Col | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Odontolabis | siva Hope & Wetson | Lucanidae | Col | | Or | India (Singh et al 2007a) | | | |
| Odontolabis sp. | | Lucanidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) Indonesia, Kalimantan (Chung 2003) | | | |
| Prosopocoilus sp. | | Lucanidae | Col | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Mylabris | cichorii (L.) syn | Meloidae | Col | | Or | India (Singh et al 2007a) | see <i>Myrabilis variabilis</i> (Pallas) | | |
| Mylabris | himalayaensis Saha | Meloidae | Col | | Or | India (Singh et al 2007a) | | | |
| Mylabris | variabilis (Pallas) | Meloidae | Col | | Or | India (Singh et al 2007a) | syn <i>Myrabilis chichorii</i> (L.) | | |
| Epuraea sp. | | Nitidulidae | Col | | Or | India (Singh et al 2007) | | adult | |
| Aceraius | helferi Kuwert | Passalidae | Col | | Or | India (Singh et al 2007a) | | | |
| Aceraius sp. | | Passalidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Aulacocyclus syn | bicuspi Kaup | Passalidae | Col | | Or | India (Singh et al 2007a) | see <i>Taeiocerus</i> | | |
| Aulacocyclus sp. | | Passalidae | Col | | Or | India (Singh et al 2007) | | larva adult | |
| Odontotaenius sp. | | Passalidae | Col | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Passalus | interruptus (L.) | Passalidae | Col | | Or | India (DeFoliart 2002) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life |
|-----------------------------|--------------------------------|--------------|-------|--------------|---------|--|---------------------------|-------------|
| Taeniocerus | bicuspis (Kaup.) | Passalidae | Col | | Or | India (Singh et al 2007a) | syn Aulacocyclus | |
| Adoretus | compressus (Weber) | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult |
| Adoretus | convexus Burm. | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult |
| Adoretus | pachysomatus Kobayashi | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Adoretus sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Agestrata | orichalca (L.) | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult |
| Agestrata sp. | | Scarabaeidae | Col | | Or | India (Singh et al 2007) | | adult |
| Allomyrina | dichotoma (L.) | Scarabaeidae | Col | | Or | India (Singh et al 2007, Chakravorty et al 2011) | syn Tripoxylus dichotomus | larva adult |
| Anomala | anguliceps Arrow | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult |
| Anomala | antiqua Gyll. | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) | | adult |
| Anomala | bilunulata Fairm. Check | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Anomala | blaisei Ohaus | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | cantori (Hope) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | chalcites Sharp | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Anomala | concha Ohaus | Scarabaeidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | |
| Anomala | coxalis Bates | Scarabaeidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | |
| Anomala | cupripes (Hope) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | adult |
| Anomala | fusikibia Lin | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | laotica Frey | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Anomala | lasiochneis Ohaus | Scarabaeidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | |
| Anomala | latefemorata (Ohaus) | Scarabaeidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | |
| Anomala | lignea Arrow | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | | adult |
| Anomala | parallela Benderitter | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | pallidae F. | Scarabaeidae | Col | | Or | Thailand (Hanboonsong 2010) | | |
| Anomala | punctulicollis Fairmaire | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | rugosa Arrow | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult |
| Anomala | shanica Arrow | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Anomala | scherei Frey | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Anomala | vuilletae Paulian | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Anomala sp. | | Scarabaeidae | Col | | Or | India (Chakravorty et al 2011) | | adult |
| Aphodius (Pharaphodius) | crenatus Harold | Scarabaeidae | Col | | Or | Thailand (Hanbongsoon et al 2000, Hanboonsong 2010) | | |
| Aphodius (Pharaphodius) | marginellus (F.) | Scarabaeidae | Col | | Or | Thailand (Hanbongsoon et al 2000, Hanboonsong 2010) | | |
| Aphodius (Pharaphodius) | putearius Reitter | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Aphodius (Pharaphodius) sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong 2010) | | |
| Apogonia sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002, Hanboonsong 2010) | | adult |
| Brahmina | mikado T. Itoh | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Brahmina | parvula Moser | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult |
| Cassolus | humeralis Arrow | Scarabaeidae | Col | | Or | India (Singh et al 2007a) | | |
| Catharsius | birmanensis Lansberge | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult |
| Catharsius | molossus (L.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult |
| Catharsius sp. | | Scarabaeidae | Col | | Or | India (Chakravorty et al 2011) | | adult |
| Chaetadoretus | cribratus (White) | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Chalcosoma | atlas (L.) | Scarabaeidae | Col | | Or | Malaysia (DeFoliart 2002) as Megasoma actaeon L., but this a Neotropical sp., Malaysia, Sabah (Chung et al 2002) Indonesia (Meer, v.d. Mohr 1965, Lukiwati 2010) | | larva |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------------|-------------------------------|--------------|-------|--------------|---------|---|---|------------------|--|
| Chalcosoma | moellenkampi Kolbe | Scarabaeidae | Col | | Or | Indonesia (Chung 2003, 2010) Malaysia, Sabah (Chung et al 2002) | | larva | |
| Copris (Microcopris) | reflexus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Copris (Paracopris) | punctulatus Wiedemann | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) India (Singh et al 2007a) | or Copris punctatus Gillet | adult | |
| Copris (s.str.) | carinicus Gillet | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Copris | corpulentus Gillet | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) India (Singh et al 2007a) | | adult | |
| Copris | furciceps Felsche | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) India (Singh et al 2007a) | | adult | |
| Copris | sinicus Hope | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Copris (s.str.) | nevinsoni Waterhouse | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | | |
| Copris | vitalisi Gillet | Scarabaeidae | Col | | Or | India (Singh et al 2007a) | | | |
| Copris sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Empectida | tonkinensis Moser | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | | |
| Eupatorus | gracilicornis Arrow | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Exolontha | castanea Zhang | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Exopholis | hypoleuca (Wiedemann) | Scarabaeidae | Col | | Or | Indonesia (Meer, v.d. Mohr 1965, DeFoliart 2002) Malaysia, Sabah (Chung et al 2002) | | adult | |
| Exopodus sp. check | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Gymnopleurus syn | aethiops Sharp | Scarabaeidae | Col | dung beetle | Or | Laos (Yhoung-Aree et al 2005) | see Paragymnopleurus melanarius | | |
| Helicopris | bucephalus (F.) | Scarabaeidae | Col | dung beetle | Or | Myanmar (DeFoliart 2002) Thailand (Utsunomiya & Masumoto, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) India (Singh et al 2007a) | | adult larva pupa | |
| Helicopris | dominus Bates | Scarabaeidae | Col | dung beetle | Or | Laos (Yhoung-Aree et al 2005) | | | |
| Helicopris sp. | | Scarabaeidae | Col | dung beetle | Or | Thailand (DeFoliart 2002) | | adult | |
| Heteronychus | lioderes Redtenbacher | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Holotrichia | cephalotus (Burmeister) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Holotrichia | hainanensis Chang | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Holotrichia | nigricollis Brenske | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | | adult | |
| Holotrichia | nigricollis rubricollis Moser | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Holotrichia sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | adult | |
| Hoplosternus | malaccensis Moser | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | syn Melolontha malaccensis (Moser) | adult | |
| Lepidiota | bimaculata (Saunders) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Lepidiota | punctum Blanch. | Scarabaeidae | Col | | Or | Philippines (DeFoliart 2002) | | adult | |
| Lepidiota | stigma (F.) | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) Indonesia (Meer, v.d. Mohr 1965, Chung 2003, 2010) India (Singh et al 2007) | | larva adult | |
| Lepidiota sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) India (Chakravorty et al 2011) | | larva adult | |
| Leucopholis | irrorata Chevr. | Scarabaeidae | Col | | Or | Philippines (DeFoliart 2002, Adalla et al 2010) | | adult | |
| Leucopholis | pulverulenta Burm. | Scarabaeidae | Col | | Or | Philippines (DeFoliart 2002) | | adult | |
| Leucopholis | staudingeri Brenske | Scarabaeidae | Col | | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Leucopholis | rorida (F.) | Scarabaeidae | Col | | Or | Indonesia (DeFoliart 2002) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|---------------------------------|--------------|-------|----------------------------|---------|---|--------------------------------|------------------|--|
| Leucopholis sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Liatongus | affinis (Arrow) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Liatongus syn | rhadamistus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong 2010) | see Scaptodera | adult | |
| Liatongus | tridentatus (Boucomont) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Liatongus | venator (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Maladera sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Megistophylla | andrewsi Moser | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Melolontha syn | malaccensis (Moser) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Mimela | ferreroi Sabatinelli | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Mimela | ignistriata Lin | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 2000) | | adult | |
| Mimela | linpingi Sabatinelli | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Mimela | schulzei Sabatinelli | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | | adult | |
| Miridiba | tuberculipennis obscura T. Itoh | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Oniticellus | cinctus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Onitis | castaneus Redtenbacher | Scarabaeidae | Col | | Or | India (Singh et al 2007a) | | | |
| Onitis | falcatus (Wulfen) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | syn O. kiuchii Masumoto | adult | |
| Onitis | feae Felsche | Scarabaeidae | Col | | Or | India (Singh et al 2007a) | | | |
| Onitis | kiuchii Masumoto syn | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | see O. falcatus (Wulfen) | adult | |
| Onitis | niger Lansberge | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Onitis | subopacus Arrow | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) India (Singh et al 2007) | | adult | |
| Onitis | virens Lansberge | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Onitis sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Onthophagus | avocetta Arrow | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Onthophagus | bonus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | khonmiinitnoi Masumoto | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Onthophagus | luridipennis Boheman | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Onthophagus | orientalis Harold | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | papulatus Boucomont | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Onthophagus | proletarius Harold | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Onthophagus | rectecornutus Lansberge | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Onthophagus | sagittarius (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | seniculus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, 2000, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | taurus White | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Onthophagus | tragus (F.) | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | tricornis (Wiedemann) | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | trituber (Wiedemann) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus | tragoides Boucomont | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Onthophagus sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002, Hanboonsong 2010) | | adult | |
| Oryctes | rhinoceros (L.) | Scarabaeidae | Col | Asiatric rhinoceros beetle | Or | Thailand Myanmar Philippines India (DeFoliart 2002) Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Malaysia, Sabah (Chung et al 2002) India (Singh et al 2007) | | larva pupa adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------------------|---------------------------|-----------------|--------------------------|---------------------|---------|---|------------------------------------|-------------|--|
| Pachnessa sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Paragymnopleurus | melanarius (Harold) | Scarabaeidae | Col | dung beetle | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoun-Aree et al 2005) | syn Gymnopleurus melanarius Harold | | |
| Paraphytus | hindu Arrow | Scarabaeidae | Col | | Or | India (Singh et al 2007a) | | | |
| Polyphylla | tonkinensis DeWailly | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Propomacrus sp | | Scarabaeidae | Col | | Or | India (Chakravorty et al 2011) | | adult | |
| Protaetia sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Psilopholis sp. | ? vestita (Sharp) | Scarabaeidae | Col | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Psilopholis sp. | | Scarabaeidae | Col | | Or | Thailand (DeFoliart 2002) | | adult | |
| Scaptodera | rhadamistus (F.) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) | syn Liatongus rhadamistus (F.) | adult | |
| Sophrops | abscensus Brenske | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Sophrops | bituberculatus (Moser) | Scarabaeidae | Col | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Sophrops | brunneus (Moser) | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | | adult | |
| Sophrops | excisus T. Itoh | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Sophrops | foveatus (Moser) | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Sophrops | opacidorsalis T. Itoh | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Sophrops | paucisetosa Frey | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Sophrops | planicollis (Burmeister) | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | syn Holotrichia planicollis | adult | |
| Sophrops | rotundicollis T. Itoh | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999, Hanboonsong 2010) | | adult | |
| Sophrops | simplex Frey | Scarabaeidae | Col | | Or | Thailand (Utsunomiya & Masumoto 1999) | | adult | |
| Sophrops | tonkinensis (Moser) | Scarabaeidae | Col | | Or | Thailand (Masumoto & Utsunomiya 1998) | | adult | |
| Sophrops sp. | | Scarabaeidae | Col | | Or | Thailand (Hanboonsong 2010) | | | |
| Xylotrupes | gideon (L.) | Scarabaeidae | Col | | Or | Thailand Myanmar India (DeFoliart 2002) Malaysia, Sabah (Chung et al 2002) Thailand (Utsunomiya & Masumoto 1999, Hanboonsong et al 2000, Hanboonsong 2010) Indonesia (Meer, v.d. Mohr 1965) Laos (Yhoun-Aree et al 2005) India (Chakravorty et al 2011) | | larva adult | |
| Palembus | dermestoides (Fairm.) | Tenebrionidae | Col | Korean bug | Or | Philippines (Adalla et al 2010) | | | |
| Trictenotoma sp. | | Trictenotomidae | Col | | Or | India (Chakravorty et al 2011) | | adult | |
| Gromphadorhina sp. check | | Blaberidae | Dictyoptera Blattodea | | Or | India (Singh et al 2007) | not Oriental! (Madag. Austr.) | adult | |
| Panesthia sp. | | Blaberidae | Dictyoptera Blattodea | jungle cockroach | Or | Malaysia, Sabah (Chung et al 2002) | | adult | |
| Blatta | orientalis L. | Blattidae | Dictyoptera Blattodea | | Or | Thailand (DeFoliart 2002) | | egg adult | |
| Neostylopyga | rhombifolia (Stoll) | Blattidae | Dictyoptera Blattodea | harlequin cockroach | Or | Thailand (DeFoliart 2002) | | egg adult | |
| Cryptocercus sp. | | Cryptocercidae | Dictyoptera Blattodea | | Or | India (Singh et al 2007) | | adult | |
| Gongylus | gongyloides L. | Empusidae | Dictyoptera Mantodea | | Or | India (Singh et al 2007) | | egg adult | |
| Hierodula | coarctata Saussure | Mantidae | Dictyoptera Mantodea | | Or | India (DeFoliart 2002) | | | |
| Hierodula | venosa Olivier | Mantidae | Dictyoptera Mantodea | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn H. vitrea (Stoll) | | |
| Hierodula | vitrea (Stoll) syn | Mantidae | Dictyoptera Mantodea | | Or | Indonesia (Meer, v.d. Mohr 1965) | see H. venosa Ol. | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|--|----------------|-------------------------|----------------------|---------|--|---|----------------|--|
| Hierodula | westwoodi Kirby | Mantidae | Dictyoptera Mantodea | | Or | India (DeFoliart 2002) | | | |
| Hierodula sp. | | Mantidae | Dictyoptera Mantodea | Giant Asian Mantis | Or | Thailand (DeFoliart 2002) Laos (Yhoung-Aree et al 2005) | | egg adult | |
| Mantis | religiosa (L.) | Mantidae | Dictyoptera Mantodea | European mantid | Or | Thailand (Hanboonsong 2010) India (Singh et al 2007) | | egg adult | |
| Mantidae gen. | | Mantidae | Dictyoptera Mantodea | | Or | Indonesia, Kalimantan (Chung 2003) | | adult | |
| Tenodera | sinensis Sauss. | Mantidae | Dictyoptera Mantodea | Chinese mantis | Or | Thailand (Hanboonsong et al 2000, DeFoliart 2002) Indonesia (Meer, v.d. Mohr) | syn H. aridifolia var. sinensis Sauss. | adult | |
| Tenodera | aridifolia sinensis Saussure syn | Mantidae | Dictyoptera Mantodea | | Or | Thailand (Hanboonsong 2010) | see T. sinensis Saussure | | |
| Tenodera sp. | | Mantidae | Dictyoptera Mantodea | | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Calliphora syn | megacephala F. | Calliphoridae | Diptera | | Or | India (Singh et al 2007) | see Chrysomya | larva | |
| Chrysomya | megacephala (Fabr.) | Calliphoridae | Diptera | oriental latrine fly | Or | India (Singh et al 2007) | syn Calliphora megacephala F. | larva | |
| Hermetia | illucens (L.) | Stratiomyidae | Diptera | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| Cloeon | kimminsi Hubbard | Baetidae | Eph | | Or | India (Singh et al 2007) | | nymph adult | |
| Ephemera sp. | | Ephemeraeidae | Eph | | Or | India (Singh et al 2007) | | nymph adult | |
| Ephemeroptera gen. | | Ephemer. fam | Eph | | Or | Vietnam (DeFoliart 2002) Indonesia, Kalimantan (Chung 2003) | | adult | |
| Leptocoris | acuta (Thunb.) | Alydidae | Hem Het | paddy bug | Or | Indonesia (DeFoliart 2002) India (Singh et al 2007) | syn Leptocoris varicornis (F.) | adult | |
| Leptocoris | oratorius (F.) | Alydidae | Hem Het | rice bug | Or | Malaysia, Sabah (Chun et al 2002) Malaysia (Chun 2010) Indonesia, Kalimantan (Chung 2003) | | adult | |
| Diplonychus sp. | | Belostomatidae | Hem Het | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Lethocerus | indicus Lep. & Serv. | Belostomatidae | Hem Het | giant water bug | Or | Thailand (Hanboonsong et al 2000) Thailand Myanmar Malaysia Vietnam India (DeFoliart 2002, Singh et al 2007, Chakravorty 2011) Laos (Yhoung-Aree et al 2005) | | eggs adult | |
| Sphaerodema | molestum (Duf.) | Belostomatidae | Hem Het | | Or | Thailand (DeFoliart 2002) | | adult | |
| Sphaerodema | rusticum (F.) | Belostomatidae | Hem Het | | Or | Thailand (DeFoliart 2002) Indonesia (Meer, v.d. Mohr 1965) | | adult | |
| Anoplocnemis | phasianus (F.) | Coreidae | Hem Het | leaf-footed bug | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | A. phasiana = misspelling | | |
| Dalader | acuticosta Amyot & Serv. | Coreidae | Hem Het | | Or | India (Chakravorty et al 2011) | | adult | |
| Homoeocerus sp. | | Coreidae | Hem Het | stink bug | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Mictis | tenebrosa (F.) | Coreidae | Hem Het | | Or | India (Chakravorty et al 2011) | | adult | |
| Aspongopus | chinensis Dallas | Dinidoridae | Hem Het | | Or | India (DeFoliart 2002) | syn Coridius chinensis | adult | |
| Aspongopus | nepalensis Westw. | Dinidoridae | Hem Het | | Or | India (DeFoliart 2002) | syn Coridius nepalensis | adult | |
| Coridius syn | chinensis (Dallas) | Dinidoridae | Hem Het | | Or | India (DeFoliart 2002) | see Aspongopus | adult | |
| Coridius syn | nepalensis (Westw.) | Dinidoridae | Hem Het | | Or | India (DeFoliart 2002) | see Aspongopus | adult | |
| Cyclopelta | subhimalayensis Strickl. | Dinidoridae | Hem Het | | Or | India (DeFoliart 2002) | | adult | |
| Cylindrostethus | scrutator (Kirkaldy) | Gerridae | Hem Het | water strider | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Gerris | spinole (Leth.) | Gerridae | Hem Het | water strider | Or | India (DeFoliart 2002) | | | |
| Gerris sp. | | Gerridae | Hem Het | water strider | Or | India (DeFoliart 2002) | | | |
| Laccotrephes | griseus (Guer.) | Nepidae | Hem Het | water scorpion | Or | Thailand (DeFoliart 2002) | | adult | |
| Laccotrephes | robustus Stal | Nepidae | Hem Het | water scorpion | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|--------------------------------|-----------------------------|---------|--------------------|---------|--|--------------------------|-------------|--|
| Laccotrephes | ruber (L.) | Nepidae | Hem Het | water scorpion | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | | |
| Nepa sp. | | Nepidae | Hem Het | water scorpion | Or | Thailand (DeFoliart 2002) | | adult | |
| Ranatra | longipes thai Lansbury | Nepidae | Hem Het | water stick insect | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Ranatra | varipes Stal | Nepidae | Hem Het | water stick insect | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Anisops | barbata Brooks | Notonectidae | Hem Het | backswimmer | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Anisops | bouvieri Kirkaldy | Notonectidae | Hem Het | backswimmer | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Anisops sp. | | Notonectidae | Hem Het | backswimmer | Or | Laos (Yhoung-Aree et al 2005) | | | |
| Notonecta sp. | undulata Say not Asian! | Notonectidae | Hem Het | backswimmer | Or | Thailand Myanmar (DeFoliart 2002) | | adult | |
| Bagrada | picta (F.) | Pentatomidae | Hem Het | | Or | India (DeFoliart 2002) | | adult | |
| Erthesina | fullo (Thunb.) | Pentatomidae | Hem Het | | Or | India (DeFoliart 2002) | | adult | |
| Halymorpha | picus (F.) | Pentatomidae | Hem Het | stink bug | Or | India (Chakravorty et al 2011) | | adult | |
| Nezara | viridula (L.) | Pentatomidae | Hem Het | stink bug | Or | India (Singh et al 2007, Chakravorty et al 2011) Malaysia, Sabah (Chung et al 2002) Indonesia, Kalimantan (Chung 2003) | | adult | |
| Aspongopus | nepalensis Westwood | Pentatomidae Dinodoridae | Hem Het | stink bug | Or | India (Chakravorty et al 2011) | | adult | |
| Aspongopus sp. | | Pentatomidae Dinodoridae | Hem Het | stink bug | Or | India (Chakravorty et al 2011) | | adult | |
| Antilochus | coqueberti (F.) | Pyrrhocoridae | Hem Het | red bug | Or | India (Chakravorty et al 2011) | | adult | |
| Pygoplatus sp. | | Tessaratomidae | Hem Het | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Tessaratoma | javanica (Thunb.) | Tessaratomidae | Hem Het | longan stink bug | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | adult | |
| Tessaratoma | papillosa (Drury) | Tessaratomidae | Hem Het | lichi stink bug | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Tessaratoma | quadrata Distant | Tessaratomidae | Hem Het | stink bug | Or | India (Chakravorty et al 2011) | | adult | |
| Chremistica sp. | | Cicadidae | Hem Hom | | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) | syn Rihana | adult | |
| Cicadidae gen | | Cicadidae | Hem Hom | | Or | India (DeFoliart 2002) | | | |
| Cosmopsaltria sp. | | Cicadidae | Hem Hom | | Or | Thailand (DeFoliart 2002) | | adult | |
| Cryptotympana | aquila (Walker) | Cicadidae | Hem Hom | | Or | India (Singh et al 2007) | | larva adult | |
| Dundubia | jacoona Distant | Cicadidae | Hem Hom | | Or | Malaysia, Sabah (Chung et al 2002) | D. jacoona species group | adult | |
| Dundubia | rufivena Walker | Cicadidae | Hem Hom | | Or | Thailand Laos (DeFoliart 2002) | syn D. intemerata | adult | |
| Dundubia | spiculata Noualhier | Cicadidae | Hem Hom | | Or | India (Singh et al 2007) | | larva adult | |
| Dundubia sp. | | Cicadidae | Hem Hom | | Or | Malaysia (Chun 2010) Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Indonesia (Meer, v.d. Mohr 1965) | | adult | |
| Euterpnosia | crowfooti (Dist.) | Cicadidae | Hem Hom | | Or | India (Chakravorty et al 2011) | | adult | |
| Magiccada sp. | | Cicadidae | Hem Hom | | Or | Thailand (DeFoliart 2002) | | adult | |
| Meimuna | opalifera (Walker) | Cicadidae | Hem Hom | | Or | Laos (Yhoung-Aree et al 2005) | | | |
| Orientopsaltria sp. | | Cicadidae | Hem Hom | | Or | Malaysia, Sabah (Chung et al 2002) Malaysia (Chun 2010) Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Platylomia sp. | | Cicadidae | Hem Hom | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010), Indonesia (Meer, v.d. Mohr 1965) Malaysia, Sabah (Chung et al 2002) | | adult | |
| Platyleura | insignis Distant | Cicadidae | Hem Hom | | Or | Myanmar (DeFoliart 2002) | | nymph | |
| Pomponia | imperatoria (Westw.) | Cicadidae | Hem Hom | | Or | Malaysia (DeFoliart 2002) | | adult | |
| Pomponia | linearis (Walker) | Cicadidae | Hem Hom | | Or | India (Singh et al 2007) | | larva adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|--------------------------|---------------|---------|-------------------|---------|--|--|--------------------|--|
| Pomponia | merula (Distant) | Cicadidae | Hem Hom | | Or | Indonesia (Chung 2010) | | adult | |
| Pomponia sp. | | Cicadidae | Hem Hom | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Pycna | repanda (L.) | Cicadidae | Hem Hom | | Or | India (Chakravorty et al 2011) | | adult | |
| Rihana syn | | Cicadidae | Hem Hom | | Or | Thailand (DeFoliart 2002) | see Chremistica | | |
| Flatidae sp. | | Flatidae | Hem Hom | moth bug | Or | Malaysia, Sabah (Chung et al 2002) | | adult | |
| Kerria | lacca (Kerr) | Kerriidae | Hem Hom | Indian lac insect | Or | Thailand (DeFoliart 2002) | syn Laccifer lacca (Kerr) | | |
| Laccifer syn | lacca (Kerr) | Kerriidae | Hem Hom | Indian lac insect | Or | Thailand (DeFoliart 2002) | see Kerria lacca (Kerr) | | |
| Drosicha sp. | | Monophlebidae | Hem Hom | giant mealybug | Or | Laos (Nonaka, K. et al 2008) | Margarodidae fam. name is probably not valid | | |
| Apis | cerana F. | Apidae | Hym | Indian honey bee | Or | Thailand Philippines (DeFoliart 2002; Adalla et al 2010) as Apis indica F. Indonesia (Meer, v.d. Mohr 1965) India (Singh et al 2007, Chakravorty et al 2011) Malaysia Sabah (Chung et al 2002) | syn A. javana End. | larva pupa honey | |
| Apis | dorsata F. | Apidae | Hym | giant honey bee | Or | Thailand Philippines India Nepal (DeFoliart 2002, Hanboonsong et al 2000, Singh et al 2007, Adalla et al 2010) Indonesia (Meer, v.d. Mohr 1965) Malaysia, Sabah (Chun et al 2002) | syn A. dorsata laboriosa Smith | larva pupa honey | |
| Apis | florae F. | Apidae | Hym | little honey bee | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | larva pupa | |
| Apis | mellifera L. | Apidae | Hym | honey bee | Or | Thailand Malaysia Vietnam India Nepal Sri Lanka (DeFoliart 2002) as Apis sp. | | larva pupa | |
| Bombus sp. | | Apidae | Hym | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Melipona syn | minuta (Lep.) | Apidae | Hym | | Or | Indonesia (DeFoliart 2002) | see Nannotrigona | larva pupa | |
| Melipona syn | vidua (Lep.) | Apidae | Hym | stingless bee | Or | Indonesia (DeFoliart 2002) | see Trigona | larva pupa | |
| Nannotrichona | minuta (Lep.) | Apidae | Hym | stingless bee | Or | Indonesia (DeFoliart 2002) | | larva pupa | |
| Nomia sp. | | Apidae | Hym | | Or | Thailand (DeFoliart 2002) | Halictinae | larva pupa honey | |
| Trigona | biroi Friese | Apidae | Hym | stingless bee | Or | Philippines (Adalla et al 2010) | | larva pupa | |
| Trigona | vidua (Lep.) | Apidae | Hym | stingless bee | Or | Indonesia (DeFoliart 2002) | syn Melipona vidua (Lep.) | larva pupa | |
| Trigona sp. | | Apidae | Hym | stingless bee | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Xylocopa | aestuans (L.) | Apidae | Hym | carpenter bee | Or | Thailand (DeFoliart 2002), Indonesia (Meer, v.d. Mohr 1965, Lukiwati 2010), Malaysia, Sabah (Chung et al 2002) | syn X. confusa Pérez | adult larva pupa | |
| Xylocopa | confusa Perez syn | Apidae | Hym | carpenter bee | Or | Thailand (DeFoliart 2002) | see X. aestuans (L.) | adult | |
| Xylocopa | latipes (Drury) | Apidae | Hym | carpenter bee | Or | Thailand (DeFoliart 2002) India (Chakravorty et al 2011) Malaysia, Sabah (Chung et al 2002, as <i>Platynopoda</i>) | | larva pupa adult | |
| Xylocopa sp. | | Apidae | Hym | carpenter bee | Or | Sri Lanka (DeFoliart 2002) Malaysia, Sabah (Chung et al 2002) Indonesia, Kalimantan (Chung 2003) | | larva adult pollen | |
| Camponotus | gigas (Latr.) | Formicidae | Hym | giant forest ant | Or | Malaysia (Chung 2003) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|------------------------------------|-----------------|-------|-------------------------|---------|---|---------------------------------|------------------|--|
| Camponotus sp. | | Formicidae | Hym | carpenter ant | Or | Philippines (Adalla et al 2010), Indonesia (Meer, v.d. Mohr 1965) | | pupa | |
| Carebara | castanea Smith | Formicidae | Hym | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Crematogaster | vandermeermohri Menozzi | Formicidae | Hym | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Crematogaster sp. | | Formicidae | Hym | acrobat ant | Or | Thailand (DeFoliart 2002) Indonesia, Kalimantan (Chung 2003) | | larva pupa | |
| Oecophylla | smaragdina (F.) | Formicidae | Hym | green tree ant, red ant | Or | Thailand Myanmar India (DeFoliart 2002, Chakravorty et al 2011), Thailand (Hanboonsong et al 2000, Hanboonsong 2010), Laos (Yhung-Aree et al 2005) Malaysia, Sabah (Chung et al 2002) | | all stages | |
| Eumenes | petiolata F. | Vespidae | Hym | potter wasp | Or | Thailand (DeFoliart 2002) | Eumeninae | larva pupa | |
| Eumenes sp. | | Vespidae | Hym | | Or | India (Singh et al 2007) | | larva | |
| Polistes | stigma (F.) | Vespidae | Hym | hornet | Or | Laos (Yhung-Aree et al 2005) | | | |
| Polistes sp. | | Vespidae | Hym | | Or | India (Singh et al 2007) | | larva | |
| Provespa | anomala (Saussure) | Vespidae | Hym | nihtg wasp | Or | Indonesia, Kalimantan (Chung 2003) | | brood | |
| Ropalidia sp. | | Vespidae | Hym | | Or | Malaysia, Sabah (Chung et al 2002) Malaysia (Chung 2010) | | brood | |
| Vespa | affinis (L.) | Vespidae | Hym | | Or | Malaysia (Chung et al 2002) | | larva pupa | |
| Vespa | affinis indosinensis Pérez | Vespidae | Hym | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Vespa | multimaculata Perkins | Vespidae | Hym | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn Vespa malayana Beq. | | |
| Vespa | orientalis L. | Vespidae | Hym | | Or | India (Singh et al 2007, Chakravorty et al 2011) | | larva adult | |
| Vespa | tropica (L.) | Vespidae | Hym | greater banded hornet | Or | Thailand (DeFoliart 2002) as Vespa cincta, Indonesia (Meer, v.d. Mohr 1965) Malaysia, Sabah (Chung et al 2002) | | larva pupa adult | |
| Vespa | velutina auraria Smith | Vespidae | Hym | Asian predatory wasp | Or | Myanmar (DeFoliart 2002) | | larva pupa | |
| Vespa sp. | | Vespidae | Hym | | Or | Thailand (DeFoliart 2002) Laos (Yhung-Aree et al 2005) | | larva | |
| Vespa syn | luctuosa Sm. var. malayana Bequard | Vespidae | Hym | | Or | Indonesia (Meer, v.d. Mohr 1965) | see V. multimaculata | | |
| Vespula | vulgaris (L.) | Vespidae | Hym | | Or | India (Singh et al 2007) | | larva | |
| Reticulitermes | flavipes (Kollar) | Rhinotermitidae | Isopt | subterranean termite | Or | Thailand (DeFoliart 2002) | | winged adult | |
| Kalotermes | flavicollis (F.) | Termitidae | Isopt | dry wood termite | Or | Thailand (DeFoliart 2002) | | winged adult | |
| Macrotermes | gilvus (Hagen) | Termitidae | Isopt | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Malaysia, Sabah (Chung et al 2002) | | winged adult | |
| Macrotermes sp. | | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) India (Singh et al 2007) | | winged adult | |
| Microcerotermes | dubius (Haviland) syn | Termitidae | Isopt | | Or | Malaysia, Sabah (Chung et al 2002) | see M. serrula (Desneux) | winged adult | |
| Microcerotermes | serrula (Desneux) | Termitidae | Isopt | | Or | Malaysia, Sabah (Chung et al 2002) | syn M. dubius (Haviland) | winged adult | |
| Odontotermes | feae (Wasmann) | Termitidae | Isopt | | Or | India (DeFoliart 2002) | | winged adult | |
| Odontotermes | formosanus Shiraki | Termitidae | Isopt | | Or | India (Wilsanand 2005) | | queen | |
| Odontotermes sp. | | Termitidae | Isopt | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Termes check | atrox | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) | | winged adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------|-------------------------------|----------------|---------|-----------------------------|---------|---|----------------------------------|----------------|--|
| Termes check | <i>fatalis</i> L. | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) | | adults | |
| Termes check | <i>mordax</i> | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) | | adults | |
| Termes check | <i>sumatranum</i> | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) | | | |
| Termes gen. check | | Termitidae | Isopt | | Or | India (DeFoliart 2002) | | | |
| Termes syn | <i>destructor</i> | Termitidae | Isopt | | Or | Indonesia (DeFoliart 2002) | see <i>Termis fatalis</i> L. | adults | |
| <i>Diacrisia</i> | <i>obliqua</i> (Walker) | Arctiidae | Lep | | Or | India (DeFoliart 2002) | | | |
| <i>Bombyx</i> | <i>mori</i> (L.) | Bombycidae | Lep | silk worm | Or | Thailand Myanmar Vietnam India (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree 2005) | | pupa | |
| <i>Zeuzera</i> sp. (?) | | Cossidae | Lep | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| <i>Brihaspa</i> | <i>atrostigmella</i> Moore | Crambidae | Lep | | Or | Vietnam (DeFoliart 2002) | | larva pupa | |
| <i>Omphisa</i> | <i>fuscidentalis</i> Hampson | Crambidae | Lep | bamboo borer bamboo worm | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| <i>Ancistroides</i> | <i>nigrita</i> (Latr.) | Hesperiidae | Lep | chocolate demon | Or | Malaysia (Chung 2010) Malaysia, Sabah (Chung et al 2002) | | larva | |
| <i>Erionata</i> | <i>thrax</i> (L.) | Hesperiidae | Lep | banana skipper | Or | Malaysia (Chung 2010) Malaysia, Sabah (Chung et al 2002) Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Indonesia (Meer, v.d. Mohr 1965) Laos (Yhoung-Aree et al 2005) | | larva pupa | |
| <i>Hyblaea</i> | <i>puera</i> (Cramer) | Hyblaeidae | Lep | teak defoliator | Or | Indonesia (Lukiwati 2010) | | larva pupa | |
| <i>Malacosoma</i> sp. | | Lasiocampidae | Lep | | Or | India (DeFoliart 2002) | | | |
| <i>Liphyra</i> | <i>brassolis</i> Westw. | Lycaenidae | Lep | | Or | Thailand (Eastwood 2010) | in red ant nests | larva | |
| <i>Hyblaea</i> | <i>puera</i> (Cramer) | Noctuidae | Lep | teak defoliator | Or | Indonesia (DeFoliart 2002) | | larva | |
| <i>Catopsilia</i> sp. | (<i>prob. pomona</i> L.) | Pieridae | Lep | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| <i>Eurema</i> | (<i>prob. hecabe</i> L.) | Pieridae | Lep | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn Terias | | |
| <i>Antheraea</i> | <i>assama</i> Westw. | Saturniidae | Lep | muga silk-moth | Or | India (DeFoliart 2002) | | pupa | |
| <i>Antheraea</i> | <i>paphia</i> (L.) | Saturniidae | Lep | Indian tussah silkworm | Or | India (DeFoliart 2002) | | pupa | |
| <i>Antheraea</i> | <i>roylei</i> Moore | Saturniidae | Lep | | Or | India (DeFoliart 2002) | | pupa | |
| <i>Cricula</i> | <i>trifenestrata</i> (helfer) | Saturniidae | Lep | | Or | Indonesia (Roepke 1951) | | pupa | |
| <i>Samia</i> | <i>cynthia</i> (Drury) | Saturniidae | Lep | Cynthia moth | Or | India (DeFoliart 2002) | | | |
| <i>Samia</i> | <i>ricini</i> (Boisd.) | Saturniidae | Lep | eri silk-moth | Or | India (DeFoliart 2002) | <i>Samia cynthia ricini</i> ? | pupa | |
| <i>Acherontia</i> | <i>lachesis</i> F. | Sphingidae | Lep | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| <i>Acherontia</i> | <i>styx</i> Westw. | Sphingidae | Lep | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| <i>Agrius</i> | <i>convolvuli</i> (L.) | Sphingidae | Lep | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn Herse convolvuli (L.) | larva | |
| <i>Hippotion</i> | <i>celerio</i> (L.) | Sphingidae | Lep | | Or | Malaysia, Sabah (Chung et al 2002) | | larva | |
| <i>Aeschna</i> sp. | | Aeschnidae | Odonata | | Or | India (DeFoliart 2002), Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | nymph | |
| <i>Aeschnidae</i> gen. | | Aeschnidae | Odonata | | Or | Thailand (DeFoliart 2002) | | nymph | |
| <i>Anax</i> | <i>guttatus</i> (Burm.) | Aeschnidae | Odonata | hairy emperor | Or | Thailand (DeFoliart 2002), Laos (Cesard 2006), Indonesia (Meer, v.d. Mohr 1965) | | adult | |
| <i>Anax</i> sp. | | Aeschnidae | Odonata | | Or | Indonesia (DeFoliart 2002) | | nymph adult | |
| <i>Ceriagrion</i> sp. | | Coenagrionidae | Odonata | damselfly | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010), Laos (Yhoung-Aree et al 2005) | | | |
| <i>Enallagma</i> sp. | | Coenagrionidae | Odonata | | Or | India (Chakravorty et al 2011) | | larva adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------|-------------------------------|--------------|---------|----------------|---------|--|-----------------------------------|----------------|--|
| Epopthalmia | vittigera (Rambur) | Corduliidae | Odonata | | Or | Thailand (DeFoliart 2002) | | nymph | |
| Epopthalmia | vittigera bellicose Lieftinck | Corduliidae | Odonata | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Ictinogomphus | rapax (Rambur) | Gomphidae | Odonata | | Or | India (Singh et al 2007, Chakravorty et al 2011) | | larva adult | |
| Stylurus sp. (?) | | Gomphidae | Odonata | | Or | India (Chakravorty et al 2011) | | nymph | |
| Acisoma | panoroides Rambur | Libellulidae | Odonata | | Or | India (DeFoliart 2002) | | nymph | |
| Brachythemis | contaminata (F.) | Libellulidae | Odonata | | Or | India (Singh et al 2007, Chakravorty et al 2011) | | larva adult | |
| Cratilla | lineata assidua Lieftinck | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Crocothemis | servilia (Drury) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Crocothemis sp. | | Libellulidae | Odonata | river skimmers | Or | Indonesia (DeFoliart 2002) Laos (Xhoung-Aree et al 2005) | | nymph adult | |
| Diplacodes | trivialis (Rambur) | Libellulidae | Odonata | | Or | India (Singh et al 2007) | | nymph adult | |
| Diplacodes sp. | | Libellulidae | Odonata | | Or | India (Chakravorty et al 2011) | | larva | |
| Libellula | pulchella Drury check | Libellulidae | Odonata | | Or | Thailand (DeFoliart 2002) | L. pulchella is a Nearctic sp. | nymph | |
| Libellulidae gen. | | Libellulidae | Odonata | skimmers | Or | Thailand (DeFoliart 2002) | | nymph | |
| Neurothemis | ramburii (Bauer) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | | |
| Neurothemis sp. | | Libellulidae | Odonata | | Or | Indonesia (DeFoliart 2002) | | nymph adult | |
| Orthetrum | glaucum (Brauer) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Orthetrum | sabina (Drury) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Orthetrum sp. | | Libellulidae | Odonata | | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Pachydiplax sp. (?) | | Libellulidae | Odonata | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Pantala | flavscens (L.) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006, Lukiwati 2010) | | adult | |
| Potamarcha | obscura (Ramb.) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Rhyothemis sp. | | Libellulidae | Odonata | | Or | Thailand (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) | | nymph | |
| Sympetrum sp. | | Libellulidae | Odonata | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Tremea | transmarina euryala Selys | Libellulidae | Odonata | | Or | Indonesia (Meer, v.d. Mohr 1965) | or T. limbata (Desj.) | | |
| Trithemis | aurora (Burm.) | Libellulidae | Odonata | | Or | Indonesia (Cesard 2006) | | adult | |
| Urothemis sp. (?) | | Libellulidae | Odonata | | Or | India (Chakravorty et al 2011) | | larva adult | |
| Macroma sp. | | Macromiidae | Odonata | river skimmers | Or | Thailand (DeFoliart 2002) | | nymph | |
| Acrida | cinerea (Thunberg) | Acrididae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Acrida | exaltata (Walker) | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | adult | |
| Acrida | gigantea (Herbst) | Acrididae | Orth | | Or | India (DeFoliart 2002) | | | |
| Acrida | willemsi Dirsch | Acrididae | Orth | | Or | Laos (Yhoung-Aree et al 2005) | | | |
| Acrida sp. | | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) Malaysia, Sabah (Chung et al 2002) | | | |
| Aiolopus | thalassinus tamulus (F.) | Acrididae | Orth | | Or | Thailand (DeFoliart 2002) | | adult | |
| Aiolopus sp. | | Acrididae | Orth | | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Catantops | annexus Bolivar | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | | |
| Catantops syn | infuscatus (Haan) | Acrididae | Orth | | Or | Thailand (DeFoliart 2002) | see Stenocatantops | | |
| Ceracris | nigricornis nigricornis | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | adult | |
| Chondacris | rosea (DeGeer) | Acrididae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos | | adult | |
| Chortippus sp. | | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life |
|----------------------------|---------------------------|--------------|-------|---------------------|---------|--|--|-------------|
| Cyrtacanthacris | tatarica (L.) | Acrididae | Orth | black spotted | Or | Thailand Indonesia (DeFoliart 2002, Hanboonsong et al 2000, India (Chakravorty et al 2011) | syn Acridium | adult |
| Diabolocantops | innotabilis (Walker) | Acrididae | Orth | clown grasshopper | Or | | | adult |
| Ducetia | japonica (Thunb.) | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | |
| Gastrimargus | marmoratus (Thunbeg) | Acrididae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | | |
| Hieroglyphodes | assamensis Uvarov | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | adult |
| Hieroglyphus | concolor (Walker) | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | adult |
| Hieroglyphus | oryzivorus Carl | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J. 2008) | | adult |
| Heiroglyphus sp. | | Acrididae | Orth | | Or | India (Chakravorty et al 2011) | | adult |
| Locusta | migratoria (L.) | Acrididae | Orth | migratory locust | Or | Thailand (Hanboonsong et al 2000, Philippines Thailand India (Singh et al 2007) | | adult nymph |
| Locusta sp. | | Acrididae | Orth | | Or | | | |
| Mecopoda | elongata (L.) | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) Malaysia, Sabah (Chung et al 2002) | | |
| Mecostethus sp. | | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) | syn Parapleurus | |
| Oxya | chinensis (Thunberg) | Acrididae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | | |
| Oxya | japonica (Thunb.) | Acrididae | Orth | | Or | Thailand (DeFoliart 2002) Malaysia, Sabah (Chung et al 2002) | | adult |
| Oxya | velox (F.) | Acrididae | Orth | | Or | Vietnam (DeFoliart 2002) | | adult |
| Oxya sp. | | Acrididae | Orth | | Or | India (Singh, O.T. & Chakravorty, J.), Thailand (Hanboonsong 2010) | | |
| Parapleuris sp. syn | | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) | see Mecostethus | |
| Patanga | avis Rehn & Rehn | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) | | |
| Patanga | japonica (Bolivar) | Acrididae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Patanga | succincta (Johannson) | Acrididae | Orth | Bombay locust | Or | Thailand Philippines (DeFoliart 2002, Hanboonsong 2010), Indonesia (Meer, v.d. Mohr 1965, Lukiwati 2010) Laos (Yhoung-Aree et al 2005) | Acridium rubescens in DeFoliart | adult |
| Phlaeoba | antennata B. v. Wattenwyl | Acrididae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) India (Singh, O.T. & Chakravorty, J. 2008) | | adult |
| Schistocerca | gregaria (Forsk.) | Acrididae | Orth | desert locust | Or | India (DeFoliart 2002) | | |
| Schistocerca sp. | | Acrididae | Orth | | Or | India (Singh et al 2007, Chakravorty et al 2011) | | nymph adult |
| Shirakiacris | shirakii (Bolivar) | Acrididae | Orth | | Or | Thailand (Hanboonsong 2010) | | |
| Stenocatantops | splendens (Thunberg) | Acrididae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn Acridium infuscata Haan Catantops infuscatus Haan | |
| Trilophidia | annulata (Thunberg) | Acrididae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | |
| Valanga | nigricornis (Burmeister) | Acrididae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965, Lukiwati 2010) Malaysia, Sabah (Chung et al 2002) | | |
| Ratanga (misspelling) | avis Rehn & Rehn | Catantopidae | Orth | | Or | Thailand (Hanboonsong 2010) | see Patanga | |
| Acheta syn | confirmata Walker | Gryllidae | Orth | | Or | Laos (Yhoung-Aree et al 2005) | see Modicogryllus confirmatus (Walker) | |
| Acheta syn | testacea Walker | Gryllidae | Orth | | Or | Laos (Yhoung-Aree et al 2005) | see T. mitratus | |
| Brachytrupes syn | portentosus Licht | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | see Tarbinskiellus | |
| Grylloderes | melanocephalus (Serv.) | Gryllidae | Orth | | Or | India (DeFoliart 2002) | | |
| Gryllus | bimaculatus De Geer | Gryllidae | Orth | two spotted cricket | Or | Thailand India (DeFoliart 2002, Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | not recorded in Thailand ? | adult |
| Gryllus sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | | |
| Gryllus syn check | testaceus Walk. | Gryllidae | Orth | | Or | Thailand (DeFoliart 2002) | not recorded in Thailand ? See Teleogryllus mitratus (Burm.) | |
| Gymnogryllus | leucostictus (Burm.) | Gryllidae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | syn G. elegans (Guér.) | |
| Gymnogryllus sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | 2 ssp. | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------------|----------------------------------|------------------|-------|----------------------|---------|--|--|----------------|--|
| Gymnogrillus syn | elegans Guér. | Gryllidae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | see G. leucostictus (Burm.) | | |
| Homoeoxipha sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |
| Modicogrillus | confirmatus (Walker) | Gryllidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | syn A. confirmata | | |
| Nisitrus | vittatus (Haan) | Gryllidae | Orth | | Or | Indonesia (Meer, v.d. Mohr 1965) | | | |
| Pteronemobius sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |
| Tarbinskiellus | orientalis (Burmeister) | Gryllidae | Orth | | Or | India (Chakravorty et al 2011) | | adult | |
| Tarbinskiellus | portentosus (Lichtenstein) | Gryllidae | Orth | | Or | Thailand (Hanboonsong et al 2000) Thailand Myanmar Indonesia Vietnam India (DeFoliart 2002, Lukiwati 2010) India (Meyer-Rochow 2004) Laos (Yhoung-Aree et al 2005) | syn Brachytrupes, B. achatinus (Stoll) | adult | |
| Tarbinskiellus sp. | | Gryllidae | Orth | | Or | India (Singh et al 2007) | | adult | |
| Teleogrillus | mitratus (Burm.) | Gryllidae | Orth | | Or | Thailand (Hanboonsong et al 2000, DeFoliart 2002, Hanboonsong 2010) Indonesia (Meer, v.d. Mohr 1965) Laos (Yhoung-Aree et al 2005) | syn Gryllus testaceus Walker, Teleogrillus testaceus (Walker) | | |
| Teleogrillus sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |
| Teleogrillus syn | testaceus (Walk.) | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | see T. mitratus | | |
| Velarifictorus sp. | | Gryllidae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |
| Gryllotalpa | africana Beauv. | Gryllotalpidae | Orth | African mole cricket | Or | Thailand (Hanboonsong et al 2000) Thailand Philippines Vietnam India (DeFoliart 2002), Indonesia (Meer, v.d. Mohr 1965) Laos (Yhoung-Aree et al 2005) | | nymph adult | |
| Gryllotalpa | hirsuta Burmeister | Gryllotalpidae | Orth | | Or | Malaysia, Sabah (Chung et al 2002) | syn Gryllotalpa longipennis (de Haan) | | |
| Gryllotalpa | longipennis (de Haan) syn | Gryllotalpidae | Orth | | Or | Malaysia, Sabah (Chung et al 2002) | see G. hirsuta Burmeister | | |
| Gryllotalpa sp. | | Gryllotalpidae | Orth | mole cricket | Or | Indonesia (DeFoliart 2002) Philippines (Adalla et al 2010) India (Singh et al 2007, Chakravorty et al 2011) | G. gryllotalpa is not Indian (Sing et al 2007) | | |
| Gryllotalpa syn | africana microphtalma Chopard | Gryllotalpidae | Orth | | Or | Thailand (Hanboonsong 2010) | see G. africana Beauvois | | |
| Atractomorpha | psittacina (de Haan) | Pyrgomorphidae | Orth | spotted grasshopper | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Atractomorpha sp. | | Pyrgomorphidae | Orth | | Or | Thailand (Hanboonsong 2010) | | | |
| Diestrammena sp. | | Rhaphidophoridae | Orth | | Or | India (Singh et al 2007) | | adult | |
| Schizodactylus | monstrosus (Drury) | Schizodactylidae | Orth | sand cricket | Or | India (Singh et al 2007, Chakravorty et al 2011) | | adult | |
| Schizodactylus | tuberculatus Ander | Schizodactylidae | Orth | | Or | India (Singh, O. T. & Chakravorty, J. 2008) | | adult | |
| Euparattix sp. | | Tetrigidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | adult | |
| Arachnacris | tenuipes Giebel | Tettigoniidae | Orth | | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Arachnacris sp. ? | | Tettigoniidae | Orth | katydid | Or | India (Chakravorty et al 2011) | genus not known from India | | |
| Chloracris | brullei Pictet & Saussure ? | Tettigoniidae | Orth | katydid | Or | India (Chakravorty et al 2011) | species not known from India. C. prasina ? | adult | |
| Conocephalus (Anisoptera) | maculates (LeGuillou) | Tettigoniidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Conocephalus sp. | | Tettigoniidae | Orth | katydid | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) India (Chakravorty et al 2011) | | adult | |
| Euconocephalus | incertus (Walker) | Tettigoniidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) | | | |
| Euconocephalus sp. | | Tettigoniidae | Orth | | Or | Vietnam (DeFoliart 2002), Laos (Yhoung-Aree et al 2005) | | adult | |
| Hexacentrus | unicolor Serville | Tettigoniidae | Orth | | Or | Malaysia, Sabah (Chung et al 2002) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------------|------------------------------|---------------------------------|--------------|--------------------------|---------|--|---|----------------|--|
| Holochlora | albida Brunner von Wattenwyl | Tettigoniidae | Orth | | Or | India (DeFoliart 2002) | | | |
| Holochlora | indica Kirby | Tettigoniidae | Orth | | Or | India (DeFoliart 2002) | | | |
| Mecapoda | elongata (L.) | Tettigoniidae | Orth | | Or | Thailand Laos (Nonaka et al); India (DeFoliart 2002), Indonesia (Meer, v.d. Mohr 1965) | | adult | |
| Onomarchus sp. | | Tettigoniidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Malaysia, Sabah (Chung et al 2002) | | | |
| Pseudophyllus | titan White | Tettigoniidae | Orth | | Or | Thailand (Hanboonsong et al 2000, Hanboonsong 2010) Laos (Yhoung-Aree et al 2005) | | | |
| Scudderia sp. check | | Tettigoniidae | Orth | | Or | Thailand (DeFoliart 2002) | see Mecapoda, Scudderia is Nearctic | adult | |
| Tettigonia sp. | | Tettigoniidae | Orth | | Or | India (Singh et al 2007) | | nymph adult | |
| Haaniella | echinata (Redtenbacher) | Heteropterygidae | Phasmida | stick insect | Or | Malaysia, Sabah (Chung et al 2002) | | | |
| Haaniella | grayi (Westw.) | Heteropterygidae | Phasmida | | Or | Malaysia (DeFoliart 2002, Chung 2003) | | egg | |
| Eurycnema | versirubra (Serville) | Phasmatidae | Phasmida | | Or | Malaysia (DeFoliart 2002) | syn E. versifasciata (Serville) | excreta | |
| Platycrana | viridana (Oliv.) | Phasmatidae | Phasmida | | Or | Malaysia (DeFoliart 2002) | | adult | |
| Pediculus | humanus L. | Pediculidae | Phthiraptera | | Or | Indonesia (Roepke 1951) | | adult | |
| Nemoura sp. | | Nemouridae | Plecoptera | | Or | India (Singh et al 2007) | | nymph | |
| Pteronarcys | dorsata (Say) check | Pteronarcyidae | Plecoptera | | Or | India (Singh et al 2007) | P. dorsata is Nearctic | nymph | |
| Chalcophora | yunnana Fairm. | Buprestidae | Col | | Pal | China (Chen et al 1999) | | | |
| Coraebus | sauteri Kerremans | Buprestidae | Col | | Pal | China (Chen et al 1999) | | | |
| Coraebus | sidae Kerremans | Buprestidae | Col | | Pal | China (Chen et al 1999) | | | |
| Sphenoptera | kozlovi Jak. | Buprestidae | Col | | Pal | China (Chen et al 1999) | | | |
| Anoplophora | chinensis (Forster) | Cerambycidae | Col | | Pal | China (DeFoliart 2002) | syn Melanauster chinensis Forster | larva | |
| Anoplophora | glabripennis (Motsch.) | Cerambycidae | Col | Asian longhorn beetle | Pal | China (Chen et al 1999) | syn A. nobilis (Ganglbauer) see A. glabripennis | | |
| Anoplophora syn | nobilis (Ganglb.) | Cerambycidae | Col | | Pal | China (Chen et al 1999) | | | |
| Apriona | germari (Hope) | Cerambycidae | Col | mulberry longhorn beetle | Pal | China (Chen et al 1999) | | | |
| Apriona | rugicollis Chevrolat | Cerambycidae | Col | | Pal | Japan (Schimitschek 1968) | | larva | |
| Aromia | bungii (Faldermann) | Cerambycidae | Col | | Pal | China (Chen et al 1999) | | | |
| Batocera | lineolata Chevrolat | Cerambycidae | Col | | Pal | Japan (Schimitschek 1968) | | larva | |
| Cerambycidae gen. | | Cerambycidae | Col | | Pal | China (DeFoliart 2002) | | larva pupa | |
| Dorysthenes | forficatus Fabr. | Cerambycidae | Col | | Pal | North Africa (Ghesquière, 1947) | | | |
| Prionus | insularis Motsch. | Cerambycidae | Col | | Pal | Japan (Schimitschek 1968) | | larva | |
| Psacothoa | hilaris (Pascoe) | Cerambycidae | Col | | Pal | China (DeFoliart 2002) | | larva | |
| Spenoptera | kozlovi Jakovleff | Cerambycidae | Col | | Pal | China (Chen et al 2009) | | larva | |
| Stromatium | longicorne (Newman) | Cerambycidae | Col | | Pal | China (Chen et al 1999, 2009) | | larva | |
| Sagra | femorata (Drury) | Chrysomelidae | Col | | Pal | China (Chen et al 1999) | | | |
| Larinus | mellificus Jekel | Curculionidae | Col | | Pal | Iran Syria (DeFoliart 2002)) | | pupa | |
| Larinus | onopordi (F.) | Curculionidae | Col | | Pal | Iran Iraq (DeFoliart 2002) | | pupa | |
| Larinus | rudicollis Petri | Curculionidae | Col | | Pal | Israel (DeFoliart 2002) | | pupa | |
| Larinus | syriacus (Gyll.) | Curculionidae | Col | | Pal | Iran Iraq Syria (DeFoliart 2002) | | pupa | |
| Cyrtotrachelus | buqueti Guérin | Curculionidae Dryophthorinae | Col | giant bamboo weevil | Pal | China (Chen et al 2009) | | larva | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------|------------------------|---------------------------------|-------|--------------------------------------|---------|---|---|-------------|--|
| Cyrtotrachelus | longimanus (F.) | Curculionidae Dryophthorinae | Col | bamboo weevil | Pal | China (DeFoliart 2002) | | larva | |
| Macrochirus | longipes Lacordaire | Curculionidae Dryophthorinae | Col | | Pal | China (Chen et al 1999) | | | |
| Otidognathus | davidis Fairm. | Curculionidae Dryophthorinae | Col | | Pal | China (Chen et al 1999) | | | |
| Rhynchophorus | ferrugineus (Oliv.) | Curculionidae Dryophthorinae | Col | red palm weevil Asian palm weevil | Pal | China (DeFoliart 2002) | | | |
| Sphaerotrypes | yunnanensis Tsai & Yin | Curculionidae Scolytinae | Col | | Pal | China (Chen et al 1999) | | | |
| Tomicus | piniperda (L.) | Curculionidae Scolytinae | Col | pine shoot beetle | Pal | China (Chen et al 2009) | | | |
| Xyleborus | emarginatus (Eichhoff) | Curculionidae Scolytinae | Col | | Pal | China (Chen et al 1999) | | | |
| Acilius sp. | | Dytiscidae | Col | predaceous diving beetles | Pal | China (Ramos et al 2009) | | | |
| Agabus | fulvipennis Régimbart | Dytiscidae | Col | | Pal | China (Ramos et al 2009) | syn Gaurodytes fulvipennis (Rég.) | | |
| Cybister | bengalensis Aubé | Dytiscidae | Col | | Pal | China (DeFoliart 2002, Ramos et al 2009) | | adult | |
| Cybister | brevis Aubé | Dytiscidae | Col | | Pal | Japan (Schimitschek 1968) | | adult | |
| Cybister | guerini Aubé | Dytiscidae | Col | | Pal | China (DeFoliart 2002), Japan (Ramos et al 2009) | | adult | |
| Cybister | japonicus Sharp | Dytiscidae | Col | | Pal | China Japan (Schimitschek 1968, DeFoliart 2002, Chen 1999, Jäch 2003, Ramos et al 2009) | | adult | |
| Cybister | lewisianus Sharp | Dytiscidae | Col | | Pal | China (Ramos et al 2009) | | | |
| Cybister | limbatus (Fabr.) | Dytiscidae | Col | | Pal | China (DeFoliart 2002, Chen 1999, Ramos et al 2009) | | adult | |
| Cybister | sugillatus Er. | Dytiscidae | Col | | Pal | China (DeFoliart 2002) Japan (Ramos et al 2009) | | adult | |
| Cybister | tripunctatus (Oliv.) | Dytiscidae | Col | | Pal | China (DeFoliart 2002, Chen et al 1999, Jäch 2003, Japan (Schimitschek 1968, Ramos et al 2009) | | adult | |
| Dytiscidae gen. | | Dytiscidae | Col | | Pal | China Japan Taiwan (DeFoliart) | | | |
| Dytiscus | habilis (Say) | Dytiscidae | Col | | Pal | China Japan (Ramos et al 2009) | | | |
| Dytiscus | marginalis L. | Dytiscidae | Col | | Pal | China (DeFoliart 2002, Ramos et al 2009) Japan (Ramos et al 2009) | | adult | |
| Dytiscus | validus Régimbart | Dytiscidae | Col | | Pal | Japan (Ramos et al 2009) | | | |
| Dytiscus sp. | | Dytiscidae | Col | | Pal | Japan (DeFoliart 2002) | | adult | |
| Platambus | guttulus (Régimbart) | Dytiscidae | Col | | Pal | China (Ramos et al 2009) | syn Platynectus guttula (Rég.) | | |
| Rhantus | pulverosus (Stephens) | Dytiscidae | Col | | Pal | Japan (Schimitschek 1968) | | adult | |
| Elateridae gen. | | Elateridae | Col | | Pal | Japan (DeFoliart 2002) | | larva pupa | |
| Gyrinus | curtus Motsch. | Gyrinidae | Col | | Pal | Japan (Schimitschek 1968) | | larva adult | |
| Gyrinus | japonicus Sharp | Gyrinidae | Col | | Pal | Japan (Schimitschek 1968) | | larva adult | |
| Dineutes | marginatus Sharp | Gyrinidae | Col | | Pal | Japan (Schimitschek 1968) | | larva adult | |
| Hydrophilus | acuminatus Motsch. | Hydrophilidae | Col | water scavenger beetles | Pal | China (DeFoliart 2002, Chen et al 1999, Ramos et al 2009) Japan (Ramos et al 2009) | syn Hydrous pallidipalpis Macleay | adult | |
| Hydrophilus | bilineatus (MacLeay) | Hydrophilidae | Col | | Pal | China (DeFoliart 2002, Ramos et al 2009) Japan (Ramos et al 2009) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-------------------------|----------------------------|----------------------------|--------------------------|----------------------------|---------|--|---|-------------|--|
| Hydrophilus | cavisternum (Bedel) | Hydrophilidae | Col | | Pal | China (DeFoliart 2002, Ramos et al 2009) Japan (Ramos et al 2009) | | adult | |
| Hydrophilus | hastatus (Herbst) | Hydrophilidae | Col | | Pal | China (DeFoliart 2002, Ramos et al 2009), Japan (Ramos et al 2009) | | | |
| Hydrophilus sp. | | Hydrophilidae | Col | | Pal | China (Jäch 2003) | | | |
| Hydrophilus syn | pallidipalpes (MacLeay) | Hydrophilidae | Col | | Pal | China (DeFoliart 2002) | see H. acuminatus (Motsch.) | adult | |
| Tropisternus !! | collaris (F.) | Hydrophilidae | Col | | Pal | Japan (Ramos et al 2009) | misidentification this is a Neotropic sp. | | |
| Lucanus | maculifemoratus Motsch. | Lucanidae | Col | | Pal | Japan (Schimitschek 1968) | | larva adult | |
| Prosopocoilus | inclinatus (Motsch.) | Lucanidae | Col | | Pal | Japan (Schimitschek 1968) | syn Psolidoremus | larva adult | |
| Psolidoremus syn | inclinatus (Motsch.) | Lucanidae | Col | | Pal | Japan (Schimitschek 1968) | see Prosopocoilus | larva adult | |
| Allomyrina | dichotoma (L.) | Scarabaeidae | Col | Japanese rhinoceros beetle | Pal | Japan (Schimitschek 1968) | syn Xylotrupes dichotomus L. | larva | |
| Amphimallon | assimile (Herbst) | Scarabaeidae | Col | scarab beetles | Pal | Italy Moldavia Walachia (DeFoliart 2002) | | adult | |
| Amphimallon | pini (Ol.) | Scarabaeidae | Col | | Pal | Italy Moldavia Walachia (DeFoliart 2002) | | adult | |
| Anomala | corpulenta Motsch. | Scarabaeidae | Col | | Pal | China (Chen et al 1999) | | | |
| Catharsius | molossus (L.) | Scarabaeidae | Col | | Pal | China (Chen et al 1999, DeFoliart 2002) | syn Scarabaeus molossus L. | larva | |
| Holotrichia | oblita Faldermann | Scarabaeidae | Col | | Pal | China (Chen et al 1999) | | | |
| Holotrichia | parallela (Motsch.) | Scarabaeidae | Col | | Pal | China (Chen et al 1999) | | | |
| Holotrichia | scrobiculata Brenske | Scarabaeidae | Col | | Pal | China (Chen et al 1999) | | | |
| Polyphylla | laticollis Lewis | Scarabaeidae | Col | | Pal | China (Chen et al 1999) | | | |
| Scarabaeidae gen. | | Scarabaeidae | Col | | Pal | China (DeFoliart 2002) | | adult | |
| Scarabaeus | sacer L. | Scarabaeidae | Col | | Pal | Egypt (DeFoliart 2002) | | | |
| Scarabaeus syn | molossus Linn. | Scarabaeidae | Col | | Pal | China (DeFoliart 2002) | | | |
| Xylotrupes | dichotomus (L.) syn | Scarabaeidae | Col | | Pal | Japan (Schimitschek 1968) | see Allomyrina dichotoma (L.) | larva | |
| Dicranocephalus | walichi bowringi Pascoe | Scarabaeidae Cetoniinae | Col | | Pal | China (Chen et al 1999) | | | |
| Oxycetonia | jucunda (Faldermann) | Scarabaeidae Cetoniinae | Col | | Pal | China (Chen et al 1999) | | | |
| Protaetia | aerata (Erchs.) | Scarabaeidae Cetoniinae | Col | | Pal | China (Chen et al 1999) | | | |
| Allomyrina | dichotomus (L.) | Scarabaeidae Dynastinae | Col | | Pal | China (Chen et al 1999) | | | |
| Oryctes | rhinoceros (L.) | Scarabaeidae Dynastinae | Col | | Pal | China (Chen et al 1999, 2009) | | larva | |
| Blaps sp. | | Tenebrionidae | Col | | Pal | Turkey Tunesia (DeFoliart 2002) | | adult | |
| Pimelia sp. | | Tenebrionidae | Col | | Pal | Turkey North Africa (DeFoliart 2002) | | adult | |
| Tenebrio | molitor L. | Tenebrionidae | Col | | Pal | China (Chen et al 1999) | | | |
| Tenebrio sp. | | Tenebrionidae | Col | | Pal | Turkey North Africa (DeFoliart 2002) | | adult | |
| Blatta | orientalis L. | Blattidae | Dictyoptera Blattodea | | Pal | Japan (Schimitschek 1968) | | adult | |
| Blattella | germanica (L.) | Ectobiidae | Dictyoptera Blattodea | | Pal | Japan (Schimitschek 1968) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|-----------------------------------|--------------------|--------------------------|--------------------|---------|--|---------------------------------|-----------------|--|
| Periplaneta | americana (L.) | Blattidae | Dictyoptera Blattodea | | Pal | China (DeFoliart 2002) Japan (Schimitschek 1968) | | adult | |
| Periplaneta | australasiae (F.) | Blattidae | Dictyoptera Blattodea | | Pal | China (DeFoliart 2002) | | | |
| Periplaneta | fuliginosa Serville | Blattidae | Dictyoptera Blattodea | | Pal | Japan (Schimitschek 1968) | syn P. picea Shiraki | adult | |
| Periplaneta | picea Shiraki syn | Blattidae | Dictyoptera Blattodea | | Pal | Japan (Schimitschek 1968) | see P. fuliginosa Serville | adult | |
| Hierodula | patellifera Serville | Mantidae | Dictyoptera Mantodea | | Pal | Japan (Schimitschek 1968) | | adult | |
| Mantis | religiosa (L.) | Mantidae | Dictyoptera Mantodea | | Pal | Japan (Schimitschek 1968) | | adult | |
| Statilia | maculata Thunberg | Mantidae | Dictyoptera Mantodea | | Pal | Japan (Schimitschek 1968) | | adult | |
| Tenodera | aridifolia angustipennis Saussure | Mantidae | Dictyoptera Mantodea | | Pal | Japan (Schimitschek 1968) | | adult | |
| Tenodera | aridifolia aridifolia Stoll | Mantidae | Dictyoptera Mantodea | | Pal | Japan (Schimitschek 1968) | syn Paratenodera | adult | |
| Mantidae gen. | | Mantidae | Dictyoptera Mantodea | | Pal | Japan (DeFoliart 2002) | | | |
| Calliphoridae gen. | | Calliphoridae | Dipt | blow flies | Pal | China (DeFoliart 2002) | | larva | |
| Chrysomyia | megacephala (F.) | Calliphoridae | Dipt | | Pal | China (DeFoliart 2002) | | larva | |
| Musca | domestica L. | Muscidae | Dipt | | Pal | China (Chen et al 1999) | | | |
| Musca | domestica vicina Macq. | Muscidae | Dipt | Oriental housefly | Pal | China (DeFoliart 2002, Chen et al 2009) | see Musca domestica L. | larva | |
| Sarcophagidae gen. | | Sarcophagidae | Dipt | flesh flies | Pal | China (DeFoliart 2002) | | larva | |
| Tipula | paludosa Meig. | Tipulidae | Dipt | | Pal | China (Chen et al 1999) | | | |
| Cloeon | dipterum (L.) | Baetidae | Eph | | Pal | Japan (Schimitschek 1968) | | larva | |
| Ephemerella | jinghongensis Xu et al | Ephemerellidae | Eph | mayfly | Pal | China (Chen et al. 1999, 2009) | | nymph adult | |
| Ephemeroptera gen. | | Ephemeroptera fam. | Eph | mayfly | Pal | China Japan (DeFoliart 2002) | | nymph adult | |
| Belostomatidae gen. | | Belostomatidae | Hem Het | giant water bug | Pal | China Japan (DeFoliart 2002) | | | |
| Kirkaldyia syn | deyrolei Vuillefroy | Belostomatidae | Hem Het | giant waterbug | Pal | Japan (Schimitschek 1968) | see Lethocerus deyrollei | adult | |
| Lethocerus | deyrollei (Vuillefroy) | Belostomatidae | Hem Het | giant water bug | Pal | Japan (Schimitschek 1968) | syn Kirkaldyia deyrollei | adult | |
| Lethocerus | indicus (L. & S.) | Belostomatidae | Hem Het | giant water bug | Pal | China (DeFoliart 2002, Chen et al 1999) | | adult | |
| Sphaerodema | rusticum (F.) | Belostomatidae | Hem Het | | Pal | China (Chen et al 1999) | | | |
| Mictis | tenebrosa (F.) | Coreidae | Hem Het | | Pal | China (Chen et al 1999, 2009) | | nuymph adult | |
| Lacotrephes | japonensis (Scott) | Nepidae | Hem Het | water scorpion | Pal | Japan (Schimitschek 1968) | | adult | |
| Ranatra | chinensis Mayr | Nepidae | Hem Het | water stick insect | Pal | Japan (Schimitschek 1968) | | adult | |
| Ranatra | unicolor Scott | Nepidae | Hem Het | water stick insect | Pal | Japan (Schimitschek 1968) | | adult | |
| Cyclopelta | parva Distant | Pentatomidae | Hem Het | stink bugs | Pal | China (Chen et al 1999) | | | |
| Eurostus | validus Dallas | Pentatomidae | Hem Het | | Pal | China (Chen et al 1999) | | | |
| Eusthenes | cupreus (Westw.) | Tessaratomidae | Hem Het | | Pal | China (Chen et al 1999) | | | |
| Eusthenes | saevus Stal | Tessaratomidae | Hem Het | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Tessaratoma | papillosa (Drury) | Tessaratomidae | Hem Het | lichi stink bug | Pal | China (DeFoliart 2002, Chen et al 1999, 2009) | | nymph adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------|-----------------------------|----------------------|---------|-------------------|---------|---|---|----------------------------|--|
| Darthula | hardwickii (Gray) | Aetalionidae | Hem Hom | | Pal | China (Chen et al 1999, 2009) | syn Membracidae | nymph adult | |
| Aphididae gen. | | Aphididae | Hem Hom | | Pal | Midle East (DeFoliart 2002) | | honeydew | |
| Goniagnathus | decoratus (Hpt.) | Cicadellidae | Hem Hom | | Pal | Sinai Desert (DeFoliart 2002) | syn Euscelis decoratus | honeydew | |
| Opsius | jucundus (Leth.) | Cicadellidae | Hem Hom | | Pal | Sinai Desert (DeFoliart 2002) | | honeydew | |
| Cicada | flammatata Dist. | Cicadidae | Hem Hom | cicadas | Pal | China (Chen et al 1999) | | | |
| Cryptotympana | atrata (F.) | Cicadidae | Hem Hom | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Cryptotympana | facialis (Walker) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | syn C. japonensis Kato | | |
| Cryptotympana | japonicus Kato syn | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | see Cryptotympana facialis (Walker) | adult | |
| Graptosaltria | nigrofusca (Motsch.) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968, DeFoliart 2002) | | adult | |
| Meimuna | opalifera (Walker) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | | adult | |
| Oncotympana | maculaticollis (Motsch.) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | | adult | |
| Platypleura | kaempferi (F.) | Cicadidae | Hem Hom | | Pal | China (Chen et al 1999) Japan (Schimitschek 1968) | | adult | |
| Tanna | japonensis (Distant) | Cicadidae | Hem Hom | evening cicada | Pal | Japan (Schimitschek 1968) | | adult | |
| Terpnosia syn | vacua (Olivier) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | see Yezoterpnosia | adult | |
| Yezoterpnosia | vacua (Olivier) | Cicadidae | Hem Hom | | Pal | Japan (Schimitschek 1968) | syn Terpnosia | adult | |
| Cicadidae gen. | | Cicadidae | Hem Hom | | Pal | China Japan (DeFoliart 2002) | | adult | |
| Ceroplastes | sinensis Del Guercio | Coccidae | Hem Hom | Chinese wax scale | Pal | China (Donkin 1977, Chen et al 1999) | syn Ericerus pela Chavanes | | |
| Ericerus | pela (Chavannes) syn | Coccidae | Hem Hom | Chinese wax scale | Pal | China (Donkin 1977, Chen et al 1999) | see Ceroplastes sinensis Del Guercio | | |
| Dactylopius | coccus Costa | Dactylopiidae | Hem Hom | cochineal insect | Pal | Canary Islands (Aldama-Aguilera et al 2005) | | adult, carminic acid | |
| Lawana | imitata (Melichar) | Flatidae | Hem Hom | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Phenacoccus | prunicola Borchs | Pseudococcidae | Hem Hom | | Pal | China (Chen et al 1999) | | | |
| Trabutina | mannipara (Ehrenberg) | Pseudococcidae | Hem Hom | | Pal | Sinai Desert (DeFoliart 2002) | | honeydew | |
| Trabutina | serpentinus Green | Pseudococcidae | Hem Hom | | Pal | Iran Sinai Desert (DeFoliart 2002) | syn Najacoccus | honeydew | |
| Trabutina sp. | | Pseudococcidae | Hem Hom | | Pal | Iran (DeFoliart 2002) | | honeydew | |
| Cyamophila | astragalicola (Gegechkori) | Psyllidae | Hem Hom | | Pal | Iran (Grami 1998) | | honeydew | |
| Chermes sp. check | | Psyllidae Adelgidae? | Hem Hom | | Pal | Iran (DeFoliart 2002) | | | |
| Apidae gen. | | Apidae | Hym | | Pal | China Japan (DeFoliart 2002) | | | |
| Apis | cerana F. | Apidae | Hym | | Pal | China (Chen et al 2009) Japan (Schimitschek 1968) | | larva pupa honey | |
| Apis | dorsata F. | Apidae | Hym | | Pal | China (Chen et al 2009) | | larva pupa | |
| Apis | florae F. | Apidae | Hym | | Pal | China (Chen et al 2009) | | larva pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------|----------------------------------|------------|-------|------------------------|---------|--|-----------------------------|------------|--|
| Apis | mellifera L. | Apidae | Hym | honey bee | Pal | Japan (DeFoliart 2002) | | rone pupa | |
| Bombus spp. | | Apidae | Hym | bumble bee | Pal | Italy (Dreon & Paoletti 2009) | | honey | |
| Osmia sp. | | Apidae | Hym | | Pal | Italy (Dreon & Paoletti 2009) | | pollen | |
| Xylocopa | appendiculata circumvolens Smith | Apidae | Hym | Japanese carpenter bee | Pal | Japan (Schimitschek 1968) | | larva | |
| Hedickiana | levantina (Hed.) | Cynipidae | Hym | | Pal | Turkey (DeFoliart 2002) | syn Aulacidea | galls | |
| Liposthenus | glechomae (L.) | Cynipidae | Hym | | Pal | France (DeFoliart 2002) | syn Aulax | galls | |
| Camponotus | japonicus Mayr | Formicidae | Hym | ants | Pal | China (Chen et al 1999) | | | |
| Carebara | lignata Westw. | Formicidae | Hym | | Pal | China (Chen et al 2009) | | | |
| Formica | aquilonia Yarrow | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | beijingensis Wu | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | fusca L. | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | japonica Motsch. | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | sanguinea Latr. | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | uralensis Ruzsky | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formica | yessensis Forel | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Formicidae gen. | | Formicidae | Hym | | Pal | China (DeFoliart 2002) | | | |
| Lasius | flavus (F.) | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Oecophylla | smaragdina (F.) | Formicidae | Hym | green tree ant | Pal | China (Chen et al 1999, 2009) | | | |
| Polyrhachis | dives (Smith) | Formicidae | Hym | black weaver ant | Pal | China (Chen et al 1999, 2009) | syn P. vicina Roger | | |
| Polyrhachis | lamellidens Smith | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Polyrhachis | vicina Roger syn | Formicidae | Hym | | Pal | China (DeFoliart 2002) | see Polyrhachis dives Smith | | |
| Polyrhachis | mayri Roger | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Tetramorium | caespitum (L.) | Formicidae | Hym | | Pal | China (Chen et al 1999) | | | |
| Scoliidae gen. | | Scoliidae | Hym | | Pal | China (DeFoliart 2002) | | larva | |
| Polistes | chinensis antennalis Perez | Vespidae | Hym | | Pal | Japan (Schimitschek 1986) | | larva pupa | |
| Polistes | jokahamae Radoszkowsky | Vespidae | Hym | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Polistes | mandarinus Saussure | Vespidae | Hym | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Polistes | sagittarius Saussure | Vespidae | Hym | | Pal | China (Feng et al 2010, Chen et al 1999) | | larva pupa | |
| Polistes | snelleni Saussure | Vespidae | Hym | | Pal | Japan (Schimitschek 1968) | | | |
| Polistes | sulcatus Smith | Vespidae | Hym | | Pal | China (Feng et al 2010, Chen et al 1999) | | larva pupa | |
| Polistes sp. | | Vespidae | Hym | | Pal | Japan (DeFoliart 2002) | | pupae | |
| Provespa | barthelemyi (Buysson) | Vespidae | Hym | | Pal | China (Feng et al 2010, Chen et al 1999) | | larva pupa | |
| Vespa | analis F. | Vespidae | Hym | | Pal | China (Chen et al 1999, 2009; Feng et al 2010) | syn nigrans Buysson | larva pupa | |
| Vespa | basalis Smith | Vespidae | Hym | | Pal | China (Chen et al 1999, 2009, Feng et al 2010) | | larva pupa | |
| Vespa | bicolor F. | Vespidae | Hym | | Pal | China (Chen et al 1999, 2009, Feng et al 2010) | | larva pupa | |
| Vespa | ducalis Smith | Vespidae | Hym | | Pal | China (Chen et al 1999, Feng et al 2010) | Vespa tropica ducalis Smith | larva pupa | |
| Vespa | mandarinia japonica Radoszk. | Vespidae | Hym | Japanese giant hornet | Pal | Japan (Schimitschek 1968, DeFoliart 2002, Feng et al 2010) | | larva pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|--------------------------|------------------------------|-----------------|-------|------------------------|---------|--|---------------------------------|---------------------|--|
| Vespa | mandarinia magna Smith | Vespidae | Hym | | Pal | China (Chen et al 1999, 2009) | | larva pupa | |
| Vespa | mandarinia mandarinia Smith | Vespidae | Hym | | Pal | China (Chen et al 1999, Feng et al 2010) | | larva pupa | |
| Vespa | soror Buysson | Vespidae | Hym | | Pal | China (Chen et al 1999, 2009, Feng et al 2010) | | larva pupa | |
| Vespa | variabilis Buysson | Vespidae | Hym | | Pal | China (Chen 1999, Feng et al 2010) | | larva pupa | |
| Vespa | velutina auraria Smith | Vespidae | Hym | Asian predatory wasp | Pal | China (Chen et al 1999, Feng et al 2010) Japan (Schimitschek 1968) | | larva pupa | |
| Vespa sp. | | Vespidae | Hym | | Pal | China Japan (DeFoliart 2002) | | larva | |
| Vespula | flaviceps lewisii (Cameron) | Vespidae | Hym | Korean yellowjacket | Pal | Japan (DeFoliart 2002) | | larva pupa adult | |
| Vespula sp. | | Vespidae | Hym | | Pal | Japan (DeFoliart 2002) | | larva pupa | |
| Coptotermes | formosanus Shiraki | Rhinotermitidae | Isopt | | Pal | China (DeFoliart 2002, Chen et al 2009) | | adult | |
| Macrotermes | acrocephalus Ping | Termitidae | Isopt | | Pal | China (Chen et al 2009) | | adult | |
| Macrotermes | annandalei (Silvestri) | Termitidae | Isopt | | Pal | China (Chen et al 2009) | | adult | |
| Macrotermes | barneyi Light | Termitidae | Isopt | | Pal | China (DeFoliart 2002, Chen et al 2009) | | | |
| Macrotermes | jinghongensis Xu et al | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Macrotermes | menglongensis Han | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Macrotermes | yunnanensis Han | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Macrotermes check | denticulatus Li et Ping | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | angustignathus Tsai et Chen | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | annulicornis Xia et Fan | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | conignathus Xia et Fan | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | formosanus (Shiraki) | Termitidae | Isopt | | Pal | China (Chen et al 2009) | | adult | |
| Odontotermes | foveafrons Xia et Fan | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | gravelyi Silvestri | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | hainanensis (Light) | Termitidae | Isopt | | Pal | China (Chen et al 1999) | | | |
| Odontotermes | yunnanensis Tsai & Chen | Termitidae | Isopt | | Pal | China (Chen et al 2009) | | adult | |
| Bombyx | mori L. | Bombycidae | Lep | silkworm moth | Pal | China Japan Korea (DeFoliart 2002, Chen et al 1999) | | pupa | |
| Holcocerus | vicarius Walker | Cossidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva | |
| Zeuzera | pyrina (L.) | Cossidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva | |
| Cossidae gen. | | Cossidae | Lep | | Pal | Japan (DeFoliart 2002) | | | |
| Amata | phegea (L.) | Erebidae | Lep | | Pal | Italy (Dreon & Paoletti 2009) | syn Syntomis phegea (L.) | ingluvie (crop) | |
| Synthomis syn | phegea (L.) | Erebidae | Lep | | Pal | Italy (Dreon & Paoletti 2009) | see Amata | ingluvie (crop) | |
| Pectinophora | gossypiella (Saunders) | Gelechiidae | Lep | pink bollworm | Pal | China (DeFoliart 2002, Chen et al 1999) | | larva | |
| Biston | marginata Shiraki | Geometridae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | cingulatus Yang & Zhang | Hepialidae | Lep | ghost moths and swifts | Pal | China (Chen et al 1999) | | | |
| Hepialus | davidi Poujade | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | dongyuensis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | ferrugineus Li, Yang et Shen | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | ganna Hübner | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | jinshaensis Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|-----------------------|-----------------------------------|---------------|-------|-------------------|---------|---|---------------------|------|-----------------------------|
| Hepialus | litangensis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | luquensis Yang & Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | macilentus Eversmann | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | maikamensis Yang, Li & Shen | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | nebulosus Alphéraky | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | pratensis Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | varians Staudinger | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | xunhuaensis Yang & Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | yerienseis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | yunnanensis Yang & Li | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus | zhongzhiensis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus check | albipictus Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Hepialus check | yuloangensis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | altaicola Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | armoricanus (Oberthür) | Hepialidae | Lep | | Pal | China (Chen et al 1999, DeFoliart 2002) | | | |
| Thitarodes (Hepialus) | baimaensis Liang et al | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | deqinensis Liang et al | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | gonggaensis Fu & Huang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | kangdingensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | kangdingroides Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | lijiangensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | meiliensis Liang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | menyuanicus Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | oblifurcus Chu & Wang | Hepialidae | Lep | | Pal | China (DeFoliart 2002) | | | larva with Cordyceps fungus |
| Thitarodes (Hepialus) | renzhiensis Yang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | sichuanus Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | yunlongensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | yushuensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | zhangmoensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Thitarodes (Hepialus) | zhayuensis Chu & Wang | Hepialidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Erionota | torus Evans | Hesperidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Dendrolimus | houi Lajonquiere | Lasiocampidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Dendrolimus | kikuchii Matsumura | Lasiocampidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Dendrolimus | punctatus (Walker) | Lasiocampidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Dendrolimus | punctatus wenshanensis Ysai & Liu | Lasiocampidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Dendrolimus | spectabilis (Butler) | Lasiocampidae | Lep | | Pal | Japan (Schimitschek 1968) | | | larva |
| Cania | bilinea (Walker) | Limacodidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Cnidocampa | flavescens (Walker) | Limacodidae | Lep | | Pal | Japan (Schimitschek 1968) | | | larva pupa |
| Euclea sp. | | Limacodidae | Lep | slug caterpillars | Pal | Japan (DeFoliart 2002) | | | pupa |
| Thosea | sinensis (Walker) | Limacodidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Agrotis | ypsilon (Hufnagel) | Noctuidae | Lep | black cutworm | Pal | China (Chen et al 1999) | | | |
| Amata | phegea (L.) | Noctuidae | Lep | | Pal | Italy (Zagrobelyny et al 2009) | syn Syntomis | | ingluvie (crop) |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|------------------|-----------------------------|-----------------------------|-------|-----------------------|---------|---|-----------------------------------|----------------|--|
| Hydrillodes | lentalis Guénee | Noctuidae | Lep | | Pal | China (DeFoliart 2002) | syn H. morosa (Butler) | | |
| Hydrillodes | morosa (Butler) syn | Noctuidae | Lep | | Pal | China (DeFoliart 2002) | see H. lentalis Guénee | larval excreta | |
| Leucodonta | bicoloria (D. & S.) | Notodontidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Notodontia | dembowski Oberthuer | Notodontidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Phalera | assimilis (Bremer & Grey) | Notodontidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Phalera | bucephala (L.) | Notodontidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Semidonta | biloba (Oberthuer) | Notodontidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Linoclostis | gonatias Meyrick | Oecophoridae (Xyloryctinae) | Lep | | Pal | China (Chen et al 1999) | | | |
| Papilio | machaon L. | Papilionidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Pieris | rapae (L.) | Pieridae | Lep | | Pal | China (Chen et al 1999) | | | |
| Psychidae gen. | | Psychidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Aglossa | dimidiatus (Haworth) | Pyralidae | Lep | | Pal | China (DeFoliart 2002, Chen et al 1999) | | larval excreta | |
| Chilo | simplex (Butler) syn | Pyralidae | Lep | | Pal | Japan (Schimitschek 1968) | see C. suppressalis | larva | |
| Chilo | suppressalis (Walker) | Pyralidae | Lep | Asiatic rice borer | Pal | Japan (Schimitschek 1968) | syn C. simplex (Butler) | larva | |
| Chilo sp. | | Pyralidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Chilo syn | fuscidentalis Hampson | Pyralidae | Lep | bamboo borer | Pal | China (Chen et al 2009) | see Omphisa | larva | |
| Omphisa | fuscidentalis (Hampson) | Pyralidae | Lep | bamboo borer | Pal | China (Chen et al 1999, 2009) | syn Chilo fuscidentalis | larva | |
| Ostrinia | furnalis Guence | Pyralidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Schoenobius | incertellus (Walker) | Pyralidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva | |
| Antheraea | pernyi (G.-M.) | Saturniidae | Lep | Chinese tussah moth | Pal | China (DeFoliart 2002, Chen et al 1999) Japan (Mitsuhashi 1997) | | pupa | |
| Antheraea | yamamai (Gérin-M.) | Saturniidae | Lep | Japanese oak silkworm | Pal | Japan (Mitsuhashi 1997) | | pupa | |
| Eriogyna | pyretorum (Westw.) | Saturniidae | Lep | | Pal | China (DeFoliart 2002) | | | |
| Paranthrene | regalis (Butler) | Sesiidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Acherontia | styx Westw. | Sphingidae | Lep | tomato hornworm | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Agrius | convolvuli (L.) | Sphingidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Clanis | bilineata (Walker) | Sphingidae | Lep | | Pal | China (DeFoliart 2002) | | larva pupa | |
| Clanis | bilineata tsingtauca Mell. | Sphingidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Clanis | deucalion (Walker) | Sphingidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Deilephila | elpenor lewesi (Butler) | Sphingidae | Lep | elephant hawk moth | Pal | Japan (Schimitschek 1968) | syn Pergesa elpenor lewisi | larva pupa | |
| Macroglossum | stellatarum (L.) | Sphingidae | Lep | hummingbird hawk moth | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Psilogamma | incretia (Walker) | Sphingidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Smerinthus | planus Walker | Sphingidae | Lep | | Pal | China (Chen et al 1999) | | | |
| Theretra | nessus (Drury) | Sphingidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva pupa | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|----------------------------|--------------------------------|--------------|-------------|-------------------|---------|--|--------------------------------------|-----------------|--|
| Theretra | oldenlandiae (Fabr.) | Sphingidae | Lep | | Pal | Japan (Schimitschek 1968) | | larva pupa | |
| Leguminivora | glycinivorella (Mutsumara) | Tortricidae | Lep | soybean pod borer | Pal | China (Chen et al 1999) | | | |
| Zygaena ssp. | | Zygaenidae | Lep | | Pal | Italy (Dreon, A.L. & Paoletti, M.G. 2009) (Zagobelny et al 2009) | | ingluvie (crop) | |
| Acanthacorydalis | orientalis (McLachlan) | Corydalidae | Megaloptera | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Protohermes | grandis (Thunberg) | Corydalidae | Megaloptera | dobsonfly | Pal | Japan (Schimitschek 1968, Mitsuhashi 1997) | | adult | |
| Gomphus | cuneatus Needham | Gomphidae | Odonata | | Pal | China (Chen et al 1999, 2009) | | nymph | |
| Lestes | praemorsus Hagen in Selys | Lestidae | Odonata | | Pal | China (Chen et al 2009) | | nymph | |
| Crocothemis | servilia (Drury) | Libellulidae | Odonata | | Pal | China (Chen et al 2009) | | nymph adult | |
| Sympetrum | darwinianum Selys | Libellulidae | Odonata | | Pal | Japan (Schimitschek 1968) | | adult | |
| Sympetrum | eroticum (Selys) | Libellulidae | Odonata | | Pal | Japan (Schimitschek 1968) | | adult | |
| Sympetrum | infuscatum (Selys) | Libellulidae | Odonata | | Pal | Japan (Schimitschek 1968) | | nymph adult | |
| Odonata gen. | | | Odonata | dragonfly | Pal | China Japan Taiwan (DeFoliart 2002) | | nymph adult | |
| Acrida | cinerea (Thunb.) | Acrididae | Orth | | Pal | Korea (DeFoliart 2002) | syn. Acrida lata Motsch. | adult | |
| Acrida | lata Motsch. syn | Acrididae | Orth | | Pal | Korea (DeFoliart 2002) | see A. cinerea | adult | |
| Acrida | turrita (L.) | Acrididae | Orth | | Pal | Korea (Meyer-Rochov 2013) | | | |
| Calliptamus | abbreviatus Ikonn. | Acrididae | Orth | | Pal | China (Chen et al 1999) | | | |
| Ceracris | kiangsu Tsai | Acrididae | Orth | | Pal | China (Chen et al 1999) | | | |
| Cyrtacanthacris syn | septemfasciata (Serville) | Acrididae | Orth | | Pal | Kuwait Saudi Arabia (DeFoliart 2002) | see Nomadacris | adult | |
| Locusta | migratoria (L.) | Acrididae | Orth | | Pal | China Morocco (DeFoliart 2002) | syn Acrydium | adult | |
| Locusta | migratoria manilensis (Meyen) | Acrididae | Orth | | Pal | China (DeFoliart 2002, Chen et al 1999) | | | |
| Nomadacris | septemfasciata (Serville) | Acrididae | Orth | | Pal | Kuwait Saudi Arabia (DeFoliart 2002) | syn Cyrtacanthacris | adult | |
| Oxya | chinensis (Thunberg) | Acrididae | Orth | | Pal | China Korea (DeFoliart 2002, Chen et al 1999, 2009) | | nymph adult | |
| Oxya | japonica japonica (Thunberg) | Acrididae | Orth | | Pal | Japan (DeFoliart 2002) | | adult | |
| Oxya | sinuosa Mishenko syn | Acrididae | Orth | | Pal | Korea (DeFoliart 2002) | see O. chinensis | | |
| Oxya | velox (F.) | Acrididae | Orth | | Pal | Japan Korea (DeFoliart 2002) Japan (Schimitschek 1968) | | adult | |
| Oxya | vicina Brunner von W. | Acrididae | Orth | | Pal | Japan (Schimitschek 1968) | | adult | |
| Oxya | yezoensis Shiraki | Acrididae | Orth | | Pal | Japan (DeFoliart 2002, Nonaka 2009) | | | |
| Schistocerca | gregaria (Forsk.) | Acrididae | Orth | | Pal | Pan-regional S.W. Asia North Africa (DeFoliart 2002) | | adult | |
| Shirakiacris | shirakii (Bolivar) | Acrididae | Orth | | Pal | China (Chen et al 1999) | syn Euprepocnemis shirakii | | |
| Gryllidae gen. | | Gryllidae | Orth | | Pal | China Japan (DeFoliart 2002) | | | |
| Gryllus | bimaculatus De Geer | Gryllidae | Orth | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Gryllodes | berthellus Saussure syn | Gryllidae | Orth | | Pal | Japan (Schimitschek 1968) | see Velarifictorus aspersus (Walker) | adult | |
| Loxoblemmus | arietulus Saussure | Gryllidae | Orth | | Pal | Japan (Schimitschek 1968) | | adult | |
| Loxoblemmus | doenitzi Stein | Gryllidae | Orth | | Pal | Japan (Schimitschek 1968) | | adult | |

| Genus | Species | Family | Order | Common names | Faunare | Distribution & References | Remarks | life | |
|---------------------|----------------------------|----------------|--------|--------------|---------|---|---|----------------|--|
| Teleogryllus | mitratus (Burm.) | Gryllidae | Orth | | Pal | Japan (Schimitschek 1968) | syn Gryllus mitratus Burm. | nymph adult | |
| Tarbinskiellus | portentosus (Lichtenstein) | Gryllidae | Orth | | Pal | China (Chen et al 1999, 2009) Japan (Schimitschek 1968) | syn Brachytrupes | nymph adult | |
| Velarifictorus | aspersus (Walker) | Gryllidae | Orth | | Pal | Japan (Schimitschek 1968) | syn Grylloides berthellus Saussure | adult | |
| Gryllotalpa | africana Beauvois | Gryllotalpidae | Orth | | Pal | Japan (Schimitschek 1968) | | adult | |
| Gryllotalpa | orientalis Burm. | Gryllotalpidae | Orth | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Gryllotalpa | unispina Saussure | Gryllotalpidae | Orth | | Pal | China (Chen et al 1999, 2009) | | nymph adult | |
| Gryllotalpidae gen. | | Gryllotalpidae | Orth | mole cricket | Pal | China (DeFoliart 2002) | | | |
| Gampsocleis | buergeri (Haan) | Tettigoniidae | Orth | | Pal | Korea (Meyer-Rochov 2013) | syn G. mikado Burr. | | |
| Gampsocleis | mikado Burr. syn | Tettigoniidae | Orth | | Pal | Korea (Meyer-Rochov 2013) | see G. buergeri (Haan) | | |
| Tettigoniidae gen. | | Tettigoniidae | Orth | | Pal | Japan (DeFoliart 2002) | | | |
| Kamimuria | tibialis (Pictet) | Perlidae | Plecop | | Pal | Japan (Schimitschek 1968) | syn Perla tibialis | nymph | |
| Paragnetina | tinctipennis (McLachnan) | Perlidae | Plecop | | Pal | Japan (Schimitschek 1968) | syn Perla tinctipennis | nymph | |
| Perla syn | tibialis Pictet | Perlidae | Plecop | | Pal | Japan (Schimitschek 1968) | see Kamamuria tibialis | nymph | |
| Perla syn | tinctipennis McLachnan | Perlidae | Plecop | | Pal | Japan (Schimitschek 1968) | see Paragnetina tinctipennis | | |
| Plecoptera gen. | | | Plecop | stone fly | Pal | Japan (DeFoliart 2002) | | nymph | |
| Cheumatopsyche | brevilineata (Iwata) | Hydropsychidae | Trich | caddis fly | Pal | Japan (Mitsuhashi 1997) | as Hydropsycheodes | nymph | |
| Parastenopsyche | sauteri Matsuzaki | Stenopsychidae | Trich | caddis fly | Pal | Japan (Mitsuhashi 1997) | | nymph | |
| Stenopsyche | griseipennis McLachlan | Stenopsychidae | Trich | caddis fly | Pal | Japan (DeFoliart 2002) | | | |