MEALTH PROBLEMS FROM LACK OF WATER

What is this Action Sheet about?

It's about water scarcity – what happens when people don't have enough water to stay healthy.

For the people who collect and carry water — usually women and children — water scarcity can mean traveling long distances in search of water. For farmers, water scarcity means hunger when drought causes crops to fail. For children, water scarcity can mean dehydration and death.

In hospitals, clinics, and other places where sick people get care, lack of water for washing can allow infection to spread from person to person. A reliable supply of safe water can mean the difference between life and death.



Collecting and carrying water over long distances causes many health problems.

Water can prevent and treat many illnesses

We need water to heal from many illnesses. Water is used to prevent and treat diarrhea. (See Action Sheet 11 information on making a rehydration drink to treat diarrhea.) Washing hands with soap and water after using the toilet and before eating or handling food helps prevent diarrhoea illnesses (See Action Sheet 27 and 28). If there is not enough water for washing, there is much more risk of illness and death.

How much water do we need?

People can survive much longer without food than without water. The average amount of water that 1 person needs for good health each day is:



1 to 3 litres for drinking



2 to 3 litres for food preparation and cleanup



6 to 7 litres for personal cleanliness



4 to 6 litres for laundry

This totals 15 to 20 litres per person per day. But many people are forced to manage with much less. Other needs, such as sanitation, irrigation and watering livestock often require much more water than drinking, cooking and washing.

Community places such as schools and health centres may need more than the average amount of water used by one person in a household. Health centres, for example, should have at least 40 to 60 litres of water per day available for every person served.



In raising community
awareness, it is
important to
understand the root
causes of problems.
Many illnesses related
to water security come
from poverty and
exploitation.



Water and HIV/AIDS

Health problems from water scarcity or germs in water can be especially dangerous to people who are already affected by chronic or life-threatening illnesses such as HIV/AIDS. But governments and organizations in areas with high rates of HIV may be less able to meet community water and sanitation needs because they must use scarce resources to care for the HIV crisis, and because they may lose workers to the disease.

The HIV/AIDS disease is NOT passed from person to person through water. But lack of water to wash and sterilize health care instruments in hospitals and health centres can make prevention of the HIV disease more difficult.

HIV makes people more vulnerable to water-related illnesses

When people's bodily defenses are weak from HIV, diarrhea diseases are more likely to affect them and it is much harder to recover. Infants and children infected by HIV are especially vulnerable. Worms that might not be life-threatening for people who are otherwise healthy can cause pneumonia if they travel into the lungs of HIV-infected people. People taking drugs for HIV may have complications when taking other drugs to treat diarrhea and worms.

HIV compromises people's access to enough safe water

It is important for people with HIV to have access to safe drinking and washing water near the home, as well as water for gardening, raising animals, and other home-based activities. Having HIV makes access to water difficult because:

People with HIV may be too weak to collect and carry water.

Households headed by children or elderly people may be left out of decision making, leaving their needs for water and sanitation unmet.


Women are the main caretakers for people with HIV as well as being heavily affected by the disease itself. When they are also responsible for collecting and treating water, the burden of work becomes too much.

HIV leads to increased poverty because it costs money to take care of the sick and because there are fewer people working to earn money for the family. This makes it much harder to pay water fees.

Water security for people with HIV

Health workers, water and sanitation promoters, and caregivers all need training about water and sanitation-related infections and how to keep people with HIV/AIDS safe. People with HIV, their caregivers, and children, women, and elders left behind by people who have died, need to be included in planning for water projects.

When water security is respected as a human right, the most vulnerable people in the community will have their needs met and everyone will be safer and healthier.



What steps can we take towards improving our water supply?

Depending on your local situation, water supplies can be increased by techniques such as rainwater harvesting, digging wells or transporting water to your village in a pipe (See Action Sheets 13, 16, 20). The first step is to join together to assess the water supply where you live and develop a plan for community water security (Action Sheet 12). It is also important to make sure your community is aware of health problems that come from drinking unsafe water (Action Sheet 11).

ACKNOWLEDGEMENTS: This Action Sheet was based closely on the following source: "Water for Life: Community Water Security", created by the Hesperian Foundation for the UNDP, in cooperation with the Community Water Initiative partners, part of a larger book by the Hesperian Foundation

FOR FURTHER INFORMATION

CONTACTS
See WATER pages in the PACE directory

