

Tephrosia vogelii

| <i>Tephrosia vogelii</i> | |
|---|-------------------|
| Scientific classification | |
| Kingdom: | Plantae |
| (unranked): | Angiosperms |
| (unranked): | Eudicots |
| (unranked): | Rosids |
| Order: | Fabales |
| Family: | Fabaceae |
| Subfamily: | Faboideae |
| Tribe: | Millettieae |
| Genus: | <i>Tephrosia</i> |
| Species: | <i>T. vogelii</i> |
| Binomial name | |
| <i>Tephrosia vogelii</i> Hook.f. | |
| Synonyms | |
| <i>Cracca vogelii</i> (Hook. f.) Kuntze | |

Tephrosia vogelii, the fish-poison-bean or Vogel tephrosia (English), tefrósia (Portuguese) or barbasco guineano (Spanish), is a flowering plant species in the genus *Tephrosia*.^[1]

The two rotenoids deguelin and tephrosin can be found in *T. vogelii*.^[2]

T. vogelii forms root nodules with *Sinorhizobium fredii*.

References

- [1] "GRIN Species Records of *Tephrosia vogelii*" (<http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?80185>). *Germplasm Resources Information Network*. United States Department of Agriculture. . Retrieved 2010-11-29.
- [2] Production of rotenoids by heterotrophic and photomixotrophic cell cultures of tephrosia vogelii. Nadine Lambert, Marie-France Trouslot, Claudine Nef-Campa and Hervé Chrestin, Phytochemistry, Volume 34, Issue 6, December 1993, Pages 1515-1520, doi:10.1016/S0031-9422(00)90838-0

External links

- "*Tephrosia vogelii*" (http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506282). Integrated Taxonomic Information System.

Article Sources and Contributors

Tephrosia vogelii Source: <http://en.wikipedia.org/w/index.php?oldid=449646983> Contributors: Nono64, Rkitko

License

Creative Commons Attribution-Share Alike 3.0 Unported
[/creativecommons.org/licenses/by-sa/3.0/](http://creativecommons.org/licenses/by-sa/3.0/)